S4350-1-U



Vital Statistics
Mississippi
1989

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH

Bureau of Information Resources
Division of Public Health Statistics
P.O. Box 1700
Jackson, Mississippi 39215-1700

Telephone: 601 960-7960

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin 1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death 1
Occurrence and Residence Allocation 2
Population 2
Race 2
Rates 3
Classification of Cause of Death 3

SUMMARY TABLES, 1989

POPULATION

Table P1. Population Projections and Percentage Distribution, by Age, Race, and Sex 7

LIVE BIRTHS

Table A1. Live Births and Average per Day, by Month 8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1989 8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother 9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother 10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother 10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother 11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother 11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother 12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother 12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother 13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother 14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother 15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother 16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother 16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother 17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother 17

FETAL DEATHS

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother 18
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother 19

Page

SUMMARY TABLES, 1989

FETAL DEATHS (continued)
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother 19
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1987-1989 20

DEATHS
Table C1. Deaths and Average per Day, by Month 21
Table C2. Deaths, Percentage Distribution, and Rates, by Age and Race 21
Table C3A. Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race 22
Table C3B. Death Rates, by Age, Race, and Sex 22
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 23
Table C5. Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause 24
Table C6. Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race 25
Table C7. Deaths from Major Chronic Respiratory Diseases, 1964, 1969, 1974, 1979, 1984, 1989 25
Table C8. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 26
Table C9. Deaths from Selected Types of Accidents, by Sex, also by Age 27
Table C10. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1989 28
Table C11. Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race 29
Table C12. Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race 29

MARRIAGES
Table D1. Marriages and Average per Day, by Month 30
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 31
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 32
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race 33
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race 34
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 35

DIVORCES
Table E1. Divorces and Percentage Distribution, by Cause and Race 36
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race 36
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race 37

INDUCED TERMINATIONS OF PREGNANCY
Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi 38

SUMMARY TABLES, 1989

Page

INDUCED TERMINATIONS OF PREGNANCY (continued)
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi 39
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi 40

MAJOR TABLES, 1989

POPULATION
Table i. Population Projections and Percent Change Since 1980 Census, by County and Race, Mississippi, 1989 43

LIVE BIRTHS
Table 1A. Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1989 45
Table 1B. Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1989 48
Table 2. Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1989 49
Table 3A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1989 52
Table 3B. Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1989 54
Table 3C. Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1989 56
Table 4. Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1989 58
Table 5A. Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1989 60
Table 5B. Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1989 62
Table 5C. Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1989 64
Table 6. Immature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1989 66
Table 7. Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1989 68

FETAL DEATHS
Table 8. Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1989 70

DEATHS
Table 9. Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1989 72
Table 10. Deaths, by Cause and Race, Mississippi Residents, 1989 75
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1989 90

Page

MAJOR TABLES, 1989

DEATHS (continued)
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1989 97
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1985-1989 (5-Year Average) 99
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1989 101
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1989 103

MARRIAGES
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1989 105

DIVORCES
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 1989 107

INDUCED TERMINATIONS
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1989 108

DEATHS (COUNTY AND STATE SUMMARIES)
Table 18. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents
The Counties (in alphabetical order) 111
The State 131

TIME SERIES TABLES

Table 19. Live Births and Rates, by Year and Race, Mississippi, 1913-1989, (Occurrence Data 1913-1943, Residence Data 1944-1989) 135
Table 20. Deaths and Rates, by Year and Race, Mississippi, 1913-1989, (Occurrence Data 1913-1943, Residence Data 1944-1989) 137
Table 21. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1989, (Occurrence Data 1913-1943, Residence Data 1944-1989) 139
Table 22. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1989, (Occurrence Data 1917-1943, Residence Data 1944-1989) 141
Table 23. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1989, (Occurrence Data 1924-1944, Residence Data 1945-1989) 143
Table 24. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1989, (Occurrence Data 1924-1943, Residence Data 1944-1989) 145
Table 25. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1989 147
Table 26. Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1989 149

VITAL STATISTICS
MISSISSIPPI, 1989

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1989; the second part contains major statistical tables for 1989. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Population figures used in this publication are based on projections of population that were developed by the Mississippi Research and Development Center. A data tape containing population projections for the years 1985, 1990, 1995, 2000, 2005, and 2010 by county of residence, age group, race, and sex was obtained by the Department of Health, which then produced a straight-line projection for 1989 based on the data for 1985 and 1990. All figures were rounded to whole numbers, and, because of this method of calculation, figures by race and by sex do not add up to the total figures.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1989

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. POPULATION PROJECTIONS AND PERCENTAGE DISTRIBUTION, BY AGE, RACE, AND SEX MISSISSIPPI, 1989

AGE	NUMBER					PERCENT				
		WHITE		NONWHITE			WHITE		NONWHITE	
	TOTAL	MALE	FEMALE	MALE	FEMALE	TOTAL	MALE	FEMALE	MALE	FEMALE
TOTAL	2,779,544	873,764	905,063	472,965	528,001	100.0	100.0	100.0	100.0	100.0
0-4	275,287	71,114	68,532	68,977	66,671	9.9	8.1	7.6	14.6	12.6
5-9	254,636	66,992	64,358	62,520	60,788	9.2	7.7	7.1	13.2	11.5
10-14	214,327	62,092	58,506	46,892	46,847	7.7	7.1	6.5	9.9	8.9
15-19	219,392	66,178	62,547	45,449	45,240	7.9	7.6	6.9	9.6	8.6
20-24	231,556	70,849	66,703	46,866	47,155	8.3	8.1	7.4	9.9	8.9
25-29	251,379	79,520	75,931	46,195	49,737	9.0	9.1	8.4	9.8	9.4
30-34	223,614	75,309	73,520	33,983	40,813	8.0	8.6	8.1	7.2	7.7
35-39	190,549	66,796	67,078	25,829	30,868	6.8	7.6	7.4	5.5	5.8
40-44	164,103	60,722	61,235	18,859	23,303	5.9	6.9	6.8	4.0	4.4
45-49	133,172	49,777	51,303	13,868	18,234	4.8	5.7	5.7	2.9	3.4
50-54	117,142	43,511	44,970	11,714	16,966	4.2	5.0	5.0	2.5	3.2
55-59	108,477	39,442	42,630	10,452	15,955	3.9	4.5	4.7	2.2	3.0
60-64	107,033	37,427	43,070	10,376	16,180	3.8	4.3	4.8	2.2	3.1
65-69	97,002	32,207	40,602	9,544	14,672	3.5	3.7	4.5	2.0	2.8
70-74	84,249	25,541	35,709	9,204	13,822	3.0	2.9	3.9	1.9	2.6
75 & OVER	107,626	26,277	48,369	12,237	20,750	3.9	3.0	5.3	2.6	3.9
UNDER 15	744,250	200,198	191,396	178,389	174,306	26.8	22.9	21.1	37.7	33.0
15-64	1,746,417	589,541	588,987	263,591	304,451	62.8	67.5	65.1	55.7	57.7
65 & OVER	288,877	84,025	124,680	30,985	49,244	10.4	9.6	13.8	6.6	9.3

NOTE: FIGURES BY SEX AND BY RACE DO NOT ADD TO TOTAL BECAUSE OF THE METHOD OF CALCULATION. ALSO, ALL FIGURES WERE ROUNDED TO WHOLE NUMBERS.

LIVE BIRTHS

TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH MISSISSIPPI, 1989

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	43,026	118			
JANUARY	3,588	116	JULY	3,739	121
FEBRUARY	3,304	118	AUGUST	4,004	129
MARCH	3,516	113	SEPTEMBER	3,840	128
APRIL	3,199	107	OCTOBER	3,785	122
MAY	3,391	109	NOVEMBER	3,476	116
JUNE	3,588	120	DECEMBER	3,596	116

TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS, BY YEAR AND RACE* MISSISSIPPI, 1940, 1950, 1960, 1970-1989

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9	1976#	98.5	99.7	97.3
				1977#	98.9	99.7	98.1
1950	46.1	83.3	18.9	1978#	99.1	99.7	98.4
				1979#	99.3	99.7	98.9
1960	73.2	99.0	51.3	1980#	99.4	99.7	99.1
				1981#	99.3	99.6	99.0
1970#	90.0	99.7	79.7	1982#	99.4	99.6	99.2
1971#	92.2	99.6	84.2	1983#	99.5	99.6	99.4
1972#	95.2	99.8	90.4	1984#	99.5	99.6	99.4
1973#	96.4	99.7	92.8	1985#	99.6	99.7	99.4
1974#	97.4	99.7	94.8	1986#	99.6	99.7	99.5
1975#	97.9	99.6	96.0	1987#	99.6	99.8	99.5
				1988#	99.6	99.7	99.6
				1989#	99.6	99.8	99.5

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD; BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

\# INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1989

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
TOTAL	43,026	42,600	256	15	134	21	100.0	99.0	0.6	*	0.3	*
HOSPITAL	42,873	42,559	249	0	56	9	99.6	98.9	0.6	-	0.1	*
CLINIC/DOCTOR'S OFFICE	4	2	1	0	1	0	*	*	*	-	*	-
HOME	143	37	6	14	77	9	0.3	0.1	*	*	0.2	*
OTHER PLACE	1	0	0	0	0	1	*	-	-	-	-	*
UNKNOWN PLACE	5	2	0	1	0	2	*	*	-	*	-	*
WHITE	22,069	21,993	20	12	40	4	100.0	99.6	0.1	*	0.2	*
HOSPITAL	22,018	21,988	13	0	15	2	99.8	99.6	*	-	0.1	*
CLINIC/DOCTOR'S OFFICE	1	0	1	0	0	0	*	-	*	-	-	-
HOME	47	4	6	12	25	0	0.2	*	*	*	0.1	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	3	1	0	0	0	2	*	*	-	-	-	*
NONWHITE	20,957	20,607	236	3	94	17	100.0	98.3	1.1	*	0.4	0.1
HOSPITAL	20,855	20,571	236	0	41	7	99.5	98.2	1.1	-	0.2	*
CLINIC/DOCTOR'S OFFICE	3	2	0	0	1	0	*	*	-	-	*	-
HOME	96	33	0	2	52	9	0.4	0.2	-	*	0.2	*
OTHER PLACE	1	0	0	0	0	1	*	-	-	-	-	*
UNKNOWN PLACE	2	1	0	1	0	0	*	*	-	*	-	-

* LESS THAN 0.06 PERCENT.

TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES, BY AGE AND RACE OF MOTHER MISSISSIPPI, 1989

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,026	22,069	20,957	100.0	100.0	100.0	66.8	54.2	88.4
UNDER 15	358	47	311	0.8	0.2	1.5	3.4	0.8	6.6
15-19	8,912	3,250	5,662	20.7	14.7	27.0	82.7	52.0	125.2
20-24	13,819	6,836	6,983	32.1	31.0	33.3	121.4	102.5	148.1
25-29	11,490	7,032	4,458	26.7	31.9	21.3	91.4	92.6	89.6
30-34	6,145	3,640	2,505	14.3	16.5	12.0	53.7	49.5	61.4
35-39	1,886	1,027	859	4.4	4.6	4.1	19.2	15.3	27.8
40-44	298	143	155	0.7	0.6	0.7	3.5	2.3	6.6
45-49	11	5	6	**	**	**	0.2	0.1	0.3
UNKNOWN	107	89	18	0.2	0.4	0.1			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER MISSISSIPPI, 1989

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL BIRTHS	43,026	22,069	20,957	100.0	100.0	100.0			
0-6 YEARS	317	132	185	0.7	0.6	0.9	0.7	0.6	0.9
7-9 YEARS	4,739	2,071	2,668	11.0	9.4	12.8	11.8	10.0	13.7
10, 11 YEARS	7,576	2,814	4,762	17.7	12.8	22.8	29.4	22.8	36.5
12 YEARS	16,366	8,247	8,119	38.2	37.4	38.9	67.6	60.2	75.4
1-3 YEARS COLLEGE	8,968	5,123	3,845	20.9	23.3	18.4	88.5	83.5	93.8
4 OR MORE YEARS COLLEGE	4,925	3,634	1,291	11.5	16.5	6.2	100.0	100.0	100.0
UNKNOWN	135	48	87						
MEDIAN YEARS COMPLETED*	12.5	12.7	12.3						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP, BY AGE AND RACE OF MOTHER MISSISSIPPI, 1989

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	16,954	2,731	14,223	39.4	12.4	67.9
UNDER 15	343	33	310	95.8	70.2	99.7
15-19	6,440	1,112	5,328	72.3	34.2	94.1
20-24	5,917	909	5,008	42.8	13.3	71.7
25-29	2,632	408	2,224	22.9	5.8	49.9
30-34	1,165	186	979	19.0	5.1	39.1
35-39	367	59	308	19.4	5.7	35.8
40-44	71	14	57	23.8	9.8	36.8
45-49	1	1	0	9.1	20.0	-
UNKNOWN	18	9	9			

TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER MISSISSIPPI, 1989

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,026	22,069	20,957	100.0	100.0	100.0	66.8	54.2	88.4	24.4	25.5	23.0
FIRST	14,832	8,165	6,667	34.5	37.0	31.8	23.0	20.1	28.1	20.9	22.6	19.4
SECOND	13,097	7,221	5,876	30.4	32.7	28.0	20.3	17.7	24.8	24.7	26.0	22.8
THIRD	8,031	4,011	4,020	18.7	18.2	19.2	12.5	9.8	17.0	26.4	27.6	25.0
FOURTH	3,920	1,648	2,272	9.1	7.5	10.8	6.1	4.0	9.6	27.6	28.8	26.5
FIFTH	1,666	572	1,094	3.9	2.6	5.2	2.6	1.4	4.6	28.9	30.3	28.1
SIXTH	731	251	480	1.7	1.1	2.3	1.1	0.6	2.0	30.1	31.1	29.5
SEVENTH	332	98	234	0.8	0.4	1.1	0.5	0.2	1.0	31.6	32.4	31.1
EIGHTH	174	36	138	0.4	0.2	0.6	0.3	0.1	0.6	32.4	33.3	32.1
NINTH	99	20	79	0.2	0.1	0.4	0.2	#	0.3	32.9	33.2	32.9
TENTH & OVER	92	16	76	0.2	0.1	0.4	0.1	#	0.3	36.6	37.8	36.3
UNKNOWN	52	31	21	0.1	0.1	0.1	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY WHETHER MOTHER RECEIVED PRENATAL CARE, TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER MISSISSIPPI, 1989

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,026	22,069	20,957	100.0	100.0	100.0
NO PRENATAL CARE	467	114	353	1.1	0.5	1.7
SOME PRENATAL CARE	42,292	21,865	20,427	98.3	99.1	97.5
FIRST TRIMESTER	32,025	18,748	13,277	74.4	85.0	63.4
SECOND TRIMESTER	8,724	2,759	5,965	20.3	12.5	28.5
THIRD TRIMESTER	1,402	321	1,081	3.2	1.4	5.2
UNKNOWN MONTH	141	37	104	0.3	0.2	0.5
UNKNOWN WHETHER ANY PRENATAL CARE	267	90	177	0.6	0.4	0.8

TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY MATURITY AND RACE OF MOTHER MISSISSIPPI, 1989

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,026	22,069	20,957	100.0	100.0	100.0
IMMATURE ONLY**	1,620	604	1,016	3.8	2.7	4.8
PREMATURE ONLY**	3,822	1,336	2,486	8.9	6.0	11.9
BOTH IMMATURE AND PREMATURE	2,421	832	1,589	5.6	3.8	7.6
TOTAL IMMATURE	4,041	1,436	2,605	9.4	6.5	12.4
TOTAL PREMATURE	6,243	2,168	4,075	14.5	9.8	19.4
TOTAL IMMATURE AND/OR PREMATURE	7,863	2,772	5,091	18.3	12.6	24.3
NEITHER IMMATURE NOR PREMATURE**	35,163	19,297	15,866	81.7	87.4	75.7

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES, BY ANOMALY AND RACE OF MOTHER MISSISSIPPI, 1989

CONGENITAL ANOMALY	TOTAL	WHITE	NON-WHITE
TOTAL ANOMALIES REPORTED	871	446	425
ANENCEPHALUS	5	2	3
SPINA BIFIDA/MENINGOCELE	19	12	7
HYDROCEPHALUS	11	9	2
MICROCEPHALUS	4	1	3
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	10	4	6
HEART MALFORMATIONS	72	43	29
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	50	30	20
RECTAL ATRESIA/STENOSIS	15	8	7
TRACHEO-ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	5	4	1
OMPHALOCELE/GASTROSCHISIS	15	6	9
OTHER GASTROINTESTINAL ANOMALIES	21	6	15
MALFORMED GENITALIA	107	62	45
RENAL AGENESIS	7	5	2
OTHER UROGENITAL ANOMALIES	22	9	13
CLEFT LIP/PALATE	56	38	18
POLYDACTYLY/SYNDACTYLY/ADACTYLY	138	32	106
CLUB FOOT	37	23	14
DIAPHRAGMATIC HERNIA	6	6	0
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES	139	78	61
DOWN'S SYNDROME	32	18	14
OTHER CHROMOSOMAL ANOMALIES	8	4	4
OTHER	92	46	46

TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES, BY RISK FACTOR AND RACE OF MOTHER MISSISSIPPI, 1989

MEDICAL RISK FACTOR	TOTAL	WHITE	NON-WHITE
TOTAL RISK FACTORS REPORTED	9,249	4,245	5,004
ANEMIA (HCT. < 30/HGB. < 10)	1,015	282	733
CARDIAC DISEASE	166	96	70
ACUTE OR CHRONIC LUNG DISEASE	82	34	48
DIABETES	690	374	316
GENITAL HERPES	181	125	56
HYDRAMNIOS/OLIGOHYDRAMNIOS	247	125	122
HEMOGLOBINOPATHY	41	4	37
HYPERTENSION, CHRONIC	593	170	423
HYPERTENSION, PREGNANCY-ASSOCIATED	1,592	746	846
ECLAMPSIA	454	235	219
INCOMPETENT CERVIX	95	40	55
PREVIOUS INFANT 4000+ GRAMS	339	208	131
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	660	255	405
RENAL DISEASE	61	32	29
RH SENSITIZATION	177	121	56
UTERINE BLEEDING	260	139	121
OTHER	2,596	1,259	1,337

TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER, MISSISSIPPI, 1989

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL LIVE BIRTHS	43,026	22,069	20,957	100.0	100.0	100.0
TOBACCO USE DURING PREGNANCY						
NONE	35,890	17,169	18,721	83.4	77.8	89.3
SOME	6,608	4,639	1,969	15.4	21.0	9.4
1-9 CIGARETTES PER DAY	1,448	793	655	3.4	3.6	3.1
10-19 CIGARETTES PER DAY	2,286	1,631	655	5.3	7.4	3.1
20-29 CIGARETTES PER DAY	2,087	1,605	482	4.8	7.3	2.3
30-39 CIGARETTES PER DAY	254	229	25	0.6	1.0	0.1
40-49 CIGARETTES PER DAY	168	138	30	0.4	0.6	0.1
50-59 CIGARETTES PER DAY	9	7	2	*	*	*
60 OR MORE PER DAY	17	17	0	*	0.1	-
UNKNOWN AMOUNT	356	236	120	0.8	1.1	0.6
NOT STATED	511	244	267	1.2	1.1	1.3
ALCOHOL USE DURING PREGNANCY						
NONE	41,805	21,504	20,301	97.2	97.4	96.9
SOME	681	297	384	1.6	1.3	1.8
1 DRINK PER WEEK	200	99	101	0.5	0.4	0.5
2 DRINKS PER WEEK	117	45	72	0.3	0.2	0.3
3 DRINKS PER WEEK	58	17	41	0.1	0.1	0.2
4 DRINKS PER WEEK	20	7	13	*	*	0.1
5 DRINKS PER WEEK	15	11	4	*	*	*
6 OR MORE PER WEEK	80	29	51	0.2	0.1	0.2
UNKNOWN AMOUNT	191	89	102	0.4	0.4	0.5
NOT STATED	540	268	272	1.2	1.2	1.3
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	427	137	290	1.0	0.6	1.4
1-4 POUNDS	291	95	196	0.7	0.4	0.9
5-9 POUNDS	859	331	528	2.0	1.5	2.5
10-14 POUNDS	2,417	922	1,495	5.6	4.2	7.1
15-19 POUNDS	3,467	1,727	1,740	8.0	7.8	8.3
20-24 POUNDS	7,247	3,575	3,672	16.8	16.2	17.5
25-29 POUNDS	6,769	3,769	3,000	15.7	17.1	14.3
30-34 POUNDS	6,807	3,843	2,964	15.8	17.4	14.1
35-39 POUNDS	3,571	2,232	1,339	8.3	10.1	6.4
40-44 POUNDS	3,001	1,829	1,172	7.0	8.3	5.6
45 OR MORE POUNDS	3,386	2,034	1,352	7.9	9.2	6.4
UNKNOWN AMOUNT	4,784	1,575	3,209	11.1	7.1	15.3
MEDIAN WEIGHT GAIN (LBS)**	28.3	29.6	26.6			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES, BY COMPLICATION AND RACE OF MOTHER MISSISSIPPI, 1989

COMPLICATION	TOTAL	WHITE	NON-WHITE
TOTAL COMPLICATONS REPORTED	17,334	8,581	8,753
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	467	220	247
MECONIUM, MODERATE/HEAVY	2,594	1,188	1,406
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1,478	728	750
ABRUPTIO PLACENTA	338	155	183
PLACENTA PREVIA	124	69	55
OTHER EXCESSIVE BLEEDING	142	57	85
SEIZURES DURING LABOR	25	8	17
PRECIPITOUS LABOR (< 3 HOURS)	793	310	483
PROLONGED LABOR (> 20 HOURS)	311	156	155
DYSFUNCTIONAL LABOR	780	345	435
BREECH/MALPRESENTATION	1,630	928	702
CEPHALOPELVIC DISPROPORTION	2,760	1,561	1,199
CORD PROLAPSE	96	58	38
ANESTHETIC COMPLICATIONS	18	14	4
FETAL DISTRESS	1,841	770	1,071
OTHER	3,937	2,014	1,923

TABLE A14. METHODS OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES, BY METHOD AND RACE OF MOTHER MISSISSIPPI, 1989

METHOD OF DELIVERY	TOTAL	WHITE	NON-WHITE
TOTAL METHODS OF DELIVERY REPORTED	47,457	25,101	22,356
VAGINAL	29,711	14,433	15,278
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	633	273	360
PRIMARY C-SECTION	6,808	3,862	2,946
REPEAT C-SECTION	4,299	2,452	1,847
FORCEPS	5,491	3,769	1,722
VACUUM	515	312	203

TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES, BY PROCEDURE AND RACE OF MOTHER MISSISSIPPI, 1989

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON-WHITE
TOTAL OBSTETRIC PROCEDURES REPORTED	67,631	37,496	30,135
AMNIOCENTESIS	894	560	334
ELECTRONIC FETAL MONITORING	34,753	18,397	16,356
INDUCTION OF LABOR	2,905	1,967	938
STIMULATION OF LABOR	5,584	3,259	2,325
TOCOLYSIS	469	276	193
ULTRASOUND	21,843	12,161	9,682
OTHER	1,183	876	307

TABLE A16. ABNORMAL CONDITIONS OF NEWBORN REPORTED ON LIVE BIRTH CERTIFICATES, BY CONDITION AND RACE OF MOTHER MISSISSIPPI, 1989

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON-WHITE
TOTAL ABNORMAL CONDITIONS REPORTED	3,001	1,558	1,443
ANEMIA (HCT. < 39/HGB. < 13)	58	29	29
BIRTH INJURY	158	112	46
FETAL ALCOHOL SYNDROME	3	0	3
HYALINE MEMBRANE DISEASE/RDS	603	321	282
MECONIUM ASPIRATION SYNDROME	136	59	77
ASSISTED VENTILATION < 30 MINUTES	252	103	149
ASSISTED VENTILATION 30 MINUTES OR MORE	231	108	123
SEIZURES	53	29	24
OTHER	1,507	797	710

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER MISSISSIPPI, 1989

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
TOTAL	425	414	0	0	4	7	100.0	97.4	-	-	0.9	1.6
HOSPITAL	418	412	0	0	4	2	98.4	96.9	-	-	0.9	0.5
CLINIC/DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	6	1	0	0	0	5	1.4	0.2	-	-	-	1.2
OTHER PLACE	1	1	0	0	0	0	0.2	0.2	-	-	-	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
WHITE	126	122	0	0	1	3	100.0	96.8	-	-	0.8	2.4
HOSPITAL	125	122	0	0	1	2	99.2	96.8	-	-	0.8	1.6
CLINIC/DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	1	0	0	0	0	1	0.8	-	-	-	-	0.8
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
NONWHITE	299	292	0	0	3	4	100.0	97.6	-	-	1.0	1.3
HOSPITAL	293	290	0	0	3	0	98.0	97.0	-	-	1.0	-
CLINIC/DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	5	1	0	0	0	4	1.7	0.3	-	-	-	1.3
OTHER PLACE	1	1	0	0	0	0	0.3	0.3	-	-	-	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** LESS THAN 0.06 PERCENT.

TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY AGE AND RACE OF MOTHER MISSISSIPPI, 1989

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	425	126	299	9.9	5.7	14.3
UNDER 15	4	1	3	11.2	#	9.6
15-19	96	20	76	10.8	6.2	13.4
20-24	129	41	88	9.3	6.0	12.6
25-29	90	34	56	7.8	4.8	12.6
30-34	64	13	51	10.4	3.6	20.4
35-39	29	10	19	15.4	9.7	22.1
40-44	2	2	0	6.7	14.0	-
45-49	0	0	0	-	-	-
UNKNOWN	11	5	6	102.8	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS, BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER MISSISSIPPI, 1989

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NO CARE	1.1	0.5	1.7	8.5	5.6	9.7
SOME CARE	98.3	99.1	97.5	79.5	88.1	75.9
UNKNOWN WHETHER ANY CARE	0.6	0.4	0.8	12.0	6.3	14.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER, MISSISSIPPI, 1987-1989

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1987	1988	1989	1987	1988	1989	1987	1988	1989
REPORTABLE* FETAL DEATHS									
TOTAL	448	485	425	159	169	126	289	316	299
UNDER 20	24	17	23	5	2	4	19	15	19
20 AND OVER	354	419	341	139	151	112	215	268	229
20-22	57	84	68	12	22	13	45	62	55
23-27	84	99	81	31	32	28	53	67	53
28-36	123	137	115	54	51	38	69	86	77
37 AND OVER	90	99	77	42	46	33	48	53	44
UNKNOWN	70	49	61	15	16	10	55	33	51
FETAL DEATH RATIOS#									
TOTAL	10.6	11.7	9.9	7.3	7.8	5.7	14.3	16.1	14.3
UNDER 20	0.6	0.4	0.5	0.2	0.1	0.2	0.9	0.8	0.9
20 AND OVER	8.4	10.2	7.9	6.4	7.0	5.1	10.6	13.7	10.9
20-22	1.4	2.0	1.6	0.6	1.0	0.6	2.2	3.2	2.6
23-27	2.0	2.4	1.9	1.4	1.5	1.3	2.6	3.4	2.5
28-36	2.9	3.3	2.7	2.5	2.4	1.7	3.4	4.4	3.7
37 AND OVER	2.1	2.4	1.8	1.9	2.1	1.5	2.4	2.7	2.1
UNKNOWN	1.7	1.2	1.4	0.7	0.7	0.4	2.7	1.7	2.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH MISSISSIPPI, 1989

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
TOTAL	25,273	69			
JANUARY	2,039	66	JULY	2,006	65
FEBRUARY	1,941	69	AUGUST	2,151	69
MARCH	1,985	64	SEPTEMBER	2,137	71
APRIL	1,862	62	OCTOBER	2,071	67
MAY	1,850	60	NOVEMBER	1,800	60
JUNE	1,824	61	DECEMBER	1,995	64

TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE MISSISSIPPI, 1989

	NUMBER			PERCENT			RATE*		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	25,273	16,386	8,887	100.0	100.0	100.0	9.1	9.2	8.9
0-4	587	233	354	2.3	1.4	4.0	2.1	1.7	2.6
5-9	88	44	44	0.3	0.3	0.5	0.3	0.3	0.4
10-14	106	52	54	0.4	0.3	0.6	0.5	0.4	0.6
15-24	490	283	207	1.9	1.7	2.3	1.1	1.1	1.1
25-34	693	331	362	2.7	2.0	4.1	1.4	1.1	2.1
35-44	955	471	484	3.8	2.9	5.4	2.7	1.8	4.9
45-54	1,594	937	657	6.3	5.7	7.4	6.4	4.9	10.8
55-64	3,235	2,106	1,129	12.8	12.8	12.7	15.0	13.0	21.3
65-74	5,591	3,772	1,819	22.1	23.0	20.5	30.8	28.1	38.5
75 AND OVER	11,914	8,152	3,762	47.1	49.8	42.3	110.7	109.2	114.0
UNKNOWN	20	5	15	0.1	**	0.2			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE C3A. DEATHS BY AGE, RACE, AND SEX,AND MALE/FEMALE RATIOS BY AGE AND RACE MISSISSIPPI, 1989

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13,387	11,886	1.13	8,728	7,658	1.14	4,659	4,228	1.10
UNDER 1	270	228	1.18	114	76	1.50	156	152	1.03
1-4	55	34	1.62	26	17	1.53	29	17	1.66
5-9	54	34	1.59	26	18	1.44	28	16	1.75
10-14	66	40	1.65	33	19	1.74	33	21	1.57
15-24	358	132	2.71	214	69	3.10	144	63	2.24
25-34	465	228	2.04	226	105	2.15	239	123	1.94
35-44	644	311	2.07	328	143	2.29	316	168	1.88
45-54	1,011	583	1.73	612	325	1.88	399	258	1.55
55-64	2,009	1,226	1.64	1,357	749	1.81	652	477	1.37
65-74	3,306	2,285	1.45	2,293	1,479	1.55	1,013	806	1.26
75-84	3,516	3,565	0.99	2,470	2,386	1.04	1,046	1,179	0.89
85 AND OVER	1,619	3,214	0.50	1,024	2,272	0.45	595	942	0.63
UNKNOWN	14	6		5	0		9	6	
MEDIAN AGE	70.3	77.4		71.2	78.5		68.2	75.1	

TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX MISSISSIPPI, 1989

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	9.9	8.3	10.0	8.5	9.8	8.0
0-4	2.3	1.9	2.0	1.4	2.7	2.5
5-9	0.4	0.3	0.4	0.3	0.4	0.3
10-14	0.6	0.4	0.5	0.3	0.7	0.4
15-24	1.6	0.6	1.6	0.5	1.6	0.7
25-34	2.0	1.0	1.5	0.7	3.0	1.4
35-44	3.7	1.7	2.6	1.1	7.1	3.1
45-54	8.5	4.4	6.6	3.4	15.6	7.3
55-64	20.6	10.4	17.6	8.7	31.3	14.8
65-74	43.2	21.8	39.7	19.4	54.0	28.3
75 AND OVER	133.4	98.1	133.0	96.3	134.1	102.2

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES, BY CAUSE AND RACE MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF TEN LEADING CAUSES	21,211	13,934	7,277	83.9	85.0	81.9
1. HEART DISEASES (390-398, 402, 404-429)	9,593	6,364	3,229	38.0	38.8	36.3
2. MALIGNANT NEOPLASMS (140-208)	5,252	3,569	1,683	20.8	21.8	18.9
3. CEREBROVASCULAR DISEASES (430-438)	1,883	1,174	709	7.4	7.2	8.0
4. ACCIDENTS (800-949)	1,533	942	591	6.1	5.7	6.6
5. PNEUMONIA AND INFLUENZA (480-487)	775	533	242	3.1	3.2	2.7
6. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	754	583	171	3.0	3.6	1.9
7. DIABETES MELLITUS (250)	459	229	230	1.8	1.4	2.6
8. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	334	185	149	1.3	1.1	1.7
9. SUICIDE (950-959)	316	257	59	1.2	1.6	0.7
10. HOMICIDE AND LEGAL INTERVENTION (960-978)	312	98	214	1.2	0.6	2.4

TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES FOR FIVE LEADING CAUSES, BY AGE AND CAUSE MISSISSIPPI, 1989

AGE	CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER	PERCENT	RATE*
1-4	ALL CAUSES	89	100.0	0.4
	1. ACCIDENTS (800-949)	47	52.8	21.7
	2. CONGENITAL ANOMALIES (740-759)	8	9.0	3.7
	3. MALIGNANT NEOPLASMS (140-208)	5	5.6	2.3
	4T. HEART DISEASES (390-398, 402, 404-429)	3	3.4	1.4
	4T. MENINGITIS (320-322)	3	3.4	1.4
5-14	ALL CAUSES	194	100.0	0.4
	1. ACCIDENTS (800-949)	113	58.2	24.1
	2. MALIGNANT NEOPLASMS (140-208)	20	10.3	4.3
	3. HOMICIDE AND LEGAL INTERVENTION (960-978)	9	4.6	1.9
	4T. CONGENITAL ANOMALIES (740-759)	8	4.1	1.7
	4T. SUICIDE (950-959)	8	4.1	1.7
15-24	ALL CAUSES	490	100.0	1.1
	1. ACCIDENTS (800-949)	283	57.8	62.8
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	57	11.6	12.6
	3. SUICIDE (950-959)	49	10.0	10.9
	4. MALIGNANT NEOPLASMS (140-208)	18	3.7	4.0
	5. HEART DISEASES (390-398, 402, 404-429)	11	2.2	2.4
25-44	ALL CAUSES	1,648	100.0	2.0
	1. ACCIDENTS (800-949)	428	26.0	51.6
	2. HEART DISEASES (390-398, 402, 404-429)	279	16.9	33.6
	3. MALIGNANT NEOPLASMS (140-208)	247	15.0	29.8
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	149	9.0	18.0
	5. SUICIDE (950-959)	111	6.7	13.4
45-64	ALL CAUSES	4,829	100.0	10.4
	1. HEART DISEASES (390-398, 402, 404-429)	1,736	35.9	372.7
	2. MALIGNANT NEOPLASMS (140-208)	1,463	30.3	314.1
	3. CEREBROVASCULAR DISEASES (430-438)	274	5.7	58.8
	4. ACCIDENTS (800-949)	234	4.8	50.2
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	147	3.0	31.6
65 & OVER	ALL CAUSES	17,505	100.0	60.6
	1. HEART DISEASES (390-398, 402, 404-429)	7,540	43.1	2,610.1
	2. MALIGNANT NEOPLASMS (140-208)	3,498	20.0	1,210.9
	3. CEREBROVASCULAR DISEASES (430-438)	1,549	8.8	536.2
	4. PNEUMONIA AND INFLUENZA (480-487)	659	3.8	228.1
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	594	3.4	205.6

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS, BY PRIMARY SITE, SEX, AND RACE MISSISSIPPI, 1989

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
TOTAL	2,028	974	1,541	709	232.1	205.9	170.3	134.3
1. RESPIRATORY AND INTRA-THORACIC ORGANS (160-165)	844	330	376	109	96.6	69.8	41.5	20.6
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	400	233	360	200	45.8	49.3	39.8	37.9
3. GENITAL ORGANS (179-187)	206	164	133	99	23.6	34.7	14.7	18.8
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	185	77	154	58	21.2	16.3	17.0	11.0
5. BREAST (174, 175)	1	1	249	117	0.1	0.2	27.5	22.2
6. URINARY ORGANS (188, 189)	75	32	32	20	8.6	6.8	3.5	3.8
7. BRAIN (191)	57	11	53	9	6.5	2.3	5.9	1.7
8. SKIN (172, 173)	45	7	24	4	5.2	1.5	2.7	0.8
9. LIP, ORAL CAVITY, AND PHARYNX (140-149)	39	21	12	5	4.5	4.4	1.3	0.9
10. BONE AND CONNECTIVE TISSUE (170, 171)	19	12	8	9	2.2	2.5	0.9	1.7
- OTHER AND UNSPECIFIED SITES (190, 192-199)	157	86	140	79	18.0	18.2	15.5	15.0

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES, 1964, 1969, 1974, 1979, 1984, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1964	1969	1974	1979	1984	1989
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	96	47	38	38	23	19
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	447	669	943	1,143	1,374	1,659
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	418	637	904	1,109	1,312	1,613
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	32	62	51	32	38	44
EMPHYSEMA (492)	123	206	180	124	101	109
ASTHMA (493)	51	28	14	24	44	49
(ADJUSTED FIGURES*)	(35)					

* ADJUSTED ACCORDING TO COMPARABILITY RATIOS PREPARED BY THE NATIONAL CENTER FOR HEALTH STATISTICS IN ORDER TO COMPENSATE FOR BREAKS IN COMPARABILITY CAUSED BY REVISIONS OF THE CAUSE-OF-DEATH CLASSIFICATION SYSTEM IN 1968.

TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE MISSISSIPPI, 1989

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF FIVE LEADING CAUSES	1,177	722	455	76.8	76.6	77.0
1. MOTOR VEHICLE (810-825)	797	531	266	52.0	56.4	45.0
2. FIRES AND FLAMES (890-899)	119	34	85	7.8	3.6	14.4
3. FALLS (880-888)	104	80	24	6.8	8.5	4.1
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	87	49	38	5.7	5.2	6.4
5. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	70	28	42	4.6	3.0	7.1

TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1989

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNKNOWN
ALL ACCIDENTS	1,533	1,092	441	13	47	113	283	251	177	234	413	2
MOTOR VEHICLE (810-825)	797	572	225	3	24	51	215	159	104	123	117	1
WATER TRANSPORT (830-838)	22	21	1	0	0	3	2	4	4	5	4	0
SUBMERSION, DROWNING (830, 832)	17	16	1	0	0	3	2	3	3	4	2	0
OTHER (831, 833-838)	5	5	0	0	0	0	0	1	1	1	2	0
AIR AND SPACE TRANSPORT (840-845)	16	15	1	0	0	0	3	3	4	6	0	0
POISONING (850-869)	42	21	21	0	0	2	3	13	6	6	11	1
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (850-858)	22	9	13	0	0	1	2	8	4	2	5	0
BY OTHER SOLID AND LIQUID SUBSTANCES, GASES, AND VAPORS (860-869)	20	12	8	0	0	1	1	5	2	4	6	1
FALLS (880-888)	104	60	44	0	1	2	0	6	2	8	85	0
FIRES AND FLAMES (890-899)	119	78	41	0	10	11	9	13	13	13	50	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	70	59	11	0	4	21	15	12	6	6	6	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	87	52	35	7	3	1	1	5	2	16	52	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	7	7	0	2	0	1	0	2	1	1	0	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	25	23	2	0	1	3	2	6	5	6	2	0
CAUSED BY MACHINERY (919)	19	18	1	0	0	2	2	3	2	7	3	0
CAUSED BY FIREARM MISSILE (922)	67	60	7	1	1	9	20	15	6	8	7	0
CAUSED BY ELECTRIC CURRENT (925)	12	9	3	0	0	0	4	2	2	4	0	0

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1989

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE MISSISSIPPI, 1989

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL UNDER 1 YEAR	498	190	308	100.0	100.0	100.0	11.6	8.6	14.7
NEONATAL (UNDER 28 DAYS)	309	132	177	62.0	69.5	57.5	7.2	6.0	8.4
HEBDOMADAL (UNDER 7 DAYS)	259	109	150	52.0	57.4	48.7	6.0	4.9	7.2
UNDER 1 DAY	167	68	99	33.5	35.8	32.1	3.9	3.1	4.7
1-6 DAYS	92	41	51	18.5	21.6	16.6	2.1	1.8	2.4
7-27 DAYS	50	23	27	10.0	12.1	8.8	1.2	1.0	1.3
POSTNEONATAL (28 DAYS TO 1 YEAR)	189	58	131	38.0	30.5	42.5	4.4	2.6	6.2

* DEATHS PER 1,000 LIVE BIRTHS.

TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES OF INFANT DEATH, BY CAUSE AND RACE MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	498	190	308	11.6	8.6	14.7
1. CONGENITAL ANOMALIES (740-759)	87	50	37	2.0	2.3	1.8
2. SUDDEN INFANT DEATH SYNDROME (798.0)	73	22	51	1.7	1.0	2.4
3. RESPIRATORY DISTRESS SYNDROME (769)	56	22	34	1.3	1.0	1.6
4. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	51	13	38	1.2	0.6	1.8
5. MATERNAL COMPLICATIONS OF PREGNANCY (761)	16	8	8	0.4	0.4	0.4
6T. PNEUMONIA AND INFLUENZA (480-487)	13	5	8	0.3	0.2	0.4
6T. ACCIDENTS (800-949)	13	3	10	0.3	0.1	0.5
8. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	12	6	6	0.3	0.3	0.3
9. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (EXCLUDING SIDS) (780-797, 798.1-799)	11	4	7	0.2	0.2	0.3
10T. SEPTICEMIA (038)	8	3	5	0.2	0.1	0.2
10T. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	8	2	6	0.2	0.1	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH MISSISSIPPI, 1989

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
TOTAL	24,240	66			
JANUARY	1,297	42	JULY	2,536	82
FEBRUARY	1,523	54	AUGUST	2,127	69
MARCH	1,898	61	SEPTEMBER	2,155	72
APRIL	1,838	61	OCTOBER	1,664	54
MAY	2,162	70	NOVEMBER	1,799	60
JUNE	2,796	93	DECEMBER	2,445	79

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE MISSISSIPPI, 1989

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	24,240	17,735	6,505	24,240	17,717	6,523	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	4,507	3,793	714	1,866	1,615	251	18.6	21.4	11.0	7.7	9.1	3.8
13	2	1	1	0	0	0	*	*	*	-	-	-
14	19	18	1	0	0	0	0.1	0.1	*	-	-	-
15	203	189	14	0	0	0	0.8	1.1	0.2	-	-	-
16	450	414	36	33	31	2	1.8	2.3	0.6	0.1	0.2	*
17	825	725	100	234	224	10	3.4	4.1	1.5	1.0	1.3	0.2
18	1,461	1,213	248	626	562	64	6.0	6.8	3.8	2.6	3.2	1.0
19	1,547	1,233	314	973	798	175	6.4	7.0	4.8	4.0	4.5	2.7
20-24	7,332	5,197	2,135	7,264	5,375	1,889	30.2	29.3	32.8	30.0	30.3	29.0
25-34	7,505	5,071	2,434	8,826	6,054	2,772	31.0	28.6	37.4	36.4	34.2	42.5
35-44	2,949	2,184	765	3,424	2,508	916	12.2	12.3	11.8	14.1	14.2	14.0
45-54	1,166	885	281	1,495	1,183	312	4.8	5.0	4.3	6.2	6.7	4.8
55-64	484	365	119	776	571	205	2.0	2.0	1.8	3.2	3.2	3.1
65-74	247	201	46	432	297	135	1.0	1.1	0.7	1.8	1.7	2.1
75 & OVER	50	39	11	156	113	43	0.2	0.2	0.2	0.6	0.6	0.6
UNKNOWN	0	0	0	1	1	0	0.0	0.0	0.0	*	*	-

* LESS THAN 0.06 PERCENT.

TABLE D3. MEDIAN AGE OF BRIDE AND GROOM FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE MISSISSIPPI, 1989

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL MARRIAGES	25.4	24.9	26.6	28.4	28.1	29.0
FIRST MARRIAGES	22.3	21.4	24.1	24.0	23.4	26.0

TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY MARRIAGE ORDER AND RACE MISSISSIPPI, 1989

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	24,240	17,735	6,505	24,240	17,717	6,523	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	14,358	9,588	4,770	14,534	9,930	4,604	59.2	54.1	73.3	60.0	56.0	70.6
REMARRIAGE	9,878	8,143	1,735	9,702	7,783	1,919	40.8	45.9	26.7	40.0	43.9	29.4
SECOND	6,663	5,212	1,451	6,654	5,117	1,537	27.5	29.4	22.3	27.4	28.9	23.6
OVER TWO	3,215	2,931	284	3,048	2,666	382	13.3	16.5	4.4	12.6	15.0	5.8
THIRD	2,329	2,083	246	2,201	1,898	303	9.6	11.7	3.8	9.1	10.7	4.6
FOURTH	683	648	35	642	572	70	2.8	3.6	0.5	2.6	3.2	1.1
FIFTH	154	152	2	150	145	5	0.6	0.8	#	0.6	0.8	0.1
SIXTH	38	37	1	34	33	1	0.2	0.2	#	0.1	0.2	#
SEVENTH	8	8	0	9	9	0	#	#	-	#	#	-
EIGHTH	1	1	0	8	6	2	#	#	-	#	#	#
NINTH	0	0	0	1	1	0	-	-	-	#	#	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	0	0	0	2	2	0	-	-	-	#	#	-
UNKNOWN*	2	2	0	1	0	1	#	#	-	#	-	#
UNKNOWN**	4	4	0	4	4	0	#	#	-	#	#	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY PREVIOUS MARITAL STATUS AND RACE MISSISSIPPI, 1989

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
NUMBER						
TOTAL	24,240	17,735	6,505	24,240	17,717	6,523
NOT PREVIOUSLY MARRIED	14,358	9,588	4,770	14,534	9,930	4,604
REMARRIAGES	9,878	8,143	1,735	9,702	7,783	1,919
WIDOWED	979	754	225	900	668	232
DIVORCED*	8,889	7,384	1,505	8,795	7,111	1,684
UNKNOWN**	10	5	5	7	4	3
UNKNOWN#	4	4	0	4	4	0
PERCENT						
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NOT PREVIOUSLY MARRIED	59.2	54.1	73.3	60.0	56.0	70.6
REMARRIAGES	40.8	45.9	26.7	40.0	43.9	29.4
WIDOWED	4.0	4.2	3.4	3.7	3.8	3.6
DIVORCED*	36.7	41.6	23.1	36.3	40.1	25.8
UNKNOWN**	##	##	0.1	##	##	##
UNKNOWN#	##	##	-	##	##	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION, BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE MISSISSIPPI, 1989

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE								
	TOTAL			WHITE			NONWHITE		
	TOTAL	MISSIS-SIPPI	OTHER	TOTAL	MISSIS-SIPPI	OTHER	TOTAL	MISSIS-SIPPI	OTHER
NUMBER									
TOTAL	24,240	22,519	1,721	17,735	16,378	1,357	6,505	6,141	364
MISSISSIPPI	21,728	21,252	476	15,784	15,415	369	5,944	5,837	107
OTHER	2,512	1,267	1,245	1,951	963	988	561	304	257
PERCENT									
TOTAL	100.0	92.9	7.1	100.0	92.3	7.6	100.0	94.4	5.6
MISSISSIPPI	89.6	87.7	2.0	89.0	86.9	2.1	91.4	89.7	1.6
OTHER	10.4	5.2	5.1	11.0	5.4	5.6	8.6	4.7	4.0

DIVORCES

TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE* MISSISSIPPI, 1989

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL	12,945	9,823	2,755	367	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	9,412	7,557	1,593	262	72.7	76.9	57.8	71.4
CRUEL AND INHUMAN TREATMENT	2,481	1,700	718	63	19.2	17.3	26.1	17.2
DESERTION	595	262	316	17	4.6	2.7	11.5	4.6
ADULTERY	279	175	90	14	2.2	1.8	3.3	3.8
DRUNKENNESS	47	35	10	2	0.4	0.4	0.4	0.5
PENITENTIARY	32	25	5	2	0.2	0.2	0.2	0.5
ANNULMENT	23	20	2	1	0.2	0.2	0.1	0.3
BIGAMY	11	7	3	1	0.1	0.1	0.1	0.3
MISCELLANEOUS AND OTHER	26	19	6	1	0.2	0.2	0.2	0.3
UNKNOWN	39	23	12	4	0.3	0.2	0.4	1.1

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF MINOR CHILDREN AND RACE* MISSISSIPPI, 1989

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL DIVORCES	12,945	9,823	2,755	367	100.0	100.0	100.0	100.0
NONE	5,933	4,742	1,017	174	45.8	48.3	36.9	47.4
ONE	3,427	2,591	737	99	26.5	26.4	26.8	27.0
TWO	2,503	1,822	612	69	19.3	18.5	22.2	18.8
THREE OR MORE	1,054	648	386	20	8.1	6.6	14.0	5.4
UNKNOWN	28	20	3	5	0.2	0.2	0.1	1.4

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF YEARS MARRIED AND RACE* MISSISSIPPI, 1989

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL DIVORCES	12,945	9,823	2,755	367	100.0	100.0	100.0	100.0
UNDER FIVE	5,220	4,270	832	118	40.3	43.5	30.2	32.2
UNDER ONE	759	659	80	20	5.9	6.7	2.9	5.4
ONE	1,174	996	150	28	9.1	10.1	5.4	7.6
TWO	1,179	963	194	22	9.1	9.8	7.0	6.0
THREE	1,105	875	206	24	8.5	8.9	7.5	6.5
FOUR	1,003	777	202	24	7.7	7.9	7.3	6.5
FIVE-NINE	3,412	2,553	786	73	26.4	26.0	28.5	19.9
TEN-NINETEEN	2,782	1,966	757	59	21.5	20.0	27.5	16.1
TWENTY AND OVER	1,301	932	342	27	10.0	9.5	12.4	7.4
UNKNOWN	230	102	38	90	1.8	1.0	1.4	24.5

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY, PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS, BY AGE AND RACE OF PATIENT PROCEDURES PERFORMED IN MISSISSIPPI, 1989

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,490	2,674	2,802	14	100.0	100.0	100.0	127.6	121.2	133.7
UNDER 15	98	25	71	2	1.8	0.9	2.5	273.7	531.9	228.3
15-19	1,500	815	684	1	27.3	30.5	24.4	168.3	250.8	120.8
20-24	1,712	822	884	6	31.2	30.7	31.5	123.9	120.2	126.6
25-29	1,068	510	555	3	19.4	19.1	19.8	93.0	72.5	124.5
30-34	657	295	360	2	12.0	11.0	12.8	106.9	81.0	143.7
35-39	352	147	205	0	6.4	5.5	7.3	186.6	143.1	238.6
40-44	88	54	34	0	1.6	2.0	1.2	295.3	377.6	219.4
45-49	1	1	0	0	**	**	-	90.9	200.0	-
UNKNOWN	14	5	9	0	0.2	0.2	0.3			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION, BY CHARACTERISTICS OF PATIENT AND RACE PROCEDURES PERFORMED IN MISSISSIPPI, 1989

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
TOTAL	5,490	2,674	2,802	14	100.0	100.0	100.0
MISSISSIPPI RESIDENT	4,561	2,213	2,335	13	83.1	82.8	83.3
NONRESIDENT	929	461	467	1	16.9	17.2	16.7
BORDER STATE	898	441	456	1	16.4	16.5	16.3
OTHER STATE	31	20	11	0	0.6	0.7	0.4
MARITAL STATUS							
MARRIED	1,038	589	447	2	18.9	22.0	16.0
NOT MARRIED	4,334	2,060	2,266	8	78.9	77.0	80.9
UNKNOWN	118	25	89	4	2.1	0.9	3.2
EDUCATION (COMPLETED YEARS)							
0-6 YEARS	7	2	4	1	0.1	0.1	0.1
7-9 YEARS	116	53	62	1	2.1	2.0	2.2
10, 11 YEARS	290	154	136	0	5.3	5.8	4.8
12 YEARS	753	391	361	1	13.7	14.6	12.9
1-3 YEARS COLLEGE	1,025	475	550	0	18.7	17.8	19.6
4 OR MORE YEARS COLLEGE	400	178	222	0	7.3	6.6	7.9
UNKNOWN	2,899	1,421	1,467	11	52.8	53.1	52.4
NUMBER OF LIVING CHILDREN							
NONE	2,696	1,596	1,093	7	49.1	59.7	39.0
ONE	1,438	625	809	4	26.2	23.4	28.9
TWO	878	323	554	1	16.0	12.1	19.8
THREE	333	102	230	1	6.1	3.8	8.2
FOUR	97	21	76	0	1.8	0.8	2.7
FIVE OR MORE	44	4	39	1	0.8	0.2	1.4
UNKNOWN	2	2	0	0	*	0.1	-
NUMBER OF PREVIOUS INDUCED TERMINATIONS							
NONE	3,916	1,928	1,978	10	71.3	72.1	70.6
ONE	1,145	538	606	1	20.8	20.1	21.6
TWO	307	151	153	3	5.6	5.6	5.5
THREE OR MORE	116	53	63	0	2.1	2.0	2.2
UNKNOWN	5	4	1	0	0.1	0.2	*

* LESS THAN 0.06 PERCENT.

TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION, BY MEDICAL CHARACTERISTICS AND RACE PROCEDURES PERFORMED IN MISSISSIPPI, 1989

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
TOTAL	5,490	2,674	2,802	14	100.0	100.0	100.0
COMPLETED WEEKS OF GESTATION*							
UNDER 9	2,724	1,391	1,324	9	49.6	52.0	47.2
9, 10	1,428	669	755	4	26.0	25.0	26.9
11, 12	689	302	386	1	12.6	11.3	13.8
13-15	371	171	200	0	6.8	6.4	7.1
16-20	103	48	55	0	1.9	1.8	2.0
21 OR MORE	16	7	9	0	0.3	0.3	0.3
UNKNOWN	159	86	73	0	2.9	3.2	2.6
PRIMARY PROCEDURE							
SUCTION CURRETTAGE	5,217	2,543	2,660	14	95.0	95.1	94.9
SHARP CURRETTAGE	2	0	2	0	**	-	0.1
INTRA-UTERINE SALINE INSTILLATION	249	119	130	0	4.5	4.4	4.6
INTRA-UTERINE PROSTAGLANDIN INSTILLATION	2	1	1	0	**	**	**
HYSTEROTOMY	17	9	8	0	0.3	0.3	0.3
OTHER	1	1	0	0	**	**	-
UNKNOWN	2	1	1	0	**	**	**
COMPLICATIONS							
NO KNOWN COMPLICATIONS	5,486	2,671	2,801	14	99.9	99.9	100.0
SOME COMPLICATIONS	3	3	0	0	**	0.1	-
HEMORRHAGE	3	3	0	0	**	0.1	-
UNKNOWN	1	0	1	0	**	-	**

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

MAJOR TABLES

1989

TABLE i
POPULATION PROJECTIONS AND PERCENT CHANGE SINCE 1980 CENSUS, BY COUNTY AND RACE, MISSISSIPPI, 1989

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	2,779,544	1,778,827	1,000,966	10.3	10.1	10.5
ADAMS	39,282	19,357	19,933	3.3	-0.9	7.7
ALCORN	38,030	33,928	4,108	15.1	15.2	14.9
AMITE	13,098	7,119	5,982	-2.0	1.8	-6.1
ATTALA	20,135	12,222	7,918	1.4	1.4	1.3
BENTON	8,992	5,730	3,268	10.3	13.4	5.4
BOLIVAR	43,236	15,480	27,759	-5.9	-8.9	-4.2
CALHOUN	16,845	12,613	4,234	7.5	8.3	5.5
CARROLL	10,157	5,756	4,404	3.9	8.0	-0.9
CHICKASAW	18,631	11,764	6,868	4.4	3.3	6.2
CHOCTAW	9,673	6,866	2,811	7.5	6.5	10.3
CLAIBORNE	13,667	3,293	10,376	11.3	7.1	12.7
CLARKE	18,683	12,160	6,529	10.2	10.5	9.9
CLAY	23,735	11,361	12,375	12.6	8.5	16.6
COAHOMA	34,002	12,147	21,854	-7.9	-7.1	-8.3
COPIAH	28,703	15,132	13,563	8.3	10.9	5.4
COVINGTON	17,075	11,542	5,535	7.2	10.9	0.3
DESOTO	66,944	56,951	9,998	24.1	28.8	2.8
FORREST	74,756	51,762	22,998	13.2	8.5	25.7
FRANKLIN	8,586	5,437	3,151	4.6	5.7	2.8
GEORGE	16,467	15,041	1,432	7.6	8.9	-3.8
GREENE	11,011	8,989	2,026	12.0	14.7	1.8
GRENADA	22,695	13,337	9,363	7.8	9.3	5.9
HANCOCK	29,875	26,916	2,966	21.8	22.9	12.1
HARRISON	175,425	132,706	42,719	11.3	7.0	27.0
HINDS	283,549	141,591	141,953	13.0	3.9	23.7
HOLMES	22,968	5,866	17,106	0.0	-10.8	4.3
HUMPHREYS	13,339	4,323	9,018	-4.3	-8.4	-2.1
ISSAQUENA	2,445	1,190	1,266	-2.7	7.5	-10.0
ITAWAMBA	23,890	22,382	1,512	16.4	16.6	14.4
JACKSON	140,446	109,792	30,659	19.0	15.9	31.6
JASPER	18,349	8,830	9,517	6.3	0.8	11.9
JEFFERSON	8,756	1,468	7,293	-4.6	-10.8	-3.2
JEFF DAVIS	14,780	6,223	8,558	6.7	-2.8	15.0
JONES	68,466	52,711	15,758	10.6	11.4	8.0
KEMPER	10,126	4,685	5,448	-0.2	2.8	-2.6
LAFAYETTE	36,031	25,638	10,392	16.1	13.7	22.4
LAMAR	29,868	26,622	3,243	25.4	26.0	20.3
LAUDERDALE	83,791	54,359	29,438	8.4	3.8	18.2
LAWRENCE	13,934	9,816	4,117	11.3	13.7	5.9
LEAKE	20,282	12,267	8,014	7.9	7.1	9.2
LEE	65,342	51,695	13,645	14.5	14.3	15.3
LEFLORE	41,286	15,451	25,836	-0.6	-7.6	4.2

TABLE i - PAGE 2
POPULATION PROJECTIONS - MISSISSIPPI - 1989

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	34,443	24,064	10,383	14.1	14.2	14.1
LOWNDES	66,424	40,530	25,899	15.9	9.1	28.6
MADISON	52,858	26,143	26,715	27.0	43.2	14.3
MARION	28,692	20,196	8,507	11.6	12.4	9.9
MARSHALL	34,321	17,331	16,993	17.2	27.0	8.6
MONROE	38,744	27,216	11,535	6.4	6.5	6.2
MONTGOMERY	13,845	8,721	5,129	3.6	10.6	-6.5
NESHOBA	26,496	18,663	7,839	11.4	9.3	16.7
NEWTON	20,821	14,539	6,281	4.4	3.9	5.6
NOXUBEE	12,112	4,273	7,834	-8.3	-8.2	-8.5
OKTIBBEHA	44,580	27,911	16,669	23.8	20.6	29.4
PANOLA	29,220	15,484	13,740	3.7	8.2	-0.8
PEARL RIVER	41,274	35,851	5,431	22.1	25.2	5.0
PERRY	10,564	8,690	1,873	7.1	12.7	-13.0
PIKE	39,294	21,454	17,843	8.6	5.1	13.2
PONTOTOC	24,804	21,066	3,746	18.6	19.6	13.5
PRENTISS	28,449	25,328	3,124	18.4	18.4	18.2
QUITMAN	10,696	4,971	5,724	-15.4	-10.1	-19.4
RANKIN	81,836	67,948	13,890	17.9	20.7	5.7
SCOTT	26,568	16,389	10,187	8.2	3.4	17.0
SHARKEY	7,540	2,620	4,922	-5.3	-3.0	-6.5
SIMPSON	27,402	19,083	8,321	16.9	17.8	14.9
SMITH	16,431	13,117	3,316	9.0	10.6	3.2
STONE	11,579	8,803	2,778	19.2	18.0	23.3
SUNFLOWER	34,164	12,886	21,285	-2.0	-1.3	-2.3
TALLAHATCHIE	15,056	6,853	8,200	-12.2	-5.5	-17.2
TATE	22,086	13,070	9,024	9.8	5.9	16.0
TIPPAH	21,117	17,708	3,410	12.7	12.5	13.8
TISHOMINGO	20,582	19,743	846	11.6	11.7	11.6
TUNICA	8,514	2,372	6,143	-11.8	-7.6	-13.3
UNION	24,289	21,219	3,074	11.7	13.5	1.1
WALTHALL	15,061	8,783	6,288	9.4	8.5	11.0
WARREN	56,950	34,071	22,885	10.3	6.9	15.9
WASHINGTON	72,839	30,482	42,363	0.7	-3.6	4.0
WAYNE	21,091	13,379	7,714	10.2	5.4	19.8
WEBSTER	10,303	8,564	1,741	*	3.6	-14.4
WILKINSON	9,280	2,925	6,358	-7.4	-11.1	-5.5
WINSTON	20,442	12,108	8,344	5.0	3.8	6.8
YALOBUSHA	13,922	8,271	5,648	6.0	2.1	12.0
YAZOO	27,504	13,484	14,021	0.6	2.2	-0.9

NOTE: FIGURES FOR WHITE AND NONWHITE DO NOT ADD TO THE TOTAL BECAUSE OF THE METHOD OF CALCULATION. ALSO, ALL FIGURES WERE ROUNDED TO WHOLE NUMBERS.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER, ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1989

	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	42,309	21,450	20,859	43,026	22,069	20,957	15.5	12.4	20.9
ADAMS	906	378	528	564	237	327	14.4	12.2	16.4
ALCORN	478	400	78	430	352	78	11.3	10.4	19.0
AMITE	1	1	0	179	93	86	13.7	13.1	14.4
ATTALA	257	137	120	321	136	185	15.9	11.1	23.4
BENTON	0	0	0	108	57	51	12.0	9.9	15.6
BOLIVAR	840	127	713	865	185	680	20.0	12.0	24.5
CALHOUN	0	0	0	220	122	98	13.1	9.7	23.1
CARROLL	0	0	0	117	53	64	11.5	9.2	14.5
CHICKASAW	0	0	0	333	159	174	17.9	13.5	25.3
CHOCTAW	127	50	77	127	65	62	13.1	9.5	22.0
CLAIBORNE	45	0	45	173	20	153	12.6	6.1	14.7
CLARKE	0	0	0	286	155	131	15.3	12.7	20.1
CLAY	344	102	242	390	123	267	16.4	10.8	21.6
COAHOMA	1,317	287	1,030	691	140	551	20.3	11.5	25.2
COPIAH	208	68	140	455	155	300	15.8	10.2	22.1
COVINGTON	289	118	171	305	165	140	17.9	14.3	25.3
DESOTO	422	308	114	1,113	917	196	16.6	16.1	19.6
FORREST	2,809	1,839	970	1,091	595	496	14.6	11.5	21.6
FRANKLIN	2	0	2	137	54	83	16.0	9.9	26.3
GEORGE	3	1	2	291	259	32	17.7	17.2	22.3
GREENE	0	0	0	130	88	42	11.8	9.8	20.7
GRENADA	897	394	503	382	159	223	16.8	11.9	23.8
HANCOCK	200	154	46	479	417	62	16.0	15.5	20.9
HARRISON	3,560	2,611	949	2,755	1,932	823	15.7	14.6	19.3
HINDS	7,674	2,638	5,036	4,459	1,601	2,858	15.7	11.3	20.1
HOLMES	186	8	178	454	55	399	19.8	9.4	23.3
HUMPHREYS	7	1	6	243	35	208	18.2	8.1	23.1
ISSAQUENA	0	0	0	40	12	28	16.4	10.1	22.1
ITAWAMBA	0	0	0	280	259	21	11.7	11.6	13.9
JACKSON	1,655	1,167	488	1,907	1,331	576	13.6	12.1	18.8
JASPER	2	0	2	262	92	170	14.3	10.4	17.9
JEFFERSON	3	1	2	158	15	143	18.0	10.2	19.6
JEFF DAVIS	4	1	3	228	73	155	15.4	11.7	18.1
JONES	1,126	559	567	894	517	377	13.0	9.8	23.9
KEMPER	2	0	2	151	43	108	14.9	9.2	19.8
LAFAYETTE	482	293	189	377	204	173	10.5	8.0	16.6
LAMAR	0	0	0	476	396	80	15.9	14.9	24.7
LAUDERDALE	2,140	1,223	917	1,276	666	610	15.2	12.2	20.7
LAWRENCE	2	0	2	198	108	90	14.2	11.0	21.9
LEAKE	4	2	2	276	133	143	13.6	10.8	17.8
LEE	2,558	2,031	527	1,132	786	346	17.3	15.2	25.4
LEFLORE	844	190	654	730	188	542	17.7	12.2	21.0

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1989

COUNTY	OCCURRENCE DATA NUMBER TOTAL	OCCURRENCE DATA NUMBER WHITE	OCCURRENCE DATA NUMBER NON-WHITE	RESIDENCE DATA NUMBER TOTAL	RESIDENCE DATA NUMBER WHITE	RESIDENCE DATA NUMBER NON-WHITE	RESIDENCE DATA RATE* TOTAL	RESIDENCE DATA RATE* WHITE	RESIDENCE DATA RATE* NON-WHITE
LINCOLN	476	251	225	419	247	172	12.2	10.3	16.6
LOWNDES	1,099	518	581	1,059	547	512	15.9	13.5	19.8
MADISON	320	8	312	1,048	503	545	19.8	19.2	20.4
MARION	5	3	2	404	258	146	14.1	12.8	17.2
MARSHALL	5	0	5	579	237	342	16.9	13.7	20.1
MONROE	997	668	329	574	365	209	14.8	13.4	18.1
MONTGOMERY	133	27	106	198	86	112	14.3	9.9	21.8
NESHOBA	118	30	88	390	186	204	14.7	10.0	26.0
NEWTON	3	2	1	283	146	137	13.6	10.0	21.8
NOXUBEE	98	10	88	250	49	201	20.6	11.5	25.6
OKTIBBEHA	1,048	493	555	559	240	319	12.5	8.6	19.1
PANOLA	401	97	304	545	207	338	18.6	13.4	24.6
PEARL RIVER	369	269	100	585	467	118	14.2	13.0	21.7
PERRY	1	0	1	177	123	54	16.8	14.2	28.8
PIKE	1,054	484	570	557	218	339	14.2	10.2	19.0
PONTOTOC	0	0	0	341	291	50	13.7	13.8	13.3
PRENTISS	0	0	0	310	262	48	10.9	10.3	15.4
QUITMAN	2	0	2	216	57	159	20.2	11.5	27.8
RANKIN	1,879	1,651	228	1,269	991	278	15.5	14.6	20.0
SCOTT	14	0	14	488	254	234	18.4	15.5	23.0
SHARKEY	6	0	6	156	19	137	20.7	7.2	27.8
SIMPSON	8	0	8	401	204	197	14.6	10.7	23.7
SMITH	8	3	5	210	132	78	12.8	10.1	23.5
STONE	2	1	1	160	118	42	13.8	13.4	15.1
SUNFLOWER	521	137	384	679	134	545	19.9	10.4	25.6
TALLAHATCHIE	2	0	2	317	88	229	21.0	12.8	27.9
TATE	342	105	237	369	192	177	16.7	14.7	19.6
TIPPAH	2	1	1	309	245	64	14.6	13.8	18.8
TISHOMINGO	0	0	0	216	209	7	10.5	10.6	8.3
TUNICA	1	0	1	191	30	161	22.4	12.6	26.2
UNION	782	482	300	339	274	65	14.0	12.9	21.1
WALTHALL	3	3	0	237	83	154	15.7	9.4	24.5
WARREN	1,112	465	647	813	396	417	14.3	11.6	18.2
WASHINGTON	1,367	416	951	1,262	376	886	17.3	12.3	20.9
WAYNE	367	137	230	363	172	191	17.2	12.8	24.8
WEBSTER	1	0	1	143	93	50	13.9	10.8	28.7
WILKINSON	186	40	146	160	36	124	17.2	12.3	19.5
WINSTON	115	36	79	307	143	164	15.0	11.8	19.6
YALOBUSHA	0	0	0	201	93	108	14.4	11.2	19.1
YAZOO	68	24	44	459	146	313	16.7	10.8	22.3
OUT OF STATE	2,276	1,789	487	1,559	1,170	389			

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1989

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE
BILOXI	828	574	254
BROOKHAVEN	161	65	96
CANTON	295	36	259
CLARKSDALE	445	91	354
CLEVELAND	303	87	216
CLINTON	290	214	76
COLUMBUS	451	157	294
CORINTH	189	127	62
GAUTIER	185	126	59
GREENVILLE	828	220	608
GREENWOOD	414	85	329
GRENADA	216	70	146
GULFPORT	810	462	348
HATTIESBURG	708	273	435
JACKSON	3,603	1,149	2,454
LAUREL	344	101	243
MCCOMB	200	66	134
MERIDIAN	733	279	454
MOSS POINT	308	63	245
NATCHEZ	321	123	198
OCEAN SPRINGS	210	191	19
PASCAGOULA	526	342	184
PEARL	268	231	37
PICAYUNE	178	100	78
SOUTHAVEN	267	252	15
STARKVILLE	337	158	179
TUPELO	502	310	192
VICKSBURG	419	128	291
YAZOO CITY	247	47	200

* LIVE BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER, MISSISSIPPI, 1989

COUNTY	TOTAL	WHITE	NON-WHITE	COUNTY	TOTAL	WHITE	NON-WHITE
STATE	66.8	54.2	88.4				
ADAMS	63.5	56.0	70.4	LINCOLN	54.0	46.1	71.4
ALCORN	49.0	45.2	80.0	LOWNDES	64.3	54.9	78.7
AMITE	64.6	64.8	64.6	MADISON	81.5	77.4	85.6
ATTALA	76.1	55.1	105.8	MARION	63.3	57.7	76.2
BENTON	54.0	46.0	66.7	MARSHALL	72.0	60.2	83.4
BOLIVAR	84.8	53.0	101.3	MONROE	66.2	60.7	78.8
CALHOUN	59.6	44.7	101.8	MONTGOMERY	66.7	47.6	96.5
CARROLL	52.5	43.5	63.2	NESHOBA	65.4	45.2	110.2
CHICKASAW	79.8	61.6	109.5	NEWTON	63.3	48.0	95.4
CHOCTAW	59.2	43.5	95.1	NOXUBEE	96.8	59.4	114.5
CLAIBORNE	52.4	31.3	57.5	OKTIBBEHA	48.8	33.0	76.3
CLARKE	68.0	57.0	87.8	PANOLA	84.2	62.1	107.5
CLAY	71.3	49.1	90.0	PEARL RIVER	60.1	55.1	93.9
COAHOMA	93.1	56.0	112.0	PERRY	72.3	61.2	123.6
COPIAH	71.2	47.3	96.3	PIKE	63.5	47.0	81.9
COVINGTON	79.4	64.6	108.3	PONTOTOC	60.4	60.7	58.3
DESOTO	67.2	64.1	86.8	PRENTISS	47.0	44.7	65.4
FORREST	58.4	45.8	87.1	QUITMAN	95.7	56.3	127.8
FRANKLIN	75.3	48.6	117.4	RANKIN	64.5	59.8	89.6
GEORGE	76.0	73.9	100.0	SCOTT	82.1	71.1	98.6
GREENE	51.4	42.9	87.9	SHARKEY	91.4	35.2	117.3
GRENADA	73.9	53.6	101.3	SIMPSON	63.8	47.0	101.3
HANCOCK	70.8	68.5	92.0	SMITH	56.7	45.3	99.4
HARRISON	67.4	63.1	80.5	STONE	58.4	57.2	61.6
HINDS	65.0	48.6	80.1	SUNFLOWER	93.3	51.4	116.7
HOLMES	88.8	47.1	101.1	TALLAHATCHIE	98.8	63.4	126.0
HUMPHREYS	81.9	39.4	100.0	TATE	71.0	63.8	80.8
ISSAQUENA	72.6	43.2	102.2	TIPPAH	64.2	60.7	82.0
ITAWAMBA	50.9	50.1	63.6	TISHOMINGO	47.2	47.6	36.6
JACKSON	56.8	51.0	77.1	TUNICA	100.7	60.2	115.2
JASPER	66.1	51.0	78.6	UNION	61.9	57.2	94.3
JEFFERSON	83.5	64.1	86.1	WALTHALL	73.5	45.9	108.7
JEFF DAVIS	69.8	57.2	78.0	WARREN	61.2	50.2	77.4
JONES	57.7	43.3	105.4	WASHINGTON	76.3	56.9	89.3
KEMPER	67.9	44.1	86.6	WAYNE	74.2	56.4	103.4
LAFAYETTE	43.2	32.8	68.8	WEBSTER	66.0	51.3	140.8
LAMAR	65.3	60.9	101.1	WILKINSON	80.8	63.5	87.6
LAUDERDALE	66.9	55.1	87.4	WINSTON	69.2	57.1	84.8
LAWRENCE	62.4	48.8	93.9	YALOBUSHA	66.2	54.5	81.2
LEAKE	62.9	51.3	79.4	YAZOO	76.9	52.4	98.4
LEE	74.1	65.2	107.6				
LEFLORE	77.1	59.5	86.0				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1989

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
STATE	43,026	22,069	22,018	5	46	20,957	20,855	36	66	21,963	21,063
ADAMS	564	237	236	0	1	327	326	0	1	279	285
ALCORN	430	352	352	0	0	78	78	0	0	222	208
AMITE	179	93	92	0	1	86	86	0	0	106	73
ATTALA	321	136	136	0	0	185	185	0	0	164	157
BENTON	108	57	57	0	0	51	51	0	0	60	48
BOLIVAR	865	185	185	0	0	680	678	0	2	458	407
CALHOUN	220	122	122	0	0	98	98	0	0	119	101
CARROLL	117	53	53	0	0	64	64	0	0	58	59
CHICKASAW	333	159	159	0	0	174	174	0	0	170	163
CHOCTAW	127	65	65	0	0	62	62	0	0	62	65
CLAIBORNE	173	20	20	0	0	153	152	0	1	76	97
CLARKE	286	155	155	0	0	131	131	0	0	142	144
CLAY	390	123	122	1	0	267	267	0	0	197	193
COAHOMA	691	140	139	0	1	551	549	0	2	340	351
COPIAH	455	155	155	0	0	300	296	3	1	215	240
COVINGTON	305	165	164	0	1	140	140	0	0	165	140
DESOTO	1,113	917	916	0	1	196	196	0	0	588	525
FORREST	1,091	595	592	0	3	496	494	0	2	533	558
FRANKLIN	137	54	54	0	0	83	82	0	1	70	67
GEORGE	291	259	259	0	0	32	32	0	0	143	148
GREENE	130	88	88	0	0	42	42	0	0	63	67
GRENADA	382	159	159	0	0	223	223	0	0	186	196
HANCOCK	479	417	416	0	1	62	61	1	0	256	223
HARRISON	2,755	1,932	1,927	1	4	823	817	3	3	1,425	1,330

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1989

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,459	1,601	1,591	0	10	2,858	2,844	3	11	2,275	2,184
HOLMES	454	55	54	0	1	399	397	0	2	240	214
HUMPHREYS	243	35	35	0	0	208	206	1	1	126	117
ISSAQUENA	40	12	12	0	0	28	28	0	0	19	21
ITAWAMBA	280	259	258	1	0	21	21	0	0	146	134
JACKSON	1,907	1,331	1,328	0	3	576	573	0	3	946	961
JASPER	262	92	92	0	0	170	169	0	1	121	141
JEFFERSON	158	15	14	0	1	143	142	0	1	88	70
JEFF DAVIS	228	73	72	0	1	155	155	0	0	111	117
JONES	894	517	515	0	2	377	374	2	1	480	414
KEMPER	151	43	43	0	0	108	106	0	2	86	65
LAFAYETTE	377	204	203	0	1	173	173	0	0	198	179
LAMAR	476	396	396	0	0	80	80	0	0	242	234
LAUDERDALE	1,276	666	666	0	0	610	609	0	1	656	620
LAWRENCE	198	108	108	0	0	90	90	0	0	112	86
LEAKE	276	133	133	0	0	143	141	2	0	154	122
LEE	1,132	786	785	1	0	346	345	1	0	593	539
LEFLORE	730	188	188	0	0	542	537	2	3	368	362
LINCOLN	419	247	247	0	0	172	172	0	0	211	208
LOWNDES	1,059	547	547	0	0	512	508	3	1	538	521
MADISON	1,048	503	503	0	0	545	542	3	0	551	497
MARION	404	258	258	0	0	146	145	0	1	205	199
MARSHALL	579	237	237	0	0	342	340	1	1	284	295
MONROE	574	365	361	0	4	209	207	0	2	270	304
MONTGOMERY	198	86	86	0	0	112	112	0	0	95	103
NESHOBA	390	186	186	0	0	204	204	0	0	192	198
NEWTON	283	146	145	0	1	137	135	0	2	148	135
NOXUBEE	250	49	48	0	1	201	196	4	1	124	126
OKTIBBEHA	559	240	240	0	0	319	319	0	0	277	282
PANOLA	545	207	207	0	0	338	336	0	2	286	259

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1989

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	585	467	465	0	2	118	117	0	1	304	281
PERRY	177	123	123	0	0	54	54	0	0	91	86
PIKE	557	218	217	0	1	339	339	0	0	286	271
PONTOTOC	341	291	291	0	0	50	50	0	0	169	172
PRENTISS	310	262	262	0	0	48	48	0	0	161	149
QUITMAN	216	57	57	0	0	159	159	0	0	104	112
RANKIN	1,269	991	990	0	1	278	276	1	1	672	597
SCOTT	488	254	254	0	0	234	229	1	4	255	233
SHARKEY	156	19	19	0	0	137	136	0	1	69	87
SIMPSON	401	204	204	0	0	197	194	1	2	202	199
SMITH	210	132	132	0	0	78	77	1	0	119	91
STONE	160	118	118	0	0	42	42	0	0	78	82
SUNFLOWER	679	134	134	0	0	545	543	1	1	351	328
TALLAHATCHIE	317	88	88	0	0	229	228	0	1	161	156
TATE	369	192	192	0	0	177	175	1	1	191	178
TIPPAH	309	245	244	1	0	64	64	0	0	162	147
TISHOMINGO	216	209	209	0	0	7	7	0	0	113	103
TUNICA	191	30	30	0	0	161	161	0	0	96	95
UNION	339	274	273	0	1	65	65	0	0	173	166
WALTHALL	237	83	81	0	2	154	154	0	0	118	119
WARREN	813	396	395	0	1	417	417	0	0	394	419
WASHINGTON	1,262	376	376	0	0	886	883	1	2	640	622
WAYNE	363	172	172	0	0	191	191	0	0	175	188
WEBSTER	143	93	93	0	0	50	49	0	1	72	71
WILKINSON	160	36	36	0	0	124	124	0	0	76	84
WINSTON	307	143	143	0	0	164	164	0	0	162	145
YALOBUSHA	201	93	93	0	0	108	108	0	0	101	100
YAZOO	459	146	146	0	0	313	311	0	2	229	230

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	43,026	358	8,912	13,819	11,490	6,145	1,886	298	11	107
ADAMS	564	6	113	156	161	102	20	3	0	3
ALCORN	430	0	86	157	117	54	10	5	0	1
AMITE	179	1	35	61	45	23	9	2	0	3
ATTALA	321	2	75	100	82	48	10	4	0	0
BENTON	108	1	29	38	26	8	5	1	0	0
BOLIVAR	865	8	267	308	159	84	33	6	0	0
CALHOUN	220	3	51	86	46	23	10	1	0	0
CARROLL	117	2	28	42	26	15	4	0	0	0
CHICKASAW	333	3	78	113	77	46	14	2	0	0
CHOCTAW	127	0	22	44	34	22	4	1	0	0
CLAIBORNE	173	3	39	42	44	32	8	5	0	0
CLARKE	286	1	58	115	71	30	10	1	0	0
CLAY	390	5	93	120	88	64	19	1	0	0
COAHOMA	691	14	190	238	144	75	27	2	1	0
COPIAH	455	3	96	131	133	57	28	7	0	0
COVINGTON	305	2	69	125	78	20	10	1	0	0
DESOTO	1,113	2	168	342	373	171	43	12	0	2
FORREST	1,091	10	206	359	294	171	45	5	0	1
FRANKLIN	137	0	22	50	33	29	3	0	0	0
GEORGE	291	0	68	108	70	36	6	2	1	0
GREENE	130	2	26	48	36	15	3	0	0	0
GRENADA	382	7	75	128	99	53	17	2	0	1
HANCOCK	479	1	88	136	136	71	17	6	1	23
HARRISON	2,755	8	515	902	773	417	111	20	1	8
HINDS	4,459	37	749	1,281	1,270	815	270	33	1	3
HOLMES	454	8	112	161	104	45	17	4	1	2
HUMPHREYS	243	5	60	87	53	26	12	0	0	0
ISSAQUENA	40	1	3	16	16	4	0	0	0	0
ITAWAMBA	280	1	70	96	80	26	5	2	0	0
JACKSON	1,907	13	357	601	579	274	75	4	1	3
JASPER	262	0	52	87	69	38	11	5	0	0
JEFFERSON	158	0	26	50	33	38	11	0	0	0
JEFF DAVIS	228	3	59	80	51	29	5	1	0	0
JONES	894	8	201	284	224	138	29	9	0	1
KEMPER	151	2	40	46	38	19	5	1	0	0
LAFAYETTE	377	2	56	109	104	73	28	5	0	0
LAMAR	476	3	71	137	168	75	20	2	0	0
LAUDERDALE	1,276	16	242	425	330	190	68	5	0	0
LAWRENCE	198	3	38	77	50	20	8	2	0	0
LEAKE	276	1	58	102	73	27	13	2	0	0
LEE	1,132	9	185	385	324	174	46	8	0	1
LEFLORE	730	11	196	247	167	79	25	5	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	419	4	102	120	117	54	17	3	0	2
LOWNDES	1,059	7	192	340	313	156	45	5	0	1
MADISON	1,048	14	171	267	300	208	80	7	0	1
MARION	404	3	81	127	107	61	17	5	1	2
MARSHALL	579	3	130	210	135	76	21	3	0	1
MONROE	574	8	120	179	159	80	24	4	0	0
MONTGOMERY	198	0	44	60	63	24	6	1	0	0
NESHOBA	390	3	86	141	93	51	11	4	0	1
NEWTON	283	0	64	98	72	32	16	1	0	0
NOXUBEE	250	2	58	93	52	28	14	3	0	0
OKTIBBEHA	559	4	88	163	158	106	37	3	0	0
PANOLA	545	6	135	167	145	62	25	5	0	0
PEARL RIVER	585	5	115	212	142	57	18	3	1	32
PERRY	177	1	44	60	45	20	7	0	0	0
PIKE	557	5	136	169	140	69	32	3	0	3
PONTOTOC	341	0	52	114	103	52	18	2	0	0
PRENTISS	310	0	68	115	75	36	14	2	0	0
QUITMAN	216	1	58	74	54	23	5	1	0	0
RANKIN	1,269	4	197	379	401	206	65	17	0	0
SCOTT	488	6	100	157	135	70	18	2	0	0
SHARKEY	156	2	42	55	37	16	3	1	0	0
SIMPSON	401	3	81	140	99	55	22	1	0	0
SMITH	210	3	44	72	67	15	8	0	0	1
STONE	160	2	38	46	49	17	6	2	0	0
SUNFLOWER	679	7	194	223	155	72	24	3	1	0
TALLAHATCHIE	317	2	106	111	63	23	10	2	0	0
TATE	369	2	100	124	75	55	7	6	0	0
TIPPAH	309	2	72	118	82	25	9	0	1	0
TISHOMINGO	216	1	36	85	54	35	4	1	0	0
TUNICA	191	3	64	56	45	16	7	0	0	0
UNION	339	4	67	120	92	36	16	4	0	0
WALTHALL	237	3	55	77	60	26	13	2	0	1
WARREN	813	4	151	246	217	144	44	6	0	1
WASHINGTON	1,262	20	364	369	280	167	52	9	0	1
WAYNE	363	2	72	126	97	44	22	0	0	0
WEBSTER	143	2	42	48	29	18	3	1	0	0
WILKINSON	160	0	30	58	36	24	2	3	0	7
WINSTON	307	5	65	87	87	48	12	3	0	0
YALOBUSHA	201	1	53	65	54	21	6	1	0	0
YAZOO	459	7	123	128	125	61	12	2	0	1

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
STATE	22,069	47	3,250	6,836	7,032	3,640	1,027	143	5	89
ADAMS	237	2	32	63	89	42	7	2	0	0
ALCORN	352	0	63	125	99	50	9	5	0	1
AMITE	93	1	10	34	30	13	2	0	0	3
ATTALA	136	1	27	44	37	23	4	0	0	0
BENTON	57	0	15	17	14	6	4	1	0	0
BOLIVAR	185	0	27	62	56	31	9	0	0	0
CALHOUN	122	1	19	50	32	13	6	1	0	0
CARROLL	53	2	8	24	10	6	3	0	0	0
CHICKASAW	159	2	29	52	41	23	10	2	0	0
CHOCTAW	65	0	9	21	21	14	0	0	0	0
CLAIBORNE	20	0	1	4	8	6	0	1	0	0
CLARKE	155	0	29	68	37	15	6	0	0	0
CLAY	123	0	15	45	37	24	1	1	0	0
COAHOMA	140	0	13	39	52	27	7	1	1	0
COPIAH	155	0	20	44	63	21	7	0	0	0
COVINGTON	165	0	28	73	46	13	4	1	0	0
DESOTO	917	1	128	283	314	148	32	10	0	1
FORREST	595	2	73	183	185	118	31	3	0	0
FRANKLIN	54	0	5	21	15	11	2	0	0	0
GEORGE	259	0	62	94	65	29	6	2	1	0
GREENE	88	1	16	35	24	11	1	0	0	0
GRENADA	159	0	17	45	60	28	7	1	0	1
HANCOCK	417	1	70	114	122	67	15	4	1	23
HARRISON	1,932	1	300	615	596	315	83	15	0	7
HINDS	1,601	2	111	348	590	398	138	13	0	1
HOLMES	55	0	4	19	21	7	2	1	0	1
HUMPHREYS	35	0	7	14	8	4	2	0	0	0
ISSAQUENA	12	0	1	4	6	1	0	0	0	0
ITAWAMBA	259	1	62	91	74	24	5	2	0	0
JACKSON	1,331	2	208	414	444	204	53	3	0	3
JASPER	92	0	11	39	30	8	3	1	0	0
JEFFERSON	15	0	1	3	4	5	2	0	0	0
JEFF DAVIS	73	0	14	22	26	11	0	0	0	0
JONES	517	0	90	173	153	76	20	4	0	1
KEMPER	43	0	6	10	17	8	2	0	0	0
LAFAYETTE	204	0	15	53	73	44	15	4	0	0
LAMAR	396	3	53	112	140	69	18	1	0	0
LAUDERDALE	666	2	74	213	215	119	40	3	0	0
LAWRENCE	108	0	16	46	34	9	3	0	0	0
LEAKE	133	0	24	58	32	11	7	1	0	0
LEE	786	4	100	266	248	130	31	6	0	1
LEFLORE	188	1	25	55	68	33	3	3	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	247	0	46	72	86	35	6	1	0	1
LOWNDES	547	1	66	152	213	90	23	2	0	0
MADISON	503	0	27	84	188	151	51	1	0	1
MARION	258	2	50	78	73	39	12	2	0	2
MARSHALL	237	0	45	99	56	27	10	0	0	0
MONROE	365	1	70	110	116	50	15	3	0	0
MONTGOMERY	86	0	15	20	31	15	5	0	0	0
NESHOBA	186	1	30	64	54	31	4	2	0	0
NEWTON	146	0	27	46	42	21	10	0	0	0
NOXUBEE	49	0	3	15	17	12	1	1	0	0
OKTIBBEHA	240	1	15	65	79	61	19	0	0	0
PANOLA	207	1	36	69	62	29	9	1	0	0
PEARL RIVER	467	2	80	175	113	48	15	3	1	30
PERRY	123	0	29	39	34	16	5	0	0	0
PIKE	218	0	38	62	74	30	11	0	0	3
PONTOTOC	291	0	45	95	91	44	16	0	0	0
PRENTISS	262	0	58	100	61	30	12	1	0	0
QUITMAN	57	0	8	19	17	11	1	1	0	0
RANKIN	991	1	141	282	331	169	56	11	0	0
SCOTT	254	1	38	86	76	45	6	2	0	0
SHARKEY	19	0	3	6	7	2	1	0	0	0
SIMPSON	204	1	37	68	57	32	9	0	0	0
SMITH	132	1	24	44	48	9	6	0	0	0
STONE	118	0	24	32	41	14	5	2	0	0
SUNFLOWER	134	0	12	45	49	21	6	1	0	0
TALLAHATCHIE	88	0	13	25	31	13	6	0	0	0
TATE	192	0	48	69	43	28	3	1	0	0
TIPPAH	245	1	52	96	67	21	7	0	1	0
TISHOMINGO	209	1	36	84	50	34	3	1	0	0
TUNICA	30	0	4	5	15	3	3	0	0	0
UNION	274	1	55	93	77	31	13	4	0	0
WALTHALL	83	0	14	27	25	6	8	2	0	1
WARREN	396	0	51	112	127	80	22	3	0	1
WASHINGTON	376	1	56	95	122	77	21	3	0	1
WAYNE	172	0	28	57	53	28	6	0	0	0
WEBSTER	93	0	21	31	26	12	2	1	0	0
WILKINSON	36	0	3	12	10	5	0	1	0	5
WINSTON	143	0	23	31	55	24	9	1	0	0
YALOBUSHA	93	0	17	33	30	10	3	0	0	0
YAZOO	146	0	24	44	49	21	7	0	0	1

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	20,957	311	5,662	6,983	4,458	2,505	859	155	6	18
ADAMS	327	4	81	93	72	60	13	1	0	3
ALCORN	78	0	23	32	18	4	1	0	0	0
AMITE	86	0	25	27	15	10	7	2	0	0
ATTALA	185	1	48	56	45	25	6	4	0	0
BENTON	51	1	14	21	12	2	1	0	0	0
BOLIVAR	680	8	240	246	103	53	24	6	0	0
CALHOUN	98	2	32	36	14	10	4	0	0	0
CARROLL	64	0	20	18	16	9	1	0	0	0
CHICKASAW	174	1	49	61	36	23	4	0	0	0
CHOCTAW	62	0	13	23	13	8	4	1	0	0
CLAIBORNE	153	3	38	38	36	26	8	4	0	0
CLARKE	131	1	29	47	34	15	4	1	0	0
CLAY	267	5	78	75	51	40	18	0	0	0
COAHOMA	551	14	177	199	92	48	20	1	0	0
COPIAH	300	3	76	87	70	36	21	7	0	0
COVINGTON	140	2	41	52	32	7	6	0	0	0
DESOTO	196	1	40	59	59	23	11	2	0	1
FORREST	496	8	133	176	109	53	14	2	0	1
FRANKLIN	83	0	17	29	18	18	1	0	0	0
GEORGE	32	0	6	14	5	7	0	0	0	0
GREENE	42	1	10	13	12	4	2	0	0	0
GRENADA	223	7	58	83	39	25	10	1	0	0
HANCOCK	62	0	18	22	14	4	2	2	0	0
HARRISON	823	7	215	287	177	102	28	5	1	1
HINDS	2,858	35	638	933	680	417	132	20	1	2
HOLMES	399	8	108	142	83	38	15	3	1	1
HUMPHREYS	208	5	53	73	45	22	10	0	0	0
ISSAQUENA	28	1	2	12	10	3	0	0	0	0
ITAWAMBA	21	0	8	5	6	2	0	0	0	0
JACKSON	576	11	149	187	135	70	22	1	1	0
JASPER	170	0	41	48	39	30	8	4	0	0
JEFFERSON	143	0	25	47	29	33	9	0	0	0
JEFF DAVIS	155	3	45	58	25	18	5	1	0	0
JONES	377	8	111	111	71	62	9	5	0	0
KEMPER	108	2	34	36	21	11	3	1	0	0
LAFAYETTE	173	2	41	56	31	29	13	1	0	0
LAMAR	80	0	18	25	28	6	2	1	0	0
LAUDERDALE	610	14	168	212	115	71	28	2	0	0
LAWRENCE	90	3	22	31	16	11	5	2	0	0
LEAKE	143	1	34	44	41	16	6	1	0	0
LEE	346	5	85	119	76	44	15	2	0	0
LEFLORE	542	10	171	192	99	46	22	2	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	172	4	56	48	31	19	11	2	0	1
LOWNDES	512	6	126	188	100	66	22	3	0	1
MADISON	545	14	144	183	112	57	29	6	0	0
MARION	146	1	31	49	34	22	5	3	1	0
MARSHALL	342	3	85	111	79	49	11	3	0	1
MONROE	209	7	50	69	43	30	9	1	0	0
MONTGOMERY	112	0	29	40	32	9	1	1	0	0
NESHOBA	204	2	56	77	39	20	7	2	0	1
NEWTON	137	0	37	52	30	11	6	1	0	0
NOXUBEE	201	2	55	78	35	16	13	2	0	0
OKTIBBEHA	319	3	73	98	79	45	18	3	0	0
PANOLA	338	5	99	98	83	33	16	4	0	0
PEARL RIVER	118	3	35	37	29	9	3	0	0	2
PERRY	54	1	15	21	11	4	2	0	0	0
PIKE	339	5	98	107	66	39	21	3	0	0
PONTOTOC	50	0	7	19	12	8	2	2	0	0
PRENTISS	48	0	10	15	14	6	2	1	0	0
QUITMAN	159	1	50	55	37	12	4	0	0	0
RANKIN	278	3	56	97	70	37	9	6	0	0
SCOTT	234	5	62	71	59	25	12	0	0	0
SHARKEY	137	2	39	49	30	14	2	1	0	0
SIMPSON	197	2	44	72	42	23	13	1	0	0
SMITH	78	2	20	28	19	6	2	0	0	1
STONE	42	2	14	14	8	3	1	0	0	0
SUNFLOWER	545	7	182	178	106	51	18	2	1	0
TALLAHATCHIE	229	2	93	86	32	10	4	2	0	0
TATE	177	2	52	55	32	27	4	5	0	0
TIPPAH	64	1	20	22	15	4	2	0	0	0
TISHOMINGO	7	0	0	1	4	1	1	0	0	0
TUNICA	161	3	60	51	30	13	4	0	0	0
UNION	65	3	12	27	15	5	3	0	0	0
WALTHALL	154	3	41	50	35	20	5	0	0	0
WARREN	417	4	100	134	90	64	22	3	0	0
WASHINGTON	886	19	308	274	158	90	31	6	0	0
WAYNE	191	2	44	69	44	16	16	0	0	0
WEBSTER	50	2	21	17	3	6	1	0	0	0
WILKINSON	124	0	27	46	26	19	2	2	0	2
WINSTON	164	5	42	56	32	24	3	2	0	0
YALOBUSHA	108	1	36	32	24	11	3	1	0	0
YAZOO	313	7	99	84	76	40	5	2	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE OF MOTHER, MISSISSIPPI, 1989

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	16,954	2,731	14,223	39.4	12.4	67.9
ADAMS	271	28	243	48.0	11.8	74.3
ALCORN	101	46	55	23.5	13.1	70.5
AMITE	58	9	49	32.4	9.7	57.0
ATTALA	124	18	106	38.6	13.2	57.3
BENTON	39	8	31	36.1	14.0	60.8
BOLIVAR	588	20	568	68.0	10.8	83.5
CALHOUN	87	16	71	39.5	13.1	72.4
CARROLL	48	6	42	41.0	11.3	65.6
CHICKASAW	109	20	89	32.7	12.6	51.1
CHOCTAW	43	5	38	33.8	7.7	61.3
CLAIBORNE	122	1	121	70.5	5.0	79.1
CLARKE	110	17	93	38.5	11.0	71.0
CLAY	186	7	179	47.7	5.7	67.0
COAHOMA	454	17	437	65.7	12.1	79.3
COPIAH	202	17	185	44.4	11.0	61.7
COVINGTON	116	20	96	38.0	12.1	68.6
DESOTO	227	97	130	20.4	10.6	66.3
FORREST	433	88	345	39.7	14.8	69.6
FRANKLIN	55	4	51	40.1	7.4	61.4
GEORGE	36	24	12	12.4	9.3	37.5
GREENE	44	15	29	33.8	17.0	69.0
GRENADA	165	13	152	43.2	8.2	68.2
HANCOCK	135	91	44	28.2	21.8	71.0
HARRISON	853	367	486	31.0	19.0	59.0
HINDS	1,944	146	1,798	43.6	9.1	62.9
HOLMES	311	6	305	68.5	10.9	76.4
HUMPHREYS	161	5	156	66.2	14.3	75.0
ISSAQUENA	17	1	16	42.5	8.3	57.1
ITAWAMBA	37	22	15	13.2	8.5	71.4
JACKSON	574	206	368	30.1	15.5	63.9
JASPER	92	4	88	35.1	4.3	51.8
JEFFERSON	101	0	101	63.9	0.0	70.6
JEFF DAVIS	105	5	100	46.0	6.8	64.5
JONES	311	50	261	34.8	9.7	69.2
KEMPER	75	4	71	49.7	9.3	65.7
LAFAYETTE	114	16	98	30.2	7.8	56.6
LAMAR	84	35	49	17.6	8.8	61.2
LAUDERDALE	481	68	413	37.7	10.2	67.7
LAWRENCE	63	13	50	31.8	12.0	55.6
LEAKE	103	18	85	37.3	13.5	59.4
LEE	311	97	214	27.5	12.3	61.8
LEFLORE	446	27	419	61.1	14.4	77.3

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1989

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	128	21	107	30.5	8.5	62.2
LOWNDES	392	66	326	37.0	12.1	63.7
MADISON	406	25	381	38.7	5.0	69.9
MARION	110	32	78	27.2	12.4	53.4
MARSHALL	264	39	225	45.6	16.4	65.8
MONROE	174	35	139	30.3	9.6	66.5
MONTGOMERY	83	10	73	41.9	11.6	65.2
NESHOBA	153	23	130	39.2	12.4	63.7
NEWTON	98	19	79	34.6	13.0	57.7
NOXUBEE	147	3	144	58.8	6.1	71.6
OKTIBBEHA	217	16	201	38.8	6.7	63.0
PANOLA	262	20	242	48.1	9.7	71.6
PEARL RIVER	166	82	84	28.4	17.6	71.2
PERRY	54	21	33	30.5	17.1	61.1
PIKE	254	36	218	45.6	16.5	64.3
PONTOTOC	53	27	26	15.5	9.3	52.0
PRENTISS	61	34	27	19.7	13.0	56.2
QUITMAN	146	14	132	67.6	24.6	83.0
RANKIN	277	127	150	21.8	12.8	54.0
SCOTT	176	31	145	36.1	12.2	62.0
SHARKEY	112	3	109	71.8	15.8	79.6
SIMPSON	141	23	118	35.2	11.3	59.9
SMITH	68	16	52	32.4	12.1	66.7
STONE	47	17	30	29.4	14.4	71.4
SUNFLOWER	452	20	432	66.6	14.9	79.3
TALLAHATCHIE	211	18	193	66.6	20.4	84.3
TATE	139	21	118	37.7	10.9	66.7
TIPPAH	56	18	38	18.1	7.3	59.4
TISHOMINGO	32	28	4	14.8	13.4	57.1
TUNICA	126	4	122	66.0	13.3	75.8
UNION	77	37	40	22.7	13.5	61.5
WALTHALL	92	10	82	38.8	12.0	53.2
WARREN	348	47	301	42.8	11.9	72.2
WASHINGTON	751	56	695	59.5	14.9	78.4
WAYNE	133	12	121	36.6	7.0	63.4
WEBSTER	48	12	36	33.6	12.9	72.0
WILKINSON	100	3	97	62.5	8.3	78.2
WINSTON	128	11	117	41.7	7.7	71.3
YALOBUSHA	85	4	81	42.3	4.3	75.0
YAZOO	251	13	238	54.7	8.9	76.0

* LESS THAN 0.06 PERCENT.

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	16,954	343	6,440	5,917	2,632	1,165	367	71	1	18
ADAMS	271	5	92	91	57	22	3	0	0	1
ALCORN	101	0	40	38	19	4	0	0	0	0
AMITE	58	1	25	18	6	1	6	1	0	0
ATTALA	124	2	53	38	20	9	2	0	0	0
BENTON	39	1	15	12	7	2	2	0	0	0
BOLIVAR	588	8	240	236	64	30	7	3	0	0
CALHOUN	87	3	37	30	9	6	2	0	0	0
CARROLL	48	2	23	14	7	2	0	0	0	0
CHICKASAW	109	3	45	41	9	8	3	0	0	0
CHOCTAW	43	0	14	17	8	2	1	1	0	0
CLAIBORNE	122	3	39	31	24	17	6	2	0	0
CLARKE	110	1	38	37	23	8	2	1	0	0
CLAY	186	5	77	51	28	20	5	0	0	0
COAHOMA	454	14	174	174	62	22	6	2	0	0
COPIAH	202	3	73	67	36	12	8	3	0	0
COVINGTON	116	2	45	48	17	3	1	0	0	0
DESOTO	227	2	81	73	46	17	6	1	0	1
FORREST	433	10	151	178	54	29	9	2	0	0
FRANKLIN	55	0	15	22	9	8	1	0	0	0
GEORGE	36	0	17	12	3	3	0	0	1	0
GREENE	44	2	13	20	8	1	0	0	0	0
GRENADA	165	6	60	60	24	12	2	1	0	0
HANCOCK	135	1	50	50	25	7	0	2	0	0
HARRISON	853	8	349	283	138	55	15	5	0	0
HINDS	1,944	37	644	718	341	155	36	11	0	2
HOLMES	311	8	104	112	49	24	10	2	0	2
HUMPHREYS	161	5	56	61	23	10	6	0	0	0
ISSAQUENA	17	1	3	9	2	2	0	0	0	0
ITAWAMBA	37	0	20	10	5	1	1	0	0	0
JACKSON	574	13	216	194	98	39	12	0	0	2
JASPER	92	0	40	26	13	10	3	0	0	0
JEFFERSON	101	0	25	40	17	16	3	0	0	0
JEFF DAVIS	105	3	44	35	10	10	3	0	0	0
JONES	311	8	123	105	37	30	6	1	0	1
KEMPER	75	2	35	20	11	3	4	0	0	0
LAFAYETTE	114	2	42	41	15	7	6	1	0	0
LAMAR	84	2	32	28	19	2	0	1	0	0
LAUDERDALE	481	14	176	171	70	37	13	0	0	0
LAWRENCE	63	3	24	21	9	3	2	1	0	0
LEAKE	103	1	42	33	16	8	3	0	0	0
LEE	311	8	105	110	51	24	11	1	0	1
LEFLORE	446	10	176	155	70	22	12	1	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	128	4	66	38	14	5	1	0	0	0
LOWNDES	392	7	150	151	48	23	11	1	0	1
MADISON	406	14	147	137	57	31	17	2	0	1
MARION	110	2	36	35	24	12	0	1	0	0
MARSHALL	264	3	92	90	47	26	4	1	0	1
MONROE	174	7	61	62	22	18	4	0	0	0
MONTGOMERY	83	0	33	31	11	6	1	1	0	0
NESHOBA	153	3	60	57	21	10	2	0	0	0
NEWTON	98	0	36	34	20	5	3	0	0	0
NOXUBEE	147	2	54	60	18	5	7	1	0	0
OKTIBBEHA	217	4	69	76	41	20	5	2	0	0
PANOLA	262	6	104	81	46	17	8	0	0	0
PEARL RIVER	166	4	69	54	25	11	2	0	0	1
PERRY	54	1	27	18	3	3	2	0	0	0
PIKE	254	5	107	77	37	15	11	2	0	0
PONTOTOC	53	0	18	19	9	5	1	1	0	0
PRENTISS	61	0	27	16	10	3	3	2	0	0
QUITMAN	146	1	56	46	31	10	2	0	0	0
RANKIN	277	3	115	105	37	10	5	2	0	0
SCOTT	176	6	73	58	26	10	3	0	0	0
SHARKEY	112	2	38	43	20	9	0	0	0	0
SIMPSON	141	3	50	54	18	11	4	1	0	0
SMITH	68	2	28	21	14	2	0	0	0	1
STONE	47	2	23	16	2	2	2	0	0	0
SUNFLOWER	452	7	179	160	70	31	4	1	0	0
TALLAHATCHIE	211	2	93	79	31	6	0	0	0	0
TATE	139	2	63	39	25	9	1	0	0	0
TIPPAH	56	2	28	18	7	0	1	0	0	0
TISHOMINGO	32	0	10	13	6	2	1	0	0	0
TUNICA	126	3	59	37	19	6	2	0	0	0
UNION	77	3	32	26	11	4	0	1	0	0
WALTHALL	92	3	41	28	12	7	1	0	0	0
WARREN	348	4	112	123	57	39	12	1	0	0
WASHINGTON	751	20	317	240	118	38	14	3	0	1
WAYNE	133	2	49	47	21	6	8	0	0	0
WEBSTER	48	2	28	13	3	2	0	0	0	0
WILKINSON	100	0	28	41	17	10	2	1	0	1
WINSTON	128	5	47	45	19	10	0	2	0	0
YALOBUSHA	85	1	39	27	13	3	2	0	0	0
YAZOO	251	7	103	72	43	20	3	2	0	1

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
STATE	2,731	33	1,112	909	408	186	59	14	1	9
ADAMS	28	1	12	6	9	0	0	0	0	0
ALCORN	46	0	18	20	7	1	0	0	0	0
AMITE	9	1	2	3	2	0	1	0	0	0
ATTALA	18	1	10	3	4	0	0	0	0	0
BENTON	8	0	3	1	2	0	2	0	0	0
BOLIVAR	20	0	5	11	2	1	1	0	0	0
CALHOUN	16	1	8	4	1	2	0	0	0	0
CARROLL	6	2	4	0	0	0	0	0	0	0
CHICKASAW	20	2	5	9	0	2	2	0	0	0
CHOCTAW	5	0	3	1	1	0	0	0	0	0
CLAIBORNE	1	0	1	0	0	0	0	0	0	0
CLARKE	17	0	10	5	2	0	0	0	0	0
CLAY	7	0	5	2	0	0	0	0	0	0
COAHOMA	17	0	2	8	5	1	0	1	0	0
COPIAH	17	0	7	8	2	0	0	0	0	0
COVINGTON	20	0	8	10	2	0	0	0	0	0
DESOTO	97	1	42	28	15	9	2	0	0	0
FORREST	88	2	23	45	8	8	1	1	0	0
FRANKLIN	4	0	1	2	1	0	0	0	0	0
GEORGE	24	0	12	6	2	3	0	0	1	0
GREENE	15	1	3	10	1	0	0	0	0	0
GRENADA	13	0	6	2	3	1	0	1	0	0
HANCOCK	91	1	34	33	17	5	0	1	0	0
HARRISON	367	1	151	112	64	29	7	3	0	0
HINDS	146	2	41	57	27	14	3	2	0	0
HOLMES	6	0	1	2	0	2	0	0	0	1
HUMPHREYS	5	0	3	1	1	0	0	0	0	0
ISSAQUENA	1	0	1	0	0	0	0	0	0	0
ITAWAMBA	22	0	12	7	1	1	1	0	0	0
JACKSON	206	2	77	66	39	15	5	0	0	2
JASPER	4	0	3	1	0	0	0	0	0	0
JEFFERSON	0	0	0	0	0	0	0	0	0	0
JEFF DAVIS	5	0	3	1	0	1	0	0	0	0
JONES	50	0	19	18	8	2	2	0	0	1
KEMPER	4	0	2	1	0	0	1	0	0	0
LAFAYETTE	16	0	6	4	4	0	2	0	0	0
LAMAR	35	2	15	11	6	1	0	0	0	0
LAUDERDALE	68	0	20	26	10	8	4	0	0	0
LAWRENCE	13	0	6	5	2	0	0	0	0	0
LEAKE	18	0	11	3	1	2	1	0	0	0
LEE	97	3	29	35	16	8	5	0	0	1
LEFLORE	27	0	10	10	7	0	0	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	21	0	12	5	2	2	0	0	0	0
LOWNDES	66	1	31	25	4	4	1	0	0	0
MADISON	25	0	7	11	5	0	1	0	0	1
MARION	32	1	13	8	7	3	0	0	0	0
MARSHALL	39	0	19	9	9	2	0	0	0	0
MONROE	35	0	16	12	2	4	1	0	0	0
MONTGOMERY	10	0	6	3	0	1	0	0	0	0
NESHOBA	23	1	11	8	1	2	0	0	0	0
NEWTON	19	0	8	5	5	1	0	0	0	0
NOXUBEE	3	0	1	1	0	1	0	0	0	0
OKTIBBEHA	16	1	4	4	3	4	0	0	0	0
PANOLA	20	1	7	8	1	2	1	0	0	0
PEARL RIVER	82	1	36	29	10	5	0	0	0	1
PERRY	21	0	12	6	1	1	1	0	0	0
PIKE	36	0	16	11	4	3	2	0	0	0
PONTOTOC	27	0	11	10	3	3	0	0	0	0
PRENTISS	34	0	18	7	5	1	2	1	0	0
QUITMAN	14	0	6	3	2	3	0	0	0	0
RANKIN	127	0	62	47	13	1	2	2	0	0
SCOTT	31	1	14	10	4	2	0	0	0	0
SHARKEY	3	0	1	1	1	0	0	0	0	0
SIMPSON	23	1	11	7	3	1	0	0	0	0
SMITH	16	0	10	2	4	0	0	0	0	0
STONE	17	0	9	6	0	0	2	0	0	0
SUNFLOWER	20	0	5	7	5	3	0	0	0	0
TALLAHATCHIE	18	0	5	8	4	1	0	0	0	0
TATE	21	0	14	5	1	1	0	0	0	0
TIPPAH	18	1	8	6	2	0	1	0	0	0
TISHOMINGO	28	0	10	12	4	2	0	0	0	0
TUNICA	4	0	1	1	1	0	1	0	0	0
UNION	37	0	20	9	4	3	0	1	0	0
WALTHALL	10	0	3	5	2	0	0	0	0	0
WARREN	47	0	17	15	5	7	3	0	0	0
WASHINGTON	56	1	21	15	16	2	0	0	0	1
WAYNE	12	0	7	2	0	2	1	0	0	0
WEBSTER	12	0	8	1	2	1	0	0	0	0
WILKINSON	3	0	1	1	0	0	0	1	0	0
WINSTON	11	0	6	3	1	1	0	0	0	0
YALOBUSHA	4	0	3	1	0	0	0	0	0	0
YAZOO	13	0	8	3	0	1	0	0	0	1

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	14,223	310	5,328	5,008	2,224	979	308	57	0	9
ADAMS	243	4	80	85	48	22	3	0	0	1
ALCORN	55	0	22	18	12	3	0	0	0	0
AMITE	49	0	23	15	4	1	5	1	0	0
ATTALA	106	1	43	35	16	9	2	0	0	0
BENTON	31	1	12	11	5	2	0	0	0	0
BOLIVAR	568	8	235	225	62	29	6	3	0	0
CALHOUN	71	2	29	26	8	4	2	0	0	0
CARROLL	42	0	19	14	7	2	0	0	0	0
CHICKASAW	89	1	40	32	9	6	1	0	0	0
CHOCTAW	38	0	11	16	7	2	1	1	0	0
CLAIBORNE	121	3	38	31	24	17	6	2	0	0
CLARKE	93	1	28	32	21	8	2	1	0	0
CLAY	179	5	72	49	28	20	5	0	0	0
COAHOMA	437	14	172	166	57	21	6	1	0	0
COPIAH	185	3	66	59	34	12	8	3	0	0
COVINGTON	96	2	37	38	15	3	1	0	0	0
DESOTO	130	1	39	45	31	8	4	1	0	1
FORREST	345	8	128	133	46	21	8	1	0	0
FRANKLIN	51	0	14	20	8	8	1	0	0	0
GEORGE	12	0	5	6	1	0	0	0	0	0
GREENE	29	1	10	10	7	1	0	0	0	0
GRENADA	152	6	54	58	21	11	2	0	0	0
HANCOCK	44	0	16	17	8	2	0	1	0	0
HARRISON	486	7	198	171	74	26	8	2	0	0
HINDS	1,798	35	603	661	314	141	33	9	0	2
HOLMES	305	8	103	110	49	22	10	2	0	1
HUMPHREYS	156	5	53	60	22	10	6	0	0	0
ISSAQUENA	16	1	2	9	2	2	0	0	0	0
ITAWAMBA	15	0	8	3	4	0	0	0	0	0
JACKSON	368	11	139	128	59	24	7	0	0	0
JASPER	88	0	37	25	13	10	3	0	0	0
JEFFERSON	101	0	25	40	17	16	3	0	0	0
JEFF DAVIS	100	3	41	34	10	9	3	0	0	0
JONES	261	8	104	87	29	28	4	1	0	0
KEMPER	71	2	33	19	11	3	3	0	0	0
LAFAYETTE	98	2	36	37	11	7	4	1	0	0
LAMAR	49	0	17	17	13	1	0	1	0	0
LAUDERDALE	413	14	156	145	60	29	9	0	0	0
LAWRENCE	50	3	18	16	7	3	2	1	0	0
LEAKE	85	1	31	30	15	6	2	0	0	0
LEE	214	5	76	75	35	16	6	1	0	0
LEFLORE	419	10	166	145	63	22	12	1	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1989

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	107	4	54	33	12	3	1	0	0	0
LOWNDES	326	6	119	126	44	19	10	1	0	1
MADISON	381	14	140	126	52	31	16	2	0	0
MARION	78	1	23	27	17	9	0	1	0	0
MARSHALL	225	3	73	81	38	24	4	1	0	1
MONROE	139	7	45	50	20	14	3	0	0	0
MONTGOMERY	73	0	27	28	11	5	1	1	0	0
NESHOBA	130	2	49	49	20	8	2	0	0	0
NEWTON	79	0	28	29	15	4	3	0	0	0
NOXUBEE	144	2	53	59	18	4	7	1	0	0
OKTIBBEHA	201	3	65	72	38	16	5	2	0	0
PANOLA	242	5	97	73	45	15	7	0	0	0
PEARL RIVER	84	3	33	25	15	6	2	0	0	0
PERRY	33	1	15	12	2	2	1	0	0	0
PIKE	218	5	91	66	33	12	9	2	0	0
PONTOTOC	26	0	7	9	6	2	1	1	0	0
PRENTISS	27	0	9	9	5	2	1	1	0	0
QUITMAN	132	1	50	43	29	7	2	0	0	0
RANKIN	150	3	53	58	24	9	3	0	0	0
SCOTT	145	5	59	48	22	8	3	0	0	0
SHARKEY	109	2	37	42	19	9	0	0	0	0
SIMPSON	118	2	39	47	15	10	4	1	0	0
SMITH	52	2	18	19	10	2	0	0	0	1
STONE	30	2	14	10	2	2	0	0	0	0
SUNFLOWER	432	7	174	153	65	28	4	1	0	0
TALLAHATCHIE	193	2	88	71	27	5	0	0	0	0
TATE	118	2	49	34	24	8	1	0	0	0
TIPPAH	38	1	20	12	5	0	0	0	0	0
TISHOMINGO	4	0	0	1	2	0	1	0	0	0
TUNICA	122	3	58	36	18	6	1	0	0	0
UNION	40	3	12	17	7	1	0	0	0	0
WALTHALL	82	3	38	23	10	7	1	0	0	0
WARREN	301	4	95	108	52	32	9	1	0	0
WASHINGTON	695	19	296	225	102	36	14	3	0	0
WAYNE	121	2	42	45	21	4	7	0	0	0
WEBSTER	36	2	20	12	1	1	0	0	0	0
WILKINSON	97	0	27	40	17	10	2	0	0	1
WINSTON	117	5	41	42	18	9	0	2	0	0
YALOBUSHA	81	1	36	26	13	3	2	0	0	0
YAZOO	238	7	95	69	43	19	3	2	0	0

TABLE 6
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE OF MOTHER, MISSISSIPPI, 1989

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	4,041	1,436	2,605	9.4	6.5	12.4
ADAMS	76	19	57	13.5	8.0	17.4
ALCORN	30	22	8	7.0	6.2	10.2
AMITE	19	10	9	10.6	10.8	10.5
ATTALA	37	6	31	11.5	4.4	16.8
BENTON	15	5	10	13.9	8.8	19.6
BOLIVAR	93	12	81	10.8	6.5	11.9
CALHOUN	25	9	16	11.4	7.4	16.3
CARROLL	12	3	9	10.2	5.7	14.1
CHICKASAW	33	13	20	9.9	8.2	11.5
CHOCTAW	6	1	5	4.7	1.5	8.1
CLAIBORNE	17	0	17	9.8	0.0	11.1
CLARKE	16	7	9	5.6	4.5	6.9
CLAY	38	7	31	9.7	5.7	11.6
COAHOMA	81	12	69	11.7	8.6	12.5
COPIAH	49	10	39	10.8	6.4	13.0
COVINGTON	17	9	8	5.6	5.4	5.7
DESOTO	81	64	17	7.3	7.0	8.7
FORREST	86	36	50	7.9	6.0	10.1
FRANKLIN	11	0	11	8.0	0.0	13.2
GEORGE	19	16	3	6.5	6.2	9.4
GREENE	13	4	9	10.0	4.5	21.4
GRENADA	29	9	20	7.6	5.7	9.0
HANCOCK	36	30	6	7.5	7.2	9.7
HARRISON	199	107	92	7.2	5.5	11.2
HINDS	432	91	341	9.7	5.7	11.9
HOLMES	60	1	59	13.2	1.8	14.8
HUMPHREYS	32	4	28	13.2	11.4	13.5
ISSAQUENA	2	1	1	5.0	8.3	3.6
ITAWAMBA	20	17	3	7.1	6.6	14.3
JACKSON	148	73	75	7.8	5.5	13.0
JASPER	18	4	14	6.9	4.3	8.2
JEFFERSON	17	1	16	10.8	6.7	11.2
JEFF DAVIS	33	8	25	14.5	11.0	16.1
JONES	69	23	46	7.7	4.4	12.2
KEMPER	13	1	12	8.6	2.3	11.1
LAFAYETTE	26	8	18	6.9	3.9	10.4
LAMAR	41	33	8	8.6	8.3	10.0
LAUDERDALE	92	29	63	7.2	4.4	10.3
LAWRENCE	18	5	13	9.1	4.6	14.4
LEAKE	34	17	17	12.3	12.8	11.9
LEE	96	59	37	8.5	7.5	10.7
LEFLORE	96	13	83	13.2	6.9	15.3

TABLE 6 - PAGE 2
IMMATURE LIVE BIRTHS - MISSISSIPPI - 1989

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	30	15	15	7.2	6.1	8.7
LOWNDES	84	30	54	7.9	5.5	10.5
MADISON	97	29	68	9.2	5.8	12.5
MARION	36	17	19	8.9	6.6	13.0
MARSHALL	84	22	62	14.5	9.3	18.1
MONROE	40	13	27	7.0	3.6	12.9
MONTGOMERY	19	6	13	9.6	7.0	11.6
NESHOBA	37	14	23	9.5	7.5	11.3
NEWTON	18	9	9	6.4	6.2	6.6
NOXUBEE	36	7	29	14.4	14.3	14.4
OKTIBBEHA	42	8	34	7.5	3.3	10.6
PANOLA	54	19	35	9.9	9.2	10.4
PEARL RIVER	43	31	12	7.4	6.6	10.2
PERRY	18	7	11	10.2	5.7	20.4
PIKE	79	20	59	14.2	9.2	17.4
PONTOTOC	42	37	5	12.3	12.7	10.0
PRENTISS	26	21	5	8.4	8.0	10.4
QUITMAN	29	5	24	13.4	8.8	15.1
RANKIN	107	63	44	8.4	6.4	15.8
SCOTT	58	20	38	11.9	7.9	16.2
SHARKEY	12	1	11	7.7	5.3	8.0
SIMPSON	34	8	26	8.5	3.9	13.2
SMITH	18	8	10	8.6	6.1	12.8
STONE	14	9	5	8.8	7.6	11.9
SUNFLOWER	77	10	67	11.3	7.5	12.3
TALLAHATCHIE	41	8	33	12.9	9.1	14.4
TATE	33	10	23	8.9	5.2	13.0
TIPPAH	47	36	11	15.2	14.7	17.2
TISHOMINGO	15	15	0	6.9	7.2	0.0
TUNICA	26	3	23	13.6	10.0	14.3
UNION	49	35	14	14.4	12.8	21.5
WALTHALL	27	6	21	11.4	7.2	13.6
WARREN	86	26	60	10.6	6.6	14.4
WASHINGTON	137	24	113	10.8	6.4	12.8
WAYNE	39	12	27	10.7	7.0	14.1
WEBSTER	16	8	8	11.2	8.6	16.0
WILKINSON	11	2	9	6.9	5.6	7.2
WINSTON	30	5	25	9.8	3.5	15.2
YALOBUSHA	18	8	10	9.0	8.6	9.2
YAZOO	47	10	37	10.2	6.8	11.8

* BIRTHWEIGHT LESS THAN 2,500 GRAMS.

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE OF MOTHER, MISSISSIPPI, 1989

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	6,243	2,168	4,075	14.5	9.8	19.4
ADAMS	71	18	53	12.6	7.6	16.2
ALCORN	53	41	12	12.3	11.6	15.4
AMITE	33	19	14	18.4	20.4	16.3
ATTALA	53	11	42	16.5	8.1	22.7
BENTON	21	6	15	19.4	10.5	29.4
BOLIVAR	166	22	144	19.2	11.9	21.2
CALHOUN	37	13	24	16.8	10.6	24.5
CARROLL	14	1	13	12.0	1.9	20.3
CHICKASAW	53	21	32	15.9	13.2	18.4
CHOCTAW	16	4	12	12.6	6.2	19.4
CLAIBORNE	28	5	23	16.2	25.0	15.0
CLARKE	39	20	19	13.6	12.9	14.5
CLAY	65	12	53	16.7	9.8	19.8
COAHOMA	131	18	113	19.0	12.8	20.5
COPIAH	75	18	57	16.5	11.6	19.0
COVINGTON	43	13	30	14.1	7.9	21.4
DESOTO	115	79	36	10.3	8.6	18.4
FORREST	136	48	88	12.5	8.1	17.7
FRANKLIN	13	2	11	9.5	3.7	13.2
GEORGE	31	28	3	10.6	10.8	9.4
GREENE	13	8	5	10.0	9.1	11.9
GRENADA	44	12	32	11.5	7.5	14.4
HANCOCK	58	51	7	12.1	12.2	11.3
HARRISON	324	183	141	11.8	9.5	17.1
HINDS	670	143	527	15.0	8.9	18.4
HOLMES	91	2	89	20.0	3.6	22.3
HUMPHREYS	44	5	39	18.1	14.3	18.8
ISSAQUENA	3	2	1	7.5	16.7	3.6
ITAWAMBA	30	22	8	10.7	8.5	38.1
JACKSON	213	98	115	11.2	7.4	20.0
JASPER	39	8	31	14.9	8.7	18.2
JEFFERSON	20	2	18	12.6	13.3	12.6
JEFF DAVIS	40	8	32	17.5	11.0	20.6
JONES	107	42	65	12.0	8.1	17.2
KEMPER	26	5	21	17.2	11.6	19.4
LAFAYETTE	49	17	32	13.0	8.3	18.5
LAMAR	51	39	12	10.7	9.8	15.0
LAUDERDALE	159	54	105	12.5	8.1	17.2
LAWRENCE	36	14	22	18.2	13.0	24.4
LEAKE	43	18	25	15.6	13.5	17.5
LEE	158	89	69	14.0	11.3	19.9
LEFLORE	144	19	125	19.7	10.1	23.1

TABLE 7 - PAGE 2
PREMATURE LIVE BIRTHS - MISSISSIPPI - 1989

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	46	20	26	11.0	8.1	15.1
LOWNDES	107	42	65	10.1	7.7	12.7
MADISON	147	45	102	14.0	8.9	18.7
MARION	47	15	32	11.6	5.8	21.9
MARSHALL	113	33	80	19.5	13.9	23.4
MONROE	77	33	44	13.4	9.0	21.0
MONTGOMERY	33	9	24	16.7	10.5	21.4
NESHOBA	55	21	34	14.1	11.3	16.7
NEWTON	28	9	19	9.9	6.2	13.9
NOXUBEE	48	7	41	19.2	14.3	20.4
OKTIBBEHA	71	19	52	12.7	7.9	16.3
PANOLA	91	16	75	16.7	7.7	22.2
PEARL RIVER	57	43	14	9.7	9.2	11.9
PERRY	29	14	15	16.4	11.4	27.8
PIKE	122	29	93	21.9	13.3	27.4
PONTOTOC	60	51	9	17.6	17.5	18.0
PRENTISS	49	35	14	15.8	13.4	29.2
QUITMAN	54	7	47	25.0	12.3	29.6
RANKIN	132	86	46	10.4	8.7	16.5
SCOTT	86	30	56	17.6	11.8	23.9
SHARKEY	30	1	29	19.2	5.3	21.2
SIMPSON	60	11	49	15.0	5.4	24.9
SMITH	29	14	15	13.8	10.6	19.2
STONE	19	12	7	11.9	10.2	16.7
SUNFLOWER	142	16	126	20.9	11.9	23.1
TALLAHATCHIE	63	10	53	19.9	11.4	23.1
TATE	58	18	40	15.7	9.4	22.6
TIPPAH	65	45	20	21.0	18.4	31.2
TISHOMINGO	23	22	1	10.6	10.5	14.3
TUNICA	44	5	39	23.0	16.7	24.2
UNION	69	49	20	20.4	17.9	30.8
WALTHALL	39	9	30	16.4	10.8	19.5
WARREN	113	39	74	13.9	9.8	17.7
WASHINGTON	240	41	199	19.0	10.9	22.5
WAYNE	52	18	34	14.3	10.5	17.8
WEBSTER	21	14	7	14.7	15.0	14.0
WILKINSON	21	4	17	13.1	11.1	13.7
WINSTON	57	14	43	18.6	9.8	26.2
YALOBUSHA	27	8	19	13.4	8.6	17.6
YAZOO	64	14	50	13.9	9.6	16.0

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE OF MOTHER, MISSISSIPPI, 1989

COUNTY	OCCURRENCE DATA NUMBER TOTAL	OCCURRENCE DATA NUMBER WHITE	OCCURRENCE DATA NUMBER NON-WHITE	RESIDENCE DATA NUMBER TOTAL	RESIDENCE DATA NUMBER WHITE	RESIDENCE DATA NUMBER NON-WHITE	RESIDENCE DATA RATIO** TOTAL	RESIDENCE DATA RATIO** WHITE	RESIDENCE DATA RATIO** NON-WHITE
STATE	422	127	295	425	126	299	9.9	5.7	14.3
ADAMS	7	1	6	5	0	5	8.9	-	15.3
ALCORN	4	3	1	4	3	1	9.3	8.5	12.8
AMITE	0	0	0	1	0	1	5.6	-	11.6
ATTALA	1	1	0	2	1	1	6.2	7.4	5.4
BENTON	0	0	0	2	0	2	18.5	-	39.2
BOLIVAR	11	0	11	12	2	10	13.9	10.8	14.7
CALHOUN	0	0	0	4	1	3	18.2	8.2	30.6
CARROLL	0	0	0	1	0	1	8.5	-	15.6
CHICKASAW	0	0	0	4	2	2	12.0	12.6	11.5
CHOCTAW	2	0	2	0	0	0	-	-	-
CLAIBORNE	0	0	0	0	0	0	-	-	-
CLARKE	0	0	0	1	0	1	3.5	-	7.6
CLAY	4	0	4	4	1	3	10.2	8.1	11.2
COAHOMA	10	2	8	8	0	8	11.6	-	14.5
COPIAH	1	0	1	5	1	4	11.0	6.4	13.3
COVINGTON	5	1	4	3	2	1	9.8	12.1	7.1
DESOTO	1	1	0	8	6	2	7.2	6.5	10.2
FORREST	24	14	10	8	2	6	7.3	3.4	12.1
FRANKLIN	0	0	0	0	0	0	-	-	-
GEORGE	0	0	0	4	3	1	13.7	11.6	31.2
GREENE	0	0	0	1	1	0	7.7	11.4	-
GRENADA	9	0	9	4	0	4	10.5	-	17.9
HANCOCK	0	0	0	1	1	0	2.1	2.4	-
HARRISON	24	16	8	17	11	6	6.2	5.7	7.3
HINDS	109	18	91	51	7	44	11.4	4.4	15.4
HOLMES	0	0	0	7	0	7	15.4	-	17.5
HUMPHREYS	0	0	0	8	0	8	32.9	-	38.5
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	2	1	1	7.1	3.9	47.6
JACKSON	12	8	4	11	7	4	5.8	5.2	6.9
JASPER	0	0	0	4	1	3	15.3	10.9	17.6
JEFFERSON	0	0	0	1	0	1	6.3	-	7.0
JEFF DAVIS	0	0	0	4	1	3	17.5	13.7	19.4
JONES	13	4	9	12	4	8	13.4	7.7	21.2
KEMPER	1	0	1	1	0	1	6.6	-	9.2
LAFAYETTE	6	3	3	0	0	0	-	-	-
LAMAR	0	0	0	4	4	0	8.4	10.1	-
LAUDERDALE	24	6	18	18	3	15	14.1	4.5	24.6
LAWRENCE	0	0	0	0	0	0	-	-	-
LEAKE	0	0	0	1	1	0	3.6	7.5	-
LEE	18	9	9	5	1	4	4.4	1.3	11.6
LEFLORE	8	1	7	7	2	5	9.6	10.6	9.2

TABLE 8 - PAGE 2
FETAL DEATHS - MISSISSIPPI - 1989

COUNTY	OCCURRENCE DATA NUMBER TOTAL	OCCURRENCE DATA NUMBER WHITE	OCCURRENCE DATA NUMBER NON-WHITE	RESIDENCE DATA NUMBER TOTAL	RESIDENCE DATA NUMBER WHITE	RESIDENCE DATA NUMBER NON-WHITE	RESIDENCE DATA RATIO** TOTAL	RESIDENCE DATA RATIO** WHITE	RESIDENCE DATA RATIO** NON-WHITE
LINCOLN	2	0	2	3	1	2	7.2	4.0	11.6
LOWNDES	9	4	5	5	2	3	4.7	3.6	5.8
MADISON	4	0	4	12	1	11	11.4	2.0	20.2
MARION	0	0	0	6	3	3	14.8	11.6	20.5
MARSHALL	1	0	1	7	1	6	12.1	4.2	17.5
MONROE	12	8	4	10	6	4	17.4	16.4	19.1
MONTGOMERY	4	0	4	3	0	3	15.2	-	26.8
NESHOBA	1	1	0	6	2	4	15.4	10.8	19.6
NEWTON	0	0	0	4	2	2	14.1	13.7	14.6
NOXUBEE	5	0	5	8	0	8	32.0	-	39.8
OKTIBBEHA	8	1	7	5	0	5	8.9	-	15.7
PANOLA	3	1	2	7	3	4	12.8	14.5	11.8
PEARL RIVER	4	3	1	7	6	1	12.0	12.8	8.5
PERRY	0	0	0	1	0	1	5.6	-	18.5
PIKE	8	3	5	7	2	5	12.6	9.2	14.7
PONTOTOC	0	0	0	2	2	0	5.9	6.9	-
PRENTISS	0	0	0	4	2	2	12.9	7.6	41.7
QUITMAN	0	0	0	1	1	0	4.6	17.5	-
RANKIN	12	8	4	11	6	5	8.7	6.0	18.0
SCOTT	0	0	0	3	2	1	6.1	7.9	4.3
SHARKEY	0	0	0	2	0	2	12.8	-	14.6
SIMPSON	1	1	0	5	1	4	12.5	4.9	20.3
SMITH	0	0	0	1	0	1	4.8	-	12.8
STONE	0	0	0	2	1	1	12.5	8.5	23.8
SUNFLOWER	9	0	9	9	0	9	13.2	-	16.5
TALLAHATCHIE	0	0	0	4	0	4	12.6	-	17.5
TATE	2	0	2	2	0	2	5.4	-	11.3
TIPPAH	0	0	0	1	1	0	3.2	4.1	-
TISHOMINGO	0	0	0	0	0	0	-	-	-
TUNICA	0	0	0	0	0	0	-	-	-
UNION	3	1	2	0	0	0	-	-	-
WALTHALL	0	0	0	0	0	0	-	-	-
WARREN	15	4	11	14	4	10	17.2	10.1	24.0
WASHINGTON	17	3	14	17	2	15	13.5	5.3	16.9
WAYNE	3	1	2	3	1	2	8.3	5.8	10.5
WEBSTER	0	0	0	1	0	1	7.0	-	20.0
WILKINSON	1	0	1	2	1	1	12.5	27.8	8.1
WINSTON	2	0	2	4	1	3	13.0	7.0	18.3
YALOBUSHA	0	0	0	1	0	1	5.0	-	9.2
YAZOO	2	0	2	10	3	7	21.8	20.5	22.4
OUT OF STATE	21	11	10	18	12	6			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1989

	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	24,475	15,785	8,690	25,273	16,386	8,887	9.1	9.2	8.9
ADAMS	460	233	227	400	187	213	10.2	9.7	10.7
ALCORN	316	284	32	350	308	42	9.2	9.1	10.2
AMITE	53	29	24	158	90	68	12.1	12.6	11.4
ATTALA	172	104	68	230	145	85	11.4	11.9	10.7
BENTON	23	16	7	71	51	20	7.9	8.9	6.1
BOLIVAR	440	183	257	478	190	288	11.0	12.3	10.4
CALHOUN	112	79	33	174	132	42	10.3	10.5	9.9
CARROLL	34	19	15	90	57	33	8.9	9.9	7.5
CHICKASAW	149	107	42	185	128	57	9.9	10.9	8.3
CHOCTAW	72	48	24	98	69	29	10.1	10.0	10.3
CLAIBORNE	79	15	64	118	28	90	8.6	8.5	8.7
CLARKE	140	101	39	190	142	48	10.2	11.7	7.4
CLAY	173	104	69	206	119	87	8.7	10.5	7.0
COAHOMA	400	130	270	386	127	259	11.4	10.4	11.8
COPIAH	179	94	85	286	155	131	10.0	10.2	9.6
COVINGTON	113	80	33	156	110	46	9.1	9.5	8.3
DESOTO	196	144	52	405	331	74	6.0	5.8	7.4
FORREST	939	668	271	686	481	205	9.2	9.3	8.9
FRANKLIN	75	39	36	122	73	49	14.2	13.4	15.6
GEORGE	109	91	18	157	143	14	9.5	9.5	9.8
GREENE	54	40	14	103	79	24	9.4	8.8	11.8
GRENADA	247	146	101	249	147	102	11.0	11.0	10.9
HANCOCK	202	172	30	293	263	30	9.8	9.8	10.1
HARRISON	1,685	1,390	295	1,416	1,174	242	8.1	8.8	5.7
HINDS	4,090	2,367	1,723	2,292	1,269	1,023	8.1	9.0	7.2
HOLMES	193	58	135	279	81	198	12.1	13.8	11.6
HUMPHREYS	107	36	71	147	51	96	11.0	11.8	10.6
ISSAQUENA	6	3	3	11	5	6	4.5	4.2	4.7
ITAWAMBA	120	111	9	208	193	15	8.7	8.6	9.9
JACKSON	741	594	147	825	674	151	5.9	6.1	4.9
JASPER	80	46	34	154	77	77	8.4	8.7	8.1
JEFFERSON	50	10	40	88	24	64	10.0	16.3	8.8
JEFF DAVIS	77	42	35	137	76	61	9.3	12.2	7.1
JONES	620	453	167	703	535	168	10.3	10.2	10.7
KEMPER	62	35	27	97	52	45	9.6	11.1	8.3
LAFAYETTE	317	218	99	238	164	74	6.6	6.4	7.1
LAMAR	302	260	42	204	184	20	6.8	6.9	6.2
LAUDERDALE	1,124	753	371	817	546	271	9.8	10.0	9.2
LAWRENCE	94	63	31	162	112	50	11.6	11.4	12.1
LEAKE	201	135	66	252	153	99	12.4	12.5	12.4
LEE	1,172	920	252	632	491	141	9.7	9.5	10.3
LEFLORE	438	203	235	432	205	227	10.5	13.3	8.8

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1989

COUNTY	OCCURRENCE DATA NUMBER TOTAL	OCCURRENCE DATA NUMBER WHITE	OCCURRENCE DATA NUMBER NON-WHITE	RESIDENCE DATA NUMBER TOTAL	RESIDENCE DATA NUMBER WHITE	RESIDENCE DATA NUMBER NON-WHITE	RESIDENCE DATA RATE* TOTAL	RESIDENCE DATA RATE* WHITE	RESIDENCE DATA RATE* NON-WHITE
LINCOLN	327	226	101	343	243	100	10.0	10.1	9.6
LOWNDES	478	300	178	431	274	157	6.5	6.8	6.1
MADISON	209	73	136	411	190	221	7.8	7.3	8.3
MARION	185	132	53	271	188	83	9.4	9.3	9.8
MARSHALL	148	72	76	309	155	154	9.0	8.9	9.1
MONROE	295	216	79	413	290	123	10.7	10.6	10.7
MONTGOMERY	164	105	59	180	119	61	13.0	13.6	11.9
NESHOBA	146	92	54	284	210	74	10.7	11.2	9.4
NEWTON	173	118	55	227	155	72	10.9	10.7	11.5
NOXUBEE	98	43	55	135	51	84	11.1	11.9	10.7
OKTIBBEHA	230	116	114	252	129	123	5.6	4.6	7.4
PANOLA	222	126	96	346	203	143	11.8	13.1	10.4
PEARL RIVER	261	217	44	352	283	69	8.5	7.9	12.7
PERRY	60	46	14	86	64	22	8.1	7.4	11.7
PIKE	451	279	172	451	286	165	11.5	13.3	9.2
PONTOTOC	127	117	10	218	201	17	8.8	9.5	4.5
PRENTISS	171	153	18	244	219	25	8.6	8.6	8.0
QUITMAN	83	31	52	124	61	63	11.6	12.3	11.0
RANKIN	447	350	97	598	495	103	7.3	7.3	7.4
SCOTT	211	137	74	274	172	102	10.3	10.5	10.0
SHARKEY	72	22	50	86	33	53	11.4	12.6	10.8
SIMPSON	211	157	54	294	216	78	10.7	11.3	9.4
SMITH	82	59	23	162	126	36	9.8	9.6	10.8
STONE	107	85	22	128	103	25	11.0	11.7	9.0
SUNFLOWER	274	109	165	368	150	218	10.8	11.6	10.2
TALLAHATCHIE	80	36	44	152	65	87	10.1	9.5	10.6
TATE	146	83	63	212	136	76	9.6	10.4	8.4
TIPPAH	157	136	21	213	188	25	10.1	10.6	7.3
TISHOMINGO	145	137	8	208	197	11	10.1	10.0	13.0
TUNICA	48	13	35	93	29	64	10.9	12.2	10.4
UNION	246	216	30	248	218	30	10.2	10.3	9.8
WALTHALL	112	77	35	139	91	48	9.2	10.4	7.6
WARREN	511	277	234	493	273	220	8.6	8.0	9.6
WASHINGTON	747	295	452	703	290	413	9.6	9.5	9.7
WAYNE	131	84	47	177	110	67	8.4	8.2	8.7
WEBSTER	90	77	13	117	97	20	11.4	11.3	11.5
WILKINSON	122	61	61	117	43	74	12.6	14.7	11.6
WINSTON	166	108	58	230	142	88	11.2	11.7	10.5
YALOBUSHA	98	71	27	177	115	62	12.7	13.9	11.0
YAZOO	228	110	118	322	155	167	11.7	11.5	11.9
OUT OF STATE	1,620	1,191	429	822	590	232			

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1989

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE
BILOXI	398	343	55
BROOKHAVEN	181	109	72
CANTON	140	50	90
CLARKSDALE	275	95	180
CLEVELAND	167	94	73
CLINTON	169	132	37
COLUMBUS	248	144	104
CORINTH	183	151	32
GAUTIER	59	50	9
GREENVILLE	502	211	291
GREENWOOD	278	133	145
GRENADA	174	102	72
GULFPORT	506	395	111
HATTIESBURG	497	320	177
JACKSON	1,839	1,016	823
LAUREL	296	197	99
MCCOMB	216	141	75
MERIDIAN	554	344	210
MOSS POINT	130	61	69
NATCHEZ	286	134	152
OCEAN SPRINGS	150	137	13
PASCAGOULA	237	193	44
PEARL	109	99	10
PICAYUNE	131	81	50
SOUTHAVEN	84	80	4
STARKVILLE	122	72	50
TUPELO	301	241	60
VICKSBURG	309	155	154
YAZOO CITY	195	85	110

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 10
DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1989

International Classification Number*	Cause*	Total	White	Non-white
001-999	ALL CAUSES	25,273	16,386	8,887
001-139	INFECTIOUS AND PARASITIC DISEASES	422	247	175
001-009	Intestinal infectious diseases	10	6	4
002,003	Typhoid and paratyphoid fevers, and other salmonella infections	2	1	1
003	Other salmonella infections	2	1	1
008,009	Other and ill-defined intestinal infections	8	5	3
008	Intestinal infections due to other organisms	6	4	2
009	Ill-defined intestinal infections	2	1	1
010-018	Tuberculosis	26	11	15
010-012	Respiratory	19	10	9
011	Pulmonary	19	10	9
013-018	Other forms	7	1	6
017	Other organs	2	0	2
018	Miliary	5	1	4
020-027	Zoonotic bacterial diseases	1	1	0
027	Other zoonotic bacterial diseases	1	1	0
030-041	Other bacterial diseases	203	124	79
031	Other diseases due to mycobacteria	6	5	1
036	Meningococcal infection	2	1	1
038	Septicemia	188	112	76
039	Actinomycotic infections	1	1	0
040	Other bacterial diseases	1	1	0
041	Bacterial infection of unspecified site	5	4	1
042-044	Human immunodeficiency virus infection	93	52	41
042	With specified conditions	91	51	40
043	Causing other specified conditions	2	1	1
045-049	Poliomyelitis and other non-arthropod-borne diseases of central nervous system	11	9	2
046	Slow virus infection	4	4	0
047	Meningitis due to enterovirus	2	2	0
048	Other enterovirus diseases	1	1	0
049	Other non-arthropod-borne diseases	4	2	2
050-057	Viral diseases accompanied by exanthem	4	3	1
052	Chickenpox	1	0	1
053	Herpes zoster	1	1	0
054	Herpes simplex	2	2	0
060-066	Arthropod-borne viral diseases	0	0	0
070-079	Other diseases due to viruses and Chlamydiae	16	9	7
070	Viral hepatitis	11	5	6
074	Specific diseases due to Coxsackie virus	1	1	0
078	Other diseases due to viruses and Chlamydiae	3	2	1
079	Viral infection in conditions classified elsewhere and of unspecified site	1	1	0
080-088	Rickettsioses and other arthropod-borne diseases	1	1	0
082	Tick-borne richettsioses	1	1	0
090-099	Syphilis and other venereal diseases	2	0	2
090-097	Syphilis and its sequelae	2	0	2
093	Cardiovascular	1	0	1
094	Neurosyphilis	1	0	1

International Classification Number*	Cause*	Total	White	Non-white
100-104	Other spirochetal diseases	0	0	0
110-118	Mycoses	35	22	13
112	Candidiasis	12	11	1
114	Coccidioidomycosis	1	1	0
115	Histoplasmosis	3	1	2
116	Blastomycotic infection	6	2	4
117	Other mycoses	13	7	6
120-129	Helminthiases	0	0	0
130-139	Other infectious and parasitic diseases	20	9	11
135	Sarcoidosis	6	1	5
136	Other and unspecified infectious and parasitic diseases	9	6	3
137	Late effects of tuberculosis	5	2	3
140-239	NEOPLASMS	5,316	3,616	1,700
140-208	Malignant neoplasms	5,252	3,569	1,683
140-149	Lip, oral cavity, and pharynx	77	51	26
140	Lip	2	2	0
141	Tongue	9	6	3
142	Major salivary glands	6	4	2
143	Gum	3	3	0
144	Floor of mouth	3	2	1
145	Other and unspecified parts of mouth	9	7	2
146	Oropharynx	10	7	3
147	Nasopharynx	6	4	2
148	Hypopharynx	7	5	2
149	Other and ill-defined sites	22	11	11
150-159	Digestive organs and peritoneum	1,193	760	433
150	Esophagus	93	44	49
151	Stomach	145	70	75
152	Small intestine, including duodenum	13	9	4
153	Colon	478	317	161
154	Rectum, rectosigmoid junction, and anus	49	36	13
155	Liver and intrahepatic bile ducts	82	62	20
156	Gallbladder and extrahepatic bile ducts	27	21	6
157	Pancreas	287	184	103
158	Retroperitoneum and peritoneum	8	7	1
159	Other and ill-defined sites	11	10	1
160-165	Respiratory and intrathoracic organs	1,659	1,220	439
160	Nasal cavities, middle ear, and accessory sinuses	4	3	1
161	Larynx	30	19	11
162	Trachea, bronchus, and lung	1,613	1,190	423
163	Pleura	6	4	2
164	Thymus, heart, and mediastinum	5	3	2
165	Other and ill-defined sites within the respiratory system and intrathoracic organs	1	1	0
170-175	Bone, connective tissue, skin, and breast	496	346	150
170	Bone and articular cartilage	23	14	9
171	Connective and other soft tissue	25	13	12
172	Melanoma of skin	61	53	8
173	Skin, other	19	16	3

International Classification Number*	Cause*	Total	White	Non-white
174	Female breast	366	249	117
175	Male breast	2	1	1
179-189	Genitourinary organs	761	446	315
(179-187)	(Genital organs)	602	339	263
179	Uterus, part unspecified	34	17	17
180	Cervix uteri	60	25	35
182	Body of uterus	23	13	10
183	Ovary and other uterine adnexa	103	72	31
184	Other and unspecified female genital organs	12	6	6
185	Prostate	362	202	160
186	Testis	4	2	2
187	Penis and other male genital organs	4	2	2
(188,189)	(Urinary organs)	159	107	52
188	Bladder	69	48	21
189	Kidney and other and unspecified urinary organs	90	59	31
190-199	Other and unspecified sites	592	407	185
190	Eye	5	4	1
191	Brain	130	110	20
192	Other and unspecified parts of nervous system	3	3	0
193	Thyroid gland	17	9	8
194	Other endocrine glands and related structures	13	8	5
195	Other and ill-defined sites	40	26	14
199	Site unspecified	384	247	137
200-208	Lymphatic and hematopoietic tissue	474	339	135
200	Lymphosarcoma and reticulosarcoma	24	19	5
201	Hodgkin's disease	24	18	6
202	Other lymphoid and histiocytic tissue	134	105	29
203	Multiple myeloma and immunoproliferative neoplasms	97	60	37
(204-208)	(Leukemia)	195	137	58
204	Lymphatic	53	38	15
205	Myeloid	66	46	20
206	Monocytic	4	1	3
207	Other specified	3	2	1
208	Unspecified cell type	69	50	19
210-229	Benign neoplasms	16	9	7
211	Benign neoplasm of other parts of digestive system	1	1	0
212	Benign neoplasm of respiratory and intrathoracic organs	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	11	6	5
227	Benign neoplasm of other endocrine glands and related structures	2	0	2
229	Benign neoplasm of other and unspecified sites	1	1	0
230-234	Carcinoma in situ	0	0	0
235-239	Neoplasms of uncertain behavior and unspecified nature	48	38	10
235-238	Uncertain behavior	13	10	3
237	Endocrine glands and nervous system	3	2	1
238	Other and unspecified sites and tissues	10	8	2
239	Unspecified nature	35	28	7

Table 10 - Page 4
Deaths - Mississippi - 1989

International Classification Number*	Cause*	Total	White	Non-white
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	656	336	320
240-246	Diseases of thyroid gland	5	3	2
240	Simple and unspecified goiter	1	0	1
242	Thyrotoxicosis with or without goiter	3	2	1
244	Acquired hypothyroidism	1	1	0
250-259	Diseases of other endocrine glands	473	236	237
250	Diabetes mellitus	459	229	230
251	Other disorders of pancreatic internal secretion	6	3	3
252	Disorders of parathyroid gland	2	0	2
253	Disorders of pituitary gland and its hypothalamic control	3	2	1
254	Diseases of thymus gland	2	1	1
259	Other endocrine disorders	1	1	0
260-269	Nutritional deficiencies	46	28	18
261	Nutritional marasmus	7	4	3
262	Other severe protein-calorie malnutrition	2	1	1
263	Other and unspecified protein-calorie malnutrition	35	21	14
269	Other nutritional deficiencies	2	2	0
270-279	Other metabolic disorders and immunity disorders	132	69	63
272	Disorders of lipid metabolism	3	3	0
273	Disorders of plasma protein metabolism	6	6	0
275	Disorders of mineral metabolism	2	1	1
276	Disorders of fluid, electrolyte, and acid-base balance	79	40	39
277	Other and unspecified disorders of metabolism	15	9	6
278	Obesity and other hyperalimentation	24	9	15
279	Disorders involving the immune mechanism	3	1	2
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	100	54	46
280-285	Anemias	65	26	39
280	Iron deficiency	3	1	2
282	Hereditary hemolytic	16	0	16
283	Acquired hemolytic	5	5	0
284	Aplastic	17	10	7
285	Other and unspecified	24	10	14
286	Coagulation defects	9	7	2
287	Purpura and other hemorrhagic conditions	6	4	2
288	Diseases of white blood cells	6	4	2
289	Other diseases of blood and blood-forming organs	14	13	1
290-319	MENTAL DISORDERS	224	145	79
290-299	Psychoses	81	60	21
290	Senile and presenile organic psychotic conditions	53	40	13
291	Alcoholic psychoses	4	3	1
294	Other organic psychotic conditions (chronic)	2	2	0
295	Schizophrenic psychoses	8	5	3
298	Other nonorganic psychoses	14	10	4

International Classification Number*	Cause*	Total	White	Non-white
300-316	Neurotic disorders, personality disorders, and other nonpsychotic mental disorders	141	83	58
303	Alcohol dependence syndrome	60	30	30
304	Drug dependence	1	0	1
305	Nondependent abuse of drugs	7	3	4
307	Special symptoms or syndromes not elsewhere classified	3	3	0
308	Acute reaction to stress	1	1	0
310	Specific nonpsychotic mental disorders following organic brain damage	66	43	23
311	Depressive disorder, not elsewhere classified	3	3	0
317-319	Mental retardation	2	2	0
318	Other specified	1	1	0
319	Unspecified	1	1	0
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	346	234	112
320-326	Inflammatory diseases of central nervous system	26	4	22
320	Bacterial meningitis	10	1	9
322	Meningitis of unspecified cause	8	0	8
323	Encephalitis, myelitis, and encephalomyelitis	6	2	4
324	Intracranial and intraspinal abscess	2	1	1
330-337	Hereditary and degenerative diseases of the central nervous system	211	169	42
330	Cerebral degenerations usually manifest in childhood	1	1	0
331	Other cerebral degenerations	120	92	28
332	Parkinson's disease	49	45	4
333	Other extrapyramidal disease and abnormal movement disorders	6	5	1
334	Spinocerebellar disease	1	1	0
335	Anterior horn cell disease	30	24	6
336	Other diseases of spinal cord	4	1	3
340-349	Other disorders of the central nervous system	83	40	43
340	Multiple sclerosis	6	5	1
341	Other demyelinating diseases of central nervous system	1	0	1
342	Hemiplegia	1	1	0
343	Infantile cerebral palsy	6	2	4
344	Other paralytic syndromes	8	6	2
345	Epilepsy	25	6	19
348	Other conditions of brain	35	19	16
349	Other and unspecified disorders of the nervous system	1	1	0
350-359	Disorders of peripheral nervous system	24	20	4
352	Disorders of other cranial nerves	1	1	0
356	Hereditary and idiopathic peripheral neuropathy	2	2	0
357	Inflammatory and toxic neuropathy	4	2	2
358	Myoneural disorders	4	4	0
359	Muscular dystrophies and other myopathies	13	11	2
360-379	Disorders of the eye and adnexa	1	1	0
376	Disorders of the orbit	1	1	0

Table 10 - Page 6
Deaths - Mississippi - 1989

International Classification Number*	Cause*	Total	White	Non-white
380-389	Diseases of the ear and mastoid process	1	0	1
381-383	Otitis media and mastoiditis	1	0	1
382	Suppurative and unspecified otitis media	1	0	1
390-459	DISEASES OF THE CIRCULATORY SYSTEM	12,037	7,904	4,133
390-392	Active rheumatic fever	0	0	0
393-398	Chronic rheumatic heart disease	32	22	10
394	Diseases of mitral valve	19	13	6
396	Diseases of mitral and aortic valves	6	4	2
397	Diseases of other endocardial structures	4	3	1
398	Other rheumatic heart disease	3	2	1
401-405	Hypertensive disease	479	208	271
401,403	Hypertension with or without renal disease	111	44	67
401	Essential hypertension	58	24	34
403	Hypertensive renal disease	53	20	33
402,404	Hypertensive heart disease with or without renal disease	368	164	204
402	Hypertensive heart disease	327	149	178
404	Hypertensive heart and renal disease	41	15	26
410-414	Ischemic heart disease	5,156	3,668	1,488
410	Acute myocardial infarction	3,433	2,362	1,071
411	Other acute and subacute forms of ischemic heart disease	10	8	2
412	Old myocardial infarction	13	10	3
413	Angina pectoris	21	18	3
414	Other forms of chronic ischemic heart disease	1,679	1,270	409
415-417	Diseases of pulmonary circulation	214	132	82
415	Acute pulmonary heart disease	195	122	73
416	Chronic pulmonary heart disease	18	9	9
417	Other diseases of pulmonary circulation	1	1	0
420-429	Other forms of heart disease	3,823	2,378	1,445
420	Acute pericarditis	1	1	0
421	Acute and subacute endocarditis	14	7	7
422	Acute myocarditis	2	1	1
423	Other diseases of pericardium	3	0	3
424	Other diseases of endocardium	78	57	21
425	Cardiomyopathy	231	145	86
426	Conduction disorders	10	5	5
427	Cardiac dysrhythmias	1,020	576	444
428	Heart failure	769	501	268
429	Ill-defined heart diseases	1,695	1,085	610
430-438	Cerebrovascular diseases	1,883	1,174	709
430	Subarachnoid hemorrhage	60	44	16
431	Intracerebral hemorrhage	210	123	87
432	Other and unspecified intracranial hemorrhage	22	16	6
433	Occlusion and stenosis of precerebral arteries	15	12	3
434	Occlusion of cerebral arteries	220	139	81
435	Transient cerebral ischemia	7	4	3
436	Acute but ill-defined cerebrovascular disease	1,149	700	449
437	Other and ill-defined cerebrovascular disease	112	73	39
438	Late effects of cerebrovascular disease	88	63	25

International Classification Number*	Cause*	Total	White	Non-white
440-448	Diseases of arteries, arterioles, and capillaries	382	274	108
440	Atherosclerosis	146	105	41
441-448	Other diseases of arteries, arterioles, and capillaries	236	169	67
441	Aortic aneurysm	141	113	28
442	Other aneurysm	16	13	3
443	Other peripheral vascular disease	38	15	23
444	Arterial embolism and thrombosis	16	13	3
446	Polyarteritis nodosa and allied conditions	14	7	7
447	Other disorders of arteries and arterioles	11	8	3
451-459	Diseases of veins and lymphatics, and other diseases of circulatory system	68	48	20
451-453	Venous thrombosis and embolism	27	19	8
451	Phlebitis and thrombophlebitis	22	16	6
452	Portal vein thrombosis	1	0	1
453	Other venous embolism and thrombosis	4	3	1
454-459	Other diseases of the circulatory system	41	29	12
454	Varicose veins of lower extremities	1	0	1
456	Varicose veins of other sites	6	5	1
458	Hypotension	12	9	3
459	Other disorders of circulatory system	22	15	7
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,863	1,336	527
460-466	Acute respiratory infections	12	9	3
464	Acute laryngitis and tracheitis	1	0	1
465	Acute upper respiratory infection of multiple or unspecified sites	3	3	0
466	Acute bronchitis and bronchiolitis	8	6	2
470-478	Other diseases of upper respiratory tract	2	2	0
478	Other diseases of upper respiratory tract	2	2	0
480-487	Pneumonia and influenza	775	533	242
480-486	Pneumonia	750	516	234
480	Viral	5	5	0
481	Pneumococcal	15	9	6
482	Other bacterial	38	26	12
483	Due to other specified organism	3	1	2
485	Broncho, organism unspecified	31	23	8
486	Organism unspecified	658	452	206
487	Influenza	25	17	8
490-496	Chronic obstructive pulmonary disease and allied conditions	754	583	171
490,491	Chronic and unqualified bronchitis	44	34	10
490	Unqualified	16	11	5
491	Chronic	28	23	5
492	Emphysema	109	86	23
493	Asthma	49	14	35
494	Bronchiectasis	12	10	2
496	Chronic airways obstruction, not elsewhere classified	540	439	101
500-508	Pneumoconioses and other lung diseases due to external agents	94	55	39
501	Asbestosis	4	4	0

International Classification Number*	Cause*	Total	White	Non-white
502	Pneumoconiosis due to other silica or silicates	1	1	0
503	Pneumoconiosis due to other inorganic dust	1	1	0
507	Pneumonitis due to solids and liquids	86	48	38
508	Respiratory conditions due to other and unspecified external agents	2	1	1
510-519	Other diseases of respiratory system	226	154	72
510	Empyema	2	0	2
511	Pleurisy	14	12	2
512	Pneumothorax	2	1	1
513	Abscess of lung and mediastinum	9	5	4
514	Pulmonary congestion and hypostasis	11	5	6
515	Postinflammatory pulmonary fibrosis	50	43	7
516	Other alveolar and parietoalveolar pneumopathy	9	8	1
518	Other diseases of lung	113	72	41
519	Other diseases of respiratory system	16	8	8
520-579	DISEASES OF THE DIGESTIVE SYSTEM	763	516	247
520-529	Diseases of oral cavity, salivary glands, and jaws	2	1	1
527	Diseases of the salivary glands	1	1	0
528	Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue	1	0	1
530-537	Diseases of esophagus, stomach, and duodenum	89	62	27
530	Diseases of esophagus	16	14	2
531-533	Peptic ulcer	61	40	21
531	Gastric ulcer	16	11	5
532	Duodenal ulcer	19	15	4
533	Peptic ulcer, site unspecified	26	14	12
535	Gastritis and duodenitis	6	3	3
536	Disorders of function of stomach	2	2	0
537	Other disorders of stomach and duodenum	4	3	1
540-543	Appendicitis	2	1	1
540	Acute appendicitis	2	1	1
550-553	Hernia of abdominal cavity	16	9	7
552	Other, of abdominal cavity with obstruction, without mention of gangrene	11	7	4
553	Other, of abdominal cavity without mention of obstruction or gangrene	5	2	3
555-558	Noninfective enteritis and colitis	85	61	24
555	Regional enteritis	5	5	0
556	Idiopathic proctocolitis	5	4	1
557	Vascular insufficiency of intestine	61	43	18
558	Other noninfective gastroenteritis and colitis	14	9	5
560-569	Other diseases of intestine and peritoneum	125	80	45
560	Intestinal obstruction without mention of hernia	49	27	22
562	Diverticula of intestine	37	32	5
564	Functional digestive disorders, not elsewhere classified	1	0	1
565	Anal fissure and fistula	2	2	0
566	Abscess of anal and rectal regions	4	2	2
567	Peritonitis	8	3	5
568	Other disorders of peritoneum	1	1	0
569	Other disorders of intestine	23	13	10

International Classification Number*	Cause*	Total	White	Non-white
570-579	Other diseases of digestive system	444	302	142
570	Acute and subacute necrosis of liver	2	2	0
571	Chronic liver disease and cirrhosis	224	161	63
572	Liver abscess and sequelae of chronic liver disease	45	27	18
573	Other disorders of liver	15	7	8
574,575	Cholelithiasis and other disorders of gallbladder	42	36	6
574	Cholelithiasis	19	16	3
575	Other disorders of gallbladder	23	20	3
576	Other disorders of biliary tract	9	4	5
577	Diseases of pancreas	37	20	17
578	Gastrointestinal hemorrhage	68	43	25
579	Intestinal malabsorption	2	2	0
580-629	DISEASES OF THE GENITOURINARY SYSTEM	595	341	254
580-589	Nephritis, nephrotic syndrome, and nephrosis	334	185	149
580	Acute glomerulonephritis	1	1	0
581	Nephrotic syndrome	5	2	3
582	Chronic glomerulonephritis	19	10	9
583	Nephritis and nephropathy, unqualified	5	4	1
584-587	Renal failure and renal sclerosis	304	168	136
584	Acute	52	30	22
585	Chronic	62	25	37
586	Unspecified	189	112	77
587	Renal sclerosis, unspecified	1	1	0
590-599	Other diseases of urinary system	239	146	93
590	Infections of kidney	18	14	4
591	Hydronephrosis	1	1	0
592,594	Calculus of urinary system	5	3	2
592	Of kidney and ureter	5	3	2
593	Other disorders of kidney and ureter	54	25	29
596	Other disorders of bladder	4	3	1
598	Urethral stricture	1	0	1
599	Other disorders of urethra and urinary tract	156	100	56
600-608	Diseases of male genital organs	12	5	7
600	Hyperplasia of prostate	4	1	3
602	Other disorders of prostate	1	1	0
604	Orchitis and epididymitis	1	0	1
607	Disorders of penis	1	0	1
608	Other disorders of male genital organs	5	3	2
610,611	Disorders of breast	3	1	2
611	Other disorders of breast	3	1	2
614-616	Inflammatory disease of female pelvic organs	3	2	1
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	3	2	1
617-629	Other disorders of female genital tract	4	2	2
619	Fistula involving female genital tract	2	2	0
620	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	0	1
626	Disorders of menstruation and other abnormal bleeding from female genital tract	1	0	1

International Classification Number*	Cause*	Total	White	Non-white
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	6	1	5
630-639	Pregnancy with abortive outcome	1	0	1
633	Ectopic pregnancy	1	0	1
640-648	Complications mainly related to pregnancy	4	1	3
642	Hypertension complicating pregnancy, childbirth, and the puerperium	1	1	0
646	Other complications of pregnancy, not elsewhere classified	2	0	2
647	Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	0	1
650-659	Normal delivery, and other indications for care in pregnancy, labor, and delivery	0	0	0
660-669	Complications occurring mainly in the course of labor and delivery	0	0	0
670-676	Complications of the puerperium	1	0	1
673	Obstetrical pulmonary embolism	1	0	1
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	65	31	34
680-686	Infections of skin and subcutaneous tissue	6	4	2
682	Other cellulitis and abscess	4	3	1
686	Other local infections of skin and subcutaneous tissue	2	1	1
690-698	Other inflammatory conditions of skin and subcutaneous tissue	8	3	5
692	Contact dermatitis and other eczema	1	0	1
694	Bullous dermatoses	2	1	1
695	Erythematous conditions	5	2	3
700-709	Other diseases of skin and subcutaneous tissue	51	24	27
707	Chronic ulcer of skin	51	24	27
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	70	41	29
710-719	Arthropathies and related disorders	51	32	19
710	Diffuse diseases of connective tissue	29	15	14
711-716	Arthropathy, rheumatoid arthritis, and osteoarthrosis	22	17	5
714	Rheumatoid arthritis and other inflammatory polyarthropathies	18	14	4
715	Osteoarthrosis and allied disorders	3	3	0
716	Other and unspecified arthropathies	1	0	1
720-724	Dorsopathies	2	1	1
721	Spondylosis and allied disorders	1	0	1
722	Intervertebral disc disorders	1	1	0
725-729	Rheumatism, excluding the back	7	2	5
728	Disorders of muscle, ligament, and fascia	2	1	1
729	Other disorders of soft tissues	5	1	4

International Classification Number*	Cause*	Total	White	Non-white
730-739	Osteopathies, chondropathies, and acquired musculoskeletal deformities	10	6	4
730	Osteomyelitis, periostitis, and other infections involving bone	1	0	1
731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere	1	0	1
733	Other disorders of bone and cartilage	7	5	2
737	Curvature of spine	1	1	0
740-759	CONGENITAL ANOMALIES	141	84	57
740-742	Nervous system	14	5	9
740	Anencephalus and similar anomalies	6	3	3
741	Spina bifida	1	0	1
742	Other congenital anomalies of nervous system	7	2	5
743,744	Eye, ear, face, and neck	0	0	0
745-747	Circulatory system	78	45	33
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	24	16	8
746	Heart	39	19	20
747	Other congenital anomalies of circulatory system	15	10	5
748	Respiratory system	18	14	4
749-751	Digestive system	3	0	3
750	Other congenital anomalies of upper alimentary tract	1	0	1
751	Other congenital anomalies of digestive system	2	0	2
752,753	Genitourinary system	9	5	4
753	Urinary system	9	5	4
754-756	Musculoskeletal system	3	3	0
756	Other congenital musculoskeletal anomalies	3	3	0
758	Chromosomal anomalies	8	6	2
759	Other and unspecified congenital anomalies	8	6	2
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	226	86	140
760	Maternal conditions unrelated to present pregnancy	1	1	0
761-763	Complications of pregnancy, labor, and delivery	25	10	15
761	Maternal complications of pregnancy	16	8	8
762	Complications of placenta, cord, and membranes	8	2	6
763	Other complications of labor and delivery	1	0	1
764	Slow fetal growth and fetal malnutrition	1	0	1
765,766	Disorders relating to gestation	51	13	38
765	Short gestation and unspecified low birthweight	51	13	38
767	Birth trauma	1	0	1
768-770	Respiratory conditions of fetus and newborn	103	42	61
768	Intrauterine hypoxia and birth asphyxia	7	3	4
769	Respiratory distress syndrome	56	22	34
770	Other respiratory conditions of fetus and newborn	40	17	23

International Classification Number*	Cause*	Total	White	Non-white
771	Infections specific to the perinatal period	12	6	6
772	Fetal and neonatal hemorrhage	3	2	1
773	Hemolytic disease of fetus or newborn, due to isoimmunization	1	0	1
776	Hematological disorders of fetus and newborn	1	0	1
777	Perinatal disorders of digestive system	4	1	3
778	Conditions involving the integument and temperature regulation of fetus and newborn	5	4	1
779	Other and ill-defined conditions originating in the perinatal period	18	7	11
780-799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	267	109	158
780-789	Symptoms	22	13	9
780	General	7	2	5
781	Involving nervous and musculoskeletal systems	1	0	1
785	Involving cardiovascular system	11	9	2
786	Involving respiratory system and other chest symptoms	1	1	0
789	Other involving abdomen and pelvis	2	1	1
790-796	Nonspecific abnormal findings	0	0	0
797-799	Ill-defined and unknown causes of morbidity and mortality	245	96	149
797	Senility without mention of psychosis	13	8	5
798	Sudden death, cause unknown	77	23	54
799	Other ill-defined and unknown causes	155	65	90
800-999	EXTERNAL CAUSES OF INJURY AND POISONING	2,176	1,305	871
800-949	Accidents and adverse effects	1,533	942	591
800-807	Railway	2	1	1
805	Hit by rolling stock	2	1	1
810-825	Motor vehicle	797	531	266
(810-819)	(Traffic)	785	520	265
810	Involving collision with train	17	14	3
812	Involving collision with another motor vehicle	252	169	83
813	Involving collision with other vehicle	8	4	4
814	Involving collision with pedestrian	85	39	46
815	Other involving collision on the highway	53	35	18
816	Due to loss of control, without collision on the highway	223	149	74
818	Other noncollision	16	11	5
819	Of unspecified nature	131	99	32
(820-825)	(Nontraffic)	12	11	1
821	Involving other off-road motor vehicle	1	1	0
822	Involving collision of other motor vehicle with moving object	3	2	1
825	Of other and unspecified nature	8	8	0
826-829	Other road vehicle	2	2	0
828	Involving animal being ridden	1	1	0
829	Other road vehicle accidents	1	1	0
830-838	Water transport	22	13	9
830	Accident to watercraft causing submersion	9	3	6

International Classification Number*	Cause*	Total	White	Non-white
831	Accident to watercraft causing other injury	2	2	0
832	Other submersion or drowning in water transport	8	6	2
836	Machinery accident in water transport	1	0	1
838	Other and unspecified	2	2	0
840-845	Air and space transport	16	16	0
841	Accident to powered aircraft, other and unspecified	16	16	0
846-848	Vehicle accidents not elsewhere classifiable	1	1	0
848	Accidents involving other vehicles not elsewhere classifiable	1	1	0
850-869	Poisoning	42	24	18
(850-858)	(By drugs, medicaments, and biologicals)	22	13	9
850	Analgesics, antipyretics, antirheumatics	6	3	3
854	Other psychotropic agents	1	1	0
855	Other drugs acting on central and autonomic nervous systems	4	2	2
856	Antibiotics	3	2	1
858	Other drugs	8	5	3
(860-869)	(By other solid and liquid substances, gases, and vapors)	20	11	9
860	Alcohol, not elsewhere classified	2	0	2
862	Petroleum products, other solvents and their vapors, not elsewhere classified	2	1	1
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	1	1	0
867	Gas distributed by pipeline	2	0	2
868	Other utility gas and other carbon monoxide	9	6	3
869	Other gases and vapors	4	3	1
870-876	Misadventures to patients during surgical and medical care	5	3	2
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	2	1	1
876	Other and unspecified misadventures during medical care	3	2	1
878,879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure	27	21	6
878	Surgical operation or other surgical procedure	17	12	5
879	Other procedures	10	9	1
880-888	Falls	104	80	24
880	On or from stairs or steps	5	5	0
881	On or from ladders or scaffolding	1	1	0
882	From or out of building or other structure	4	2	2
883	Into hole or other opening in surface	1	0	1
884	Other from one level to another	6	5	1
885	On same level from slipping, tripping, or stumbling	3	3	0
887	Fracture, cause unspecified	41	32	9
888	Other and unspecified fall	43	32	11

International Classification Number*	Cause*	Total	White	Non-white
890-899	Caused by fires and flames	119	34	85
890	Conflagration in private dwelling	98	26	72
891	Conflagration in other and unspecified building or structure	2	1	1
892	Conflagration not in building or structure	2	1	1
893	Ignition of clothing	8	1	7
894	Ignition of highly inflammable material	1	1	0
895	Controlled fire in private dwelling	2	0	2
896	Controlled fire in other and unspecified building or structure	1	0	1
899	Unspecified fire	5	4	1
900-909	Due to natural and environmental factors	49	11	38
900	Excessive heat	10	3	7
901	Excessive cold	32	4	28
904	Hunger, thirst, exposure, and neglect	3	0	3
905	Venomous animals and plants as the cause of poisoning and toxic reactions	1	1	0
907	Lightning	3	3	0
910-915	Accidents caused by submersion, suffocation, and foreign bodies	164	81	83
910	Drowning and submersion	70	28	42
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	33	18	15
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	54	31	23
913	Mechanical suffocation	7	4	3
916-929	Other accidents	181	124	57
916	Struck by falling object	23	15	8
917	Striking against or struck by objects or persons	2	2	0
919	Caused by machinery	19	13	6
920	Caused by cutting and piercing instruments or objects	2	0	2
921	Caused by explosion of pressure vessel	1	1	0
922	Caused by firearm missile	67	47	20
923	Caused by explosive material	4	3	1
924	Caused by hot substance or object, caustic or corrosive material, and steam	1	0	1
925	Caused by electric current	12	9	3
927	Overexertion and strenuous movements	2	2	0
928	Other and unspecified environmental and accidental causes	31	20	11
929	Late effects of accidental injury	17	12	5
930-949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	2	0	2
934	Agents primarily affecting blood constituents	1	0	1
947	Other and unspecified drugs and medicaments	1	0	1
950-959	Suicide and self-inflicted injury	316	257	59
950-952	By poisoning	28	24	4
950	By solid or liquid substances	24	20	4

International Classification Number*	Cause*	Total	White	Non-white
951	By gases in domestic use	1	1	0
952	By other gases and vapors	3	3	0
953	By hanging, strangulation, and suffocation	30	17	13
954	By submersion (drowning)	3	1	2
955	By firearms and explosives	242	207	35
956	By cutting and piercing instruments	5	5	0
957	By jumping from high place	1	1	0
958	By other and unspecified means	6	1	5
959	Late effects of self-inflicted injury	1	1	0
960-978	Homicide and injury purposely inflicted by other persons; legal intervention	312	98	214
960-969	Homicide and injury purposely inflicted by other persons	308	96	212
960	Fight, brawl, rape	2	0	2
963	Assault by hanging and strangulation	12	9	3
964	Assault by submersion (drowning)	4	2	2
965	Assault by firearms and explosives	195	65	130
966	Assault by cutting and piercing instrument	64	11	53
967	Child battering and other maltreatment	2	1	1
968	Assault by other and unspecified means	28	8	20
969	Late effects of injury purposely inflicted by other person	1	0	1
970-978	Legal intervention	4	2	2
970	Injury by firearms	3	2	1
978	Legal execution	1	0	1
980-989	Injury undetermined whether accidentally or purposely inflicted	15	8	7
980	Poisoning by solid or liquid substances	3	1	2
983	Hanging, strangulation or suffocation	1	1	0
984	Submersion (drowning)	2	0	2
985	Injury by firearms and explosives	6	4	2
988	Injury by other and unspecified means	3	2	1
990-999	Injury resulting from operations of war	0	0	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1989

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NUMBER	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
001-999	ALL CAUSES	25,273	9.1	W	16,386	M	8,728	114	26	26	33	214	226	328	612	1,357	5,787	5
						F	7,658	76	17	18	19	69	105	143	325	749	6,137	0
				NW	8,887	M	4,659	156	29	28	33	144	239	316	399	652	2,654	9
						F	4,228	152	17	16	21	63	123	168	258	477	2,927	6
001-139	INFECTIOUS AND PARASITIC DISEASES	422	15.2	W	247	M	146	4	2	0	0	3	24	18	9	16	70	0
						F	101	2	1	0	1	4	1	2	4	14	72	0
				NW	175	M	101	2	0	0	0	3	19	22	10	9	35	1
						F	74	4	0	0	1	3	7	6	8	9	36	0
010-018	TUBERCULOSIS	26	0.9	W	11	M	10	0	0	0	0	0	0	1	1	1	7	0
						F	1	0	0	0	0	0	0	0	0	0	1	0
				NW	15	M	11	0	0	0	0	1	0	1	2	1	6	0
						F	4	0	0	0	0	0	1	0	1	0	2	0
070	VIRAL HEPATITIS	11	0.4	W	5	M	2	0	1	0	0	0	0	1	0	0	0	0
						F	3	0	0	0	0	0	0	0	1	0	2	0
				NW	6	M	3	0	0	0	0	0	0	1	0	1	1	0
						F	3	0	0	0	0	1	0	0	0	2	0	0
140-208	MALIGNANT NEOPLASMS	5,252	189.0	W	3,569	M	2,028	0	3	6	3	6	16	49	158	452	1,335	0
						F	1,541	0	0	4	1	3	24	55	134	297	1,023	0
				NW	1,683	M	974	0	1	0	4	8	15	23	83	178	662	0
						F	709	0	1	1	1	1	25	40	53	108	478	1
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	64	2.3	W	47	M	25	1	0	0	0	0	2	0	4	6	12	0
						F	22	0	0	0	2	1	0	0	1	1	17	0
				NW	17	M	7	0	1	0	0	0	0	1	0	1	4	0
						F	10	0	0	0	0	0	0	1	0	1	8	0

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1989

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	656	23.6	W	336	M	151	0	0	1	0	0	4	6	14	14	112	0
						F	185	3	1	0	0	1	1	4	15	23	137	0
				NW	320	M	108	3	0	1	0	0	4	8	11	18	63	0
						F	212	1	1	0	0	2	3	5	18	34	147	1
250	DIABETES MELLITUS	459	16.5	W	229	M	101	0	0	1	0	0	3	3	11	10	73	0
						F	128	0	0	0	0	1	1	3	12	17	94	0
				NW	230	M	71	0	0	0	0	0	2	5	8	15	41	0
						F	159	0	0	0	0	0	1	0	14	30	113	1
260-269	NUTRITIONAL DEFICIENCIES	46	1.6	W	28	M	14	0	0	0	0	0	0	0	0	1	13	0
						F	14	0	0	0	0	0	0	0	1	0	13	0
				NW	18	M	6	0	0	0	0	0	0	0	0	1	5	0
						F	12	0	1	0	0	0	0	0	0	0	11	0
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	100	3.6	W	54	M	25	0	0	1	0	0	0	1	1	3	19	0
						F	29	0	0	0	0	0	0	1	1	2	25	0
				NW	46	M	18	1	0	0	0	1	3	2	2	0	9	0
						F	28	0	1	1	0	1	1	2	5	3	14	0
280-285	ANEMIAS	65	2.3	W	26	M	10	0	0	0	0	0	0	1	1	2	6	0
						F	16	0	0	0	0	0	0	0	0	2	14	0
				NW	39	M	16	1	0	0	0	1	2	2	2	0	8	0
						F	23	0	1	1	0	1	1	2	4	1	12	0
290-319	MENTAL DISORDERS	224	8.0	W	145	M	71	0	0	0	0	0	1	3	7	11	49	0
						F	74	0	0	0	0	0	1	0	3	7	63	0
				NW	79	M	48	0	0	0	0	0	3	6	9	7	23	0
						F	31	0	0	0	0	0	2	2	2	3	22	0
303	ALCOHOLISM	60	2.2	W	30	M	23	0	0	0	0	0	1	2	6	8	6	0
						F	7	0	0	0	0	0	0	0	1	5	1	0
				NW	30	M	24	0	0	0	0	0	2	5	6	7	4	0
						F	6	0	0	0	0	0	1	2	2	1	0	0

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	346	12.4	W	234	M	121	0	1	2	0	7	2	5	4	16	84	0
						F	113	0	1	1	0	2	0	3	3	11	92	0
				NW	112	M	59	4	4	0	2	3	6	3	4	6	27	0
						F	53	5	0	3	1	6	1	3	5	4	25	0
320-322	MENINGITIS	18	0.6	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	0	0	0	0	1	0
				NW	17	M	9	3	3	0	1	0	0	0	0	0	2	0
						F	8	2	0	1	0	0	0	0	1	1	3	0
345	EPILEPSY	25	0.9	W	6	M	3	0	0	0	0	0	0	1	0	2	0	0
						F	3	0	0	0	0	1	0	0	0	0	2	0
				NW	19	M	11	0	0	0	0	2	2	2	1	0	4	0
						F	8	0	0	1	0	1	1	0	2	2	1	0
390-459	DISEASES OF THE CIRCULATORY SYSTEM	12,037	433.0	W	7,904	M	3,904	2	0	1	1	3	16	92	280	583	2,925	1
						F	4,000	0	0	1	1	3	10	26	94	277	3,588	0
				NW	4,133	M	1,954	8	2	0	0	6	22	100	171	303	1,339	3
						F	2,179	9	1	2	1	2	25	57	114	256	1,709	3
390-398, 402, 404-429	HEART DISEASES	9,593	345.1	W	6,364	M	3,264	2	0	0	1	2	13	81	261	513	2,390	1
						F	3,100	0	0	1	0	2	9	19	70	223	2,776	0
				NW	3,229	M	1,540	8	2	0	0	5	20	74	136	237	1,056	2
						F	1,689	7	1	1	0	2	19	44	87	209	1,318	1
401,403	HYPERTENSION	111	4.0	W	44	M	20	0	0	0	0	0	0	0	0	1	19	0
						F	24	0	0	0	0	0	0	0	0	2	22	0
				NW	67	M	25	0	0	0	0	0	0	1	1	4	19	0
						F	42	0	0	0	0	0	0	3	2	9	28	0
430-438	CEREBROVASCULAR DISEASES	1,883	67.7	W	1,174	M	466	0	0	1	0	0	1	7	17	55	385	0
						F	708	0	0	0	1	0	1	6	18	43	639	0
				NW	709	M	334	0	0	0	0	1	2	24	30	56	220	1
						F	375	2	0	1	0	0	4	7	20	35	305	1

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1989

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
440	ATHEROSCLEROSIS	146	5.2	W	105	M	33	0	0	0	0	0	0	0	0	2	31	0
						F	72	0	0	0	0	0	0	0	1	0	71	0
				NW	41	M	18	0	0	0	0	0	0	1	0	0	17	0
						F	23	0	0	0	0	0	0	0	0	1	22	0
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,863	67.0	W	1,336	M	751	5	1	0	1	3	8	6	13	91	623	0
						F	585	4	0	0	0	2	4	4	16	37	518	0
				NW	527	M	292	8	1	1	1	2	3	8	12	42	213	1
						F	235	7	0	0	1	7	7	9	13	24	167	0
480-486	PNEUMONIA	750	27.0	W	516	M	258	3	1	0	0	2	5	3	5	20	219	0
						F	258	2	0	0	0	2	1	2	6	7	238	0
				NW	234	M	108	4	1	0	0	1	2	5	1	15	79	0
						F	126	4	0	0	0	2	4	5	5	6	100	0
487	INFLUENZA	25	0.9	W	17	M	6	0	0	0	0	0	0	0	1	0	5	0
						F	11	0	0	0	0	0	0	0	0	0	11	0
				NW	8	M	4	0	0	1	0	0	0	0	0	0	3	0
						F	4	0	0	0	0	0	0	0	0	0	4	0
492	EMPHYSEMA	109	3.9	W	86	M	59	0	0	0	0	0	0	0	3	17	39	0
						F	27	0	0	0	0	0	0	0	1	5	21	0
				NW	23	M	19	0	0	0	0	0	0	0	0	2	17	0
						F	4	0	0	0	0	0	0	0	0	3	1	0
490,491, 493-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS	645	23.2	W	497	M	318	0	0	0	1	0	1	1	3	44	268	0
						F	179	0	0	0	0	0	1	1	6	24	147	0
				NW	148	M	103	0	0	0	0	1	1	2	8	18	73	0
						F	45	0	0	0	1	1	0	2	6	7	28	0
520-579	DISEASES OF THE DIGESTIVE SYSTEM	763	27.4	W	516	M	262	2	1	0	0	0	5	24	20	60	150	0
						F	254	0	1	0	0	1	2	3	17	22	208	0
				NW	247	M	119	4	1	0	1	1	7	17	18	21	49	0
						F	128	1	0	1	0	1	6	11	13	10	85	0

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1989

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
531-533	ULCER OF STOMACH AND DUODENUM	61	2.2	W	40	M	23	0	0	0	0	0	0	0	0	3	20	0
						F	17	0	0	0	0	0	0	0	0	3	14	0
				NW	21	M	7	0	0	0	0	0	0	0	0	3	4	0
						F	14	0	0	0	0	0	0	1	0	0	13	0
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	224	8.0	W	161	M	104	0	0	0	0	0	2	19	12	35	36	0
						F	57	0	0	0	0	0	1	1	8	9	38	0
				NW	63	M	41	1	0	0	0	0	2	10	11	8	9	0
						F	22	0	0	0	0	0	2	3	5	4	8	0
580-629	DISEASES OF THE GENITOURINARY SYSTEM	595	21.4	W	341	M	141	0	0	0	0	0	0	2	2	9	128	0
						F	200	0	1	0	0	0	0	0	5	9	185	0
				NW	254	M	120	0	0	0	0	0	1	6	9	15	88	1
						F	134	1	0	0	2	1	0	2	5	12	111	0
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	334	12.0	W	185	M	85	0	0	0	0	0	0	2	2	4	77	0
						F	100	0	1	0	0	0	0	0	4	8	87	0
				NW	149	M	72	0	0	0	0	0	1	4	5	11	51	0
						F	77	1	0	0	0	0	0	0	3	8	65	0
590	INFECTIONS OF KIDNEY	18	0.6	W	14	M	3	0	0	0	0	0	0	0	0	0	3	0
						F	11	0	0	0	0	0	0	0	0	0	11	0
				NW	4	M	2	0	0	0	0	0	0	0	0	0	1	1
						F	2	0	0	0	0	0	0	0	0	0	2	0
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	6	13.9	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	0	1	0	0	0	0
				NW	5	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	5	0	0	0	0	3	2	0	0	0	0	0
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	65	2.3	W	31	M	14	0	0	0	0	0	0	0	1	1	12	0
						F	17	0	0	0	0	0	0	0	0	0	17	0
				NW	34	M	11	0	0	0	0	0	0	0	0	0	11	0
						F	23	0	0	0	0	0	1	0	1	0	20	1

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 1989

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
710-739	DISEASES OF THE MUSCULO-SKELETAL SYSTEM	70	2.5	W	41	M	10	0	0	0	0	0	0	0	0	0	10	0
						F	31	0	0	0	0	0	0	0	1	6	24	0
				NW	29	M	7	0	0	0	0	0	0	0	0	1	6	0
						F	22	0	0	0	1	2	3	3	1	1	11	0
740-759	CONGENITAL ANOMALIES	141	5.1	W	84	M	51	30	3	1	1	1	4	1	2	4	4	0
						F	33	20	2	1	0	1	1	1	1	2	4	0
				NW	57	M	25	16	0	3	0	1	0	0	1	3	1	0
						F	32	21	3	1	1	2	1	1	1	0	1	0
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	226	5.2	W	86	M	50	50	0	0	0	0	0	0	0	0	0	0
						F	36	36	0	0	0	0	0	0	0	0	0	0
				NW	140	M	73	73	0	0	0	0	0	0	0	0	0	0
						F	67	67	0	0	0	0	0	0	0	0	0	0
780-799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	267	9.6	W	109	M	56	17	0	0	1	1	0	3	3	7	22	2
						F	53	9	0	0	0	0	1	1	2	1	39	0
				NW	158	M	83	31	5	1	0	0	2	6	8	4	26	0
						F	75	27	0	0	1	1	2	3	5	5	31	0
800-999	ALL EXTERNAL CAUSES	2,176	78.3	W	1,305	M	922	3	15	14	26	190	144	118	94	84	232	2
						F	383	2	10	11	14	51	60	42	28	40	125	0
				NW	871	M	660	6	14	22	25	119	154	114	61	44	98	3
						F	211	9	10	7	11	31	37	23	14	7	62	0
810-825	MOTOR VEHICLE ACCIDENTS	797	28.7	W	531	M	368	0	10	9	10	118	65	43	28	26	59	0
						F	163	1	6	9	7	32	32	17	11	16	32	0
				NW	266	M	204	1	4	9	4	49	47	38	18	15	18	1
						F	62	1	4	0	3	16	15	6	7	2	8	0
800-807, 826-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	736	26.5	W	411	M	288	1	5	4	12	37	40	27	23	33	106	0
						F	123	1	3	1	5	9	9	4	6	9	76	0
				NW	325	M	232	4	10	12	19	20	31	35	18	16	66	1
						F	93	4	5	5	4	2	12	7	4	2	48	0

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
950-959	SUICIDE	316	11.4	W	257	M	190	0	0	0	3	30	25	32	25	16	57	2
						F	67	0	0	0	2	6	11	14	9	13	12	0
				NW	59	M	49	0	0	0	2	11	19	5	3	2	6	1
						F	10	0	0	0	1	2	2	3	0	0	2	0
960-978	HOMICIDE AND LEGAL INTERVENTION	312	11.2	W	98	M	70	2	0	1	1	4	14	16	15	7	10	0
						F	28	0	1	1	0	3	7	7	2	2	5	0
				NW	214	M	169	1	0	1	0	39	56	34	20	10	8	0
						F	45	4	1	2	3	11	8	7	2	3	4	0

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\# TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1989

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	498	190	308	309	132	177	189	58	131
ADAMS	4	1	3	4	1	3	0	0	0
ALCORN	5	3	2	3	2	1	2	1	1
AMITE	1	1	0	1	1	0	0	0	0
ATTALA	4	1	3	2	0	2	2	1	1
BENTON	0	0	0	0	0	0	0	0	0
BOLIVAR	13	2	11	8	1	7	5	1	4
CALHOUN	4	1	3	1	0	1	3	1	2
CARROLL	1	0	1	1	0	1	0	0	0
CHICKASAW	4	2	2	3	1	2	1	1	0
CHOCTAW	2	1	1	0	0	0	2	1	1
CLAIBORNE	2	0	2	2	0	2	0	0	0
CLARKE	5	3	2	3	3	0	2	0	2
CLAY	6	1	5	5	0	5	1	1	0
COAHOMA	12	0	12	8	0	8	4	0	4
COPIAH	6	4	2	5	4	1	1	0	1
COVINGTON	2	1	1	2	1	1	0	0	0
DESOTO	5	5	0	3	3	0	2	2	0
FORREST	13	8	5	7	4	3	6	4	2
FRANKLIN	1	0	1	0	0	0	1	0	1
GEORGE	1	1	0	1	1	0	0	0	0
GREENE	1	1	0	0	0	0	1	1	0
GRENADA	5	0	5	3	0	3	2	0	2
HANCOCK	4	4	0	4	4	0	0	0	0
HARRISON	32	15	17	16	8	8	16	7	9
HINDS	44	14	30	29	11	18	15	3	12
HOLMES	8	0	8	7	0	7	1	0	1
HUMPHREYS	3	1	2	2	1	1	1	0	1
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	3	2	1	2	1	1	1	1	0
JACKSON	21	11	10	12	6	6	9	5	4
JASPER	1	0	1	0	0	0	1	0	1
JEFFERSON	1	0	1	1	0	1	0	0	0
JEFF DAVIS	4	2	2	1	1	0	3	1	2
JONES	11	8	3	9	6	3	2	2	0
KEMPER	2	0	2	1	0	1	1	0	1
LAFAYETTE	5	1	4	2	1	1	3	0	3
LAMAR	4	4	0	4	4	0	0	0	0
LAUDERDALE	5	3	2	5	3	2	0	0	0
LAWRENCE	5	0	5	4	0	4	1	0	1
LEAKE	6	2	4	4	2	2	2	0	2
LEE	9	4	5	4	3	1	5	1	4
LEFLORE	11	3	8	6	3	3	5	0	5

TABLE 12A - PAGE 2
INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1989

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	3	2	1	2	2	0	1	0	1
LOWNDES	14	6	8	8	4	4	6	2	4
MADISON	13	8	5	10	8	2	3	0	3
MARION	6	3	3	6	3	3	0	0	0
MARSHALL	18	6	12	15	5	10	3	1	2
MONROE	6	1	5	3	0	3	3	1	2
MONTGOMERY	2	1	1	1	1	0	1	0	1
NESHOBA	5	2	3	0	0	0	5	2	3
NEWTON	2	1	1	1	0	1	1	1	0
NOXUBEE	4	0	4	2	0	2	2	0	2
OKTIBBEHA	4	0	4	2	0	2	2	0	2
PANOLA	4	1	3	3	1	2	1	0	1
PEARL RIVER	5	3	2	1	0	1	4	3	1
PERRY	1	0	1	1	0	1	0	0	0
PIKE	5	0	5	3	0	3	2	0	2
PONTOTOC	6	6	0	6	6	0	0	0	0
PRENTISS	4	2	2	0	0	0	4	2	2
QUITMAN	2	0	2	2	0	2	0	0	0
RANKIN	13	6	7	10	6	4	3	0	3
SCOTT	10	2	8	2	0	2	8	2	6
SHARKEY	1	0	1	1	0	1	0	0	0
SIMPSON	7	3	4	5	2	3	2	1	1
SMITH	1	1	0	1	1	0	0	0	0
STONE	2	1	1	2	1	1	0	0	0
SUNFLOWER	15	4	11	10	3	7	5	1	4
TALLAHATCHIE	6	1	5	4	0	4	2	1	1
TATE	3	1	2	1	1	0	2	0	2
TIPPAH	5	5	0	4	4	0	1	1	0
TISHOMINGO	1	1	0	0	0	0	1	1	0
TUNICA	4	1	3	0	0	0	4	1	3
UNION	5	4	1	3	2	1	2	2	0
WALTHALL	2	0	2	1	0	1	1	0	1
WARREN	2	0	2	2	0	2	0	0	0
WASHINGTON	16	5	11	8	3	5	8	2	6
WAYNE	6	0	6	3	0	3	3	0	3
WEBSTER	5	2	3	5	2	3	0	0	0
WILKINSON	2	0	2	2	0	2	0	0	0
WINSTON	3	0	3	2	0	2	1	0	1
YALOBUSHA	3	1	2	1	1	0	2	0	2
YAZOO	6	0	6	1	0	1	5	0	5

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1985-1989 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	12.7	9.0	16.8	7.9	5.8	10.3	4.8	3.3	6.4
ADAMS	13.2	7.0	17.9	9.3	7.0	11.0	4.0	-	6.9
ALCORN	7.7	5.7	18.0	3.8	2.9	9.0	3.8	2.9	9.0
AMITE	11.8	6.6	16.9	7.5	4.4	10.6	4.3	2.2	6.3
ATTALA	8.4	4.8	11.2	4.2	1.6	6.2	4.2	3.2	5.0
BENTON	6.5	9.5	3.3	3.2	6.3	-	3.2	3.2	3.3
BOLIVAR	14.6	8.6	16.2	8.6	6.4	9.1	6.0	2.2	7.1
CALHOUN	6.6	5.0	8.8	1.9	1.7	2.2	4.8	3.4	6.6
CARROLL	17.3	8.5	23.5	10.4	4.2	14.7	6.9	4.2	8.8
CHICKASAW	18.5	15.5	21.3	11.5	9.0	13.8	7.0	6.5	7.5
CHOCTAW	9.5	3.1	16.3	6.3	-	13.1	3.2	3.1	3.3
CLAIBORNE	14.5	-	16.3	6.7	-	7.5	7.8	-	8.8
CLARKE	10.3	7.2	14.0	7.9	7.2	8.8	2.4	-	5.3
CLAY	12.8	6.3	16.2	9.1	-	13.8	3.7	6.3	2.4
COAHOMA	16.6	6.6	19.5	12.3	5.2	14.3	4.4	1.3	5.2
COPIAH	16.3	9.8	19.9	10.1	7.4	11.6	6.2	2.5	8.2
COVINGTON	12.0	8.8	15.5	8.0	5.0	11.3	4.0	3.8	4.2
DESOTO	10.0	10.8	6.7	6.4	7.0	3.4	3.7	3.8	3.4
FORREST	10.6	8.3	13.6	5.7	4.0	7.9	4.9	4.3	5.7
FRANKLIN	11.8	6.9	15.4	7.4	6.9	7.7	4.4	-	7.7
GEORGE	8.5	8.0	11.3	6.9	8.0	-	1.5	-	11.3
GREENE	5.6	3.9	9.5	4.2	2.0	9.5	1.4	2.0	-
GRENADA	13.8	8.0	18.3	8.6	4.0	12.2	5.2	4.0	6.1
HANCOCK	11.7	11.4	13.9	7.8	7.9	7.0	3.9	3.5	7.0
HARRISON	11.6	9.6	16.7	6.6	5.4	9.7	5.0	4.2	7.0
HINDS	12.0	7.4	14.8	8.1	4.9	10.0	3.9	2.6	4.8
HOLMES	17.9	15.9	18.2	10.5	9.5	10.6	7.4	6.3	7.6
HUMPHREYS	30.0	23.1	31.6	21.0	23.1	20.5	9.0	-	11.2
ISSAQUENA	-	-	-	-	-	-	-	-	-
ITAWAMBA	12.1	9.6	40.4	8.1	5.2	40.4	4.0	4.4	-
JACKSON	11.5	8.8	18.5	7.1	5.8	10.2	4.4	2.9	8.3
JASPER	16.5	13.0	18.5	12.6	10.8	13.6	3.9	2.2	4.9
JEFFERSON	16.1	-	17.9	7.4	-	8.3	8.7	-	9.6
JEFF DAVIS	8.1	13.4	5.4	4.5	8.0	2.7	3.6	5.4	2.7
JONES	13.4	11.1	17.4	9.0	6.9	12.6	4.4	4.2	4.8
KEMPER	14.7	8.5	17.6	9.4	4.2	11.7	5.4	4.2	5.9
LAFAYETTE	8.3	5.9	11.4	3.3	4.0	2.5	5.0	2.0	8.9
LAMAR	9.5	9.8	8.3	7.4	7.2	8.3	2.2	2.6	-
LAUDERDALE	10.7	7.0	15.3	7.4	4.6	10.7	3.4	2.3	4.6
LAWRENCE	14.6	5.4	27.6	8.3	-	20.0	6.2	5.4	7.5
LEAKE	16.6	8.9	23.5	10.4	8.9	11.8	6.2	-	11.8
LEE	13.6	9.7	22.9	8.1	6.8	11.1	5.5	2.9	11.7
LEFLORE	15.4	13.1	16.3	9.9	9.1	10.2	5.5	4.0	6.1

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1985-1989 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	8.6	5.3	13.9	5.2	4.6	6.3	3.3	0.8	7.6
LOWNDES	11.2	8.2	14.9	6.9	5.5	8.7	4.3	2.7	6.2
MADISON	10.1	7.3	12.4	6.2	5.5	6.8	3.9	1.8	5.6
MARION	16.9	17.7	15.5	8.7	8.0	9.9	8.2	9.7	5.6
MARSHALL	18.4	12.7	22.1	13.3	8.2	16.7	5.0	4.6	5.4
MONROE	12.0	8.2	17.9	6.4	5.3	8.1	5.7	2.9	9.9
MONTGOMERY	15.0	10.4	18.1	6.4	2.6	9.0	8.5	7.8	9.0
NESHOBA	16.5	13.3	19.6	9.3	7.2	11.4	7.2	6.2	8.3
NEWTON	13.0	13.2	12.8	7.5	7.9	7.1	5.5	5.3	5.7
NOXUBEE	16.0	3.6	19.4	9.9	3.6	11.7	6.1	-	7.8
OKTIBBEHA	10.2	4.0	15.2	6.6	2.4	9.9	3.6	1.6	5.3
PANOLA	14.7	11.0	16.9	8.1	5.0	9.9	6.6	6.0	7.0
PEARL RIVER	13.5	11.3	22.6	6.7	5.4	12.2	6.7	5.8	10.4
PERRY	3.5	3.5	3.7	1.2	-	3.7	2.4	3.5	0.0
PIKE	14.2	13.9	14.4	10.6	10.4	10.7	3.6	3.5	3.8
PONTOTOC	10.0	9.1	14.7	8.8	8.3	11.0	1.2	0.8	3.7
PRENTISS	10.0	8.9	15.6	4.4	4.5	3.9	5.6	4.5	11.7
QUITMAN	13.5	8.8	15.5	10.8	8.8	11.6	2.7	-	3.9
RANKIN	8.0	6.4	13.8	5.2	4.5	7.7	2.8	1.8	6.2
SCOTT	18.4	10.7	26.5	7.8	4.5	11.4	10.6	6.2	15.2
SHARKEY	20.0	27.8	18.3	13.8	20.8	12.2	6.2	6.9	6.1
SIMPSON	12.3	10.8	14.0	5.3	3.9	7.0	6.9	6.9	7.0
SMITH	9.5	7.1	14.2	5.7	4.3	8.5	3.8	2.8	5.7
STONE	7.4	5.2	12.9	7.4	5.2	12.9	-	-	-
SUNFLOWER	19.2	10.8	21.3	13.6	9.3	14.7	5.6	1.6	6.6
TALLAHATCHIE	22.4	18.0	23.8	12.8	7.7	14.5	9.6	10.3	9.4
TATE	10.0	6.6	13.8	7.0	5.5	8.8	2.9	1.1	5.0
TIPPAH	19.5	20.8	14.2	16.0	16.5	14.2	3.5	4.3	-
TISHOMINGO	10.3	7.8	58.8	6.5	5.9	19.6	3.7	2.0	39.2
TUNICA	15.9	14.3	16.2	6.4	7.1	6.2	9.5	7.1	10.0
UNION	11.4	10.8	14.1	7.6	6.2	14.1	3.8	4.6	-
WALTHALL	11.5	11.2	11.7	7.1	6.7	7.3	4.4	4.5	4.4
WARREN	12.0	7.1	16.7	7.0	4.0	9.8	5.0	3.0	6.9
WASHINGTON	13.1	7.2	15.8	8.1	5.3	9.4	5.0	1.9	6.4
WAYNE	15.5	9.1	22.4	9.5	4.6	14.9	6.0	4.6	7.5
WEBSTER	15.7	15.0	17.2	12.8	12.8	12.9	2.8	2.1	4.3
WILKINSON	15.6	4.5	19.5	13.2	4.5	16.2	2.4	-	3.2
WINSTON	12.8	8.1	16.2	8.8	4.8	11.5	4.0	3.2	4.6
YALOBUSHA	12.9	2.3	22.0	7.5	2.3	12.0	5.4	-	10.0
YAZOO	17.2	8.6	21.6	8.2	3.7	10.5	9.0	4.9	11.1

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1989

CAUSE OF DEATH AND INTERNATIONAL CLASSIFICATION NUMBER**	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE TOTAL	UNDER 1 DAY	1-6	7-13	14-20	21-27	28 DAYS AND OVER
ALL CAUSES	498	11.6	W	190	132	68	41	12	5	6	58
			NW	308	177	99	51	17	8	2	131
MENINGOCOCCAL INFECTION (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (038)	8	0.2	W	3	0	0	0	0	0	0	3
			NW	5	0	0	0	0	0	0	5
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	4	0.1	W	3	1	0	1	0	0	0	2
			NW	1	0	0	0	0	0	0	1
MENINGITIS (320-322)	5	0.1	W	0	0	0	0	0	0	0	0
			NW	5	0	0	0	0	0	0	5
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
BRONCHITIS AND BRONCHIOLITIS (466, 490, 491)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	13	0.3	W	5	1	0	1	0	0	0	4
			NW	8	0	0	0	0	0	0	8
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	1	0	0	0	1	0	2
CONGENITAL ANOMALIES (740-759)	87	2.0	W	50	41	21	10	7	2	1	9
			NW	37	31	9	15	6	0	1	6
MATERNAL CONDITIONS UNRELATED TO PREGNANCY (760)	1	##	W	1	1	0	1	0	0	0	0
			NW	0	0	0	0	0	0	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	16	0.4	W	8	8	8	0	0	0	0	0
			NW	8	8	7	1	0	0	0	0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	8	0.2	W	2	2	1	1	0	0	0	0
			NW	6	6	5	0	1	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	51	1.2	W	13	13	12	1	0	0	0	0
			NW	38	37	36	1	0	0	0	1

TABLE 13 - PAGE 2
INFANT DEATHS - MISSISSIPPI - 1989

CAUSE OF DEATH AND INTERNATIONAL CLASSIFICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1-6	7-13	14-20	21-27	
BIRTH TRAUMA (767)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	7	0.2	W	3	2	0	2	0	0	0	1
			NW	4	3	1	2	0	0	0	1
RESPIRATORY DISTRESS SYNDROME (769)	56	1.3	W	22	20	10	9	0	1	0	2
			NW	34	33	10	20	3	0	0	1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	12	0.3	W	6	6	1	5	0	0	0	0
			NW	6	6	4	1	0	0	1	0
NEONATAL HEMORRHAGE (772)	3	0.1	W	2	2	0	0	1	1	0	0
			NW	1	1	0	0	1	0	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	73	1.7	W	22	3	0	1	1	0	1	19
			NW	51	6	0	1	1	4	0	45
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	11	0.2	W	4	1	1	0	0	0	0	3
			NW	7	0	0	0	0	0	0	7
ACCIDENTS (800-949)	13	0.3	W	3	1	0	0	0	0	1	2
			NW	10	0	0	0	0	0	0	10
ALL OTHER CAUSES	124	2.9	W	42	30	14	9	3	1	3	12
			NW	82	43	25	10	5	3	0	39

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\# DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT, MISSISSIPPI, 1989

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS-PORT	POISON-ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
STATE	1,479	806	18	40	103	112	62	65	273
ADAMS	14	6	0	0	3	0	3	0	2
ALCORN	17	10	0	0	0	2	0	1	4
AMITE	8	6	0	0	0	1	1	0	0
ATTALA	8	3	0	0	0	0	1	1	3
BENTON	5	5	0	0	0	0	0	0	0
BOLIVAR	22	10	0	0	0	3	1	0	8
CALHOUN	7	3	0	0	0	3	0	1	0
CARROLL	5	2	0	3	0	0	0	0	0
CHICKASAW	13	10	0	0	0	0	1	0	2
CHOCTAW	2	1	0	0	0	0	0	0	1
CLAIBORNE	8	3	1	0	0	1	0	1	2
CLARKE	14	8	0	1	1	0	3	0	1
CLAY	15	4	1	0	3	3	1	0	3
COAHOMA	14	5	0	0	0	5	1	0	3
COPIAH	15	5	0	0	0	4	0	1	5
COVINGTON	14	9	0	0	0	1	2	0	2
DESOTO	24	18	1	1	1	0	0	1	2
FORREST	48	25	0	2	3	1	0	4	13
FRANKLIN	7	3	0	0	1	1	0	1	1
GEORGE	17	16	0	0	1	0	0	0	0
GREENE	7	2	0	0	1	0	2	1	1
GRENADA	23	15	0	0	0	0	3	3	2
HANCOCK	19	11	0	0	1	0	3	0	4
HARRISON	92	41	2	4	9	4	3	4	25
HINDS	188	115	0	4	20	5	6	6	32
HOLMES	11	5	0	0	1	3	0	0	2
HUMPHREYS	8	1	1	2	0	1	0	2	1
ISSAQUENA	1	1	0	0	0	0	0	0	0
ITAWAMBA	10	8	0	1	0	0	0	0	1
JACKSON	51	26	2	2	5	3	1	3	9
JASPER	12	5	0	0	1	2	1	1	2
JEFFERSON	5	2	0	0	0	0	0	2	1
JEFF DAVIS	6	3	0	0	0	1	0	0	2
JONES	36	21	0	0	3	1	2	3	6
KEMPER	3	1	0	0	0	1	0	0	1
LAFAYETTE	20	11	0	2	0	3	0	1	3
LAMAR	12	5	0	1	4	0	0	0	2
LAUDERDALE	52	22	0	0	13	4	0	0	13
LAWRENCE	8	3	0	0	0	0	0	1	4
LEAKE	14	11	0	0	1	0	0	0	2
LEE	62	39	0	2	3	6	0	2	10
LEFLORE	16	8	1	0	1	1	2	0	3

TABLE 14 - PAGE 2
ACCIDENTAL DEATHS - MISSISSIPPI - 1989

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS-PORT	POISON-ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
LINCOLN	11	7	0	0	0	2	1	0	1
LOWNDES	28	21	0	0	0	0	1	3	3
MADISON	15	7	0	0	2	2	1	1	2
MARION	20	12	0	0	3	1	1	0	3
MARSHALL	21	15	0	0	0	0	0	2	4
MONROE	7	5	0	0	0	1	1	0	0
MONTGOMERY	12	5	0	0	1	0	1	0	5
NESHOBA	9	3	1	1	0	0	0	0	4
NEWTON	9	6	0	0	0	1	0	0	2
NOXUBEE	12	6	0	0	0	1	1	1	3
OKTIBBEHA	13	8	0	2	0	1	1	0	1
PANOLA	18	7	0	2	0	1	1	0	7
PEARL RIVER	15	10	0	0	0	1	0	1	3
PERRY	11	7	0	0	0	0	1	0	3
PIKE	28	16	2	0	4	2	0	2	2
PONTOTOC	7	5	0	0	1	0	0	1	0
PRENTISS	13	11	0	0	0	0	0	1	1
QUITMAN	11	5	0	0	0	1	1	0	4
RANKIN	26	14	1	0	1	4	1	1	4
SCOTT	16	9	0	0	0	0	1	2	4
SHARKEY	8	6	0	0	1	0	1	0	0
SIMPSON	21	10	0	2	1	2	2	3	1
SMITH	5	3	0	0	0	1	0	0	1
STONE	11	6	0	0	0	2	0	1	2
SUNFLOWER	17	10	0	0	0	2	1	0	4
TALLAHATCHIE	6	3	1	0	0	1	0	0	1
TATE	12	5	1	0	0	2	1	0	3
TIPPAH	13	7	0	2	0	1	1	0	2
TISHOMINGO	6	2	0	0	3	1	0	0	0
TUNICA	7	3	1	0	0	0	0	1	2
UNION	13	10	0	0	0	0	1	0	2
WALTHALL	2	1	0	0	1	0	0	0	0
WARREN	15	8	0	0	4	0	0	0	3
WASHINGTON	56	20	0	2	5	16	1	0	12
WAYNE	11	6	2	1	0	0	0	2	0
WEBSTER	3	1	0	0	0	0	0	0	2
WILKINSON	4	4	0	0	0	0	0	0	0
WINSTON	12	5	0	1	0	4	1	0	1
YALOBUSHA	4	1	0	0	0	0	1	1	1
YAZOO	18	8	0	2	0	2	2	2	2

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1989

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	24,240	17,735	6,505	24,240	17,735	6,505	22,519	16,378	6,141
ADAMS	357	227	130	364	230	134	294	171	123
ALCORN	281	256	25	294	269	25	268	244	24
AMITE	93	64	29	111	77	34	87	58	29
ATTALA	142	94	48	153	109	44	140	93	47
BENTON	58	45	13	70	51	19	65	53	12
BOLIVAR	288	139	149	282	132	150	278	128	150
CALHOUN	155	121	34	163	135	28	162	134	28
CARROLL	50	30	20	58	39	19	56	36	20
CHICKASAW	172	126	46	159	118	41	160	116	44
CHOCTAW	66	57	9	71	59	12	57	48	9
CLAIBORNE	59	22	37	61	27	34	51	13	38
CLARKE	124	84	40	144	98	46	126	88	38
CLAY	189	115	74	181	103	78	167	99	68
COAHOMA	230	104	126	238	98	140	207	87	120
COPIAH	202	112	90	221	133	88	188	96	92
COVINGTON	171	131	40	173	133	40	170	130	40
DESOTO	603	518	85	551	475	76	422	373	49
FORREST	872	707	165	758	614	144	750	596	154
FRANKLIN	81	63	18	97	72	25	91	71	20
GEORGE	283	259	24	265	242	23	194	175	19
GREENE	104	88	16	133	116	17	72	63	9
GRENADA	223	154	69	216	148	68	204	139	65
HANCOCK	300	289	11	315	304	11	248	239	9
HARRISON	2,032	1,693	339	1,986	1,658	328	1,717	1,425	292
HINDS	2,592	1,568	1,024	2,393	1,425	968	2,266	1,296	970
HOLMES	137	36	101	155	44	111	146	43	103
HUMPHREYS	86	31	55	88	30	58	76	27	49
ISSAQUENA	14	8	6	11	4	7	11	3	8
ITAWAMBA	180	175	5	209	203	6	178	172	6
JACKSON	1,187	977	210	1,250	1,032	218	1,181	980	201
JASPER	139	74	65	147	84	63	136	69	67
JEFFERSON	44	5	39	42	8	34	31	2	29
JEFF DAVIS	98	58	40	113	63	50	102	59	43
JONES	631	521	110	642	531	111	622	518	104
KEMPER	66	31	35	74	33	41	69	30	39
LAFAYETTE	245	176	69	224	163	61	198	145	53
LAMAR	208	192	16	248	223	25	282	261	21
LAUDERDALE	724	541	183	690	508	182	660	492	168
LAWRENCE	113	87	26	132	105	27	122	94	28
LEAKE	162	121	41	164	114	50	163	122	41
LEE	759	642	117	707	594	113	700	597	103
LEFLORE	281	162	119	284	159	125	255	143	112

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1989

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	322	242	80	308	228	80	287	213	74
LOWNDES	567	366	201	573	370	203	533	332	201
MADISON	347	207	140	380	230	150	495	344	151
MARION	277	207	70	266	199	67	255	192	63
MARSHALL	222	140	82	211	132	79	194	119	75
MONROE	312	243	69	328	256	72	312	240	72
MONTGOMERY	101	67	34	119	81	38	112	73	39
NESHOBA	226	166	60	231	173	58	220	161	59
NEWTON	156	104	52	170	119	51	162	114	48
NOXUBEE	75	34	41	83	38	45	73	30	43
OKTIBBEHA	352	240	112	324	218	106	335	229	106
PANOLA	275	162	113	276	163	113	265	148	117
PEARL RIVER	432	390	42	431	388	43	383	346	37
PERRY	129	118	11	147	129	18	132	118	14
PIKE	342	219	123	340	216	124	304	193	111
PONTOTOC	211	187	24	222	197	25	217	195	22
PRENTISS	232	213	19	236	216	20	233	212	21
QUITMAN	74	34	40	87	46	41	80	43	37
RANKIN	837	746	91	794	698	96	893	808	85
SCOTT	282	206	76	269	200	69	268	197	71
SHARKEY	56	18	38	56	20	36	48	14	34
SIMPSON	254	186	68	265	196	69	248	179	69
SMITH	115	92	23	160	135	25	127	102	25
STONE	147	122	25	132	106	26	128	105	23
SUNFLOWER	268	118	150	279	123	156	231	111	120
TALLAHATCHIE	101	54	47	116	73	43	97	51	46
TATE	179	122	57	181	124	57	147	98	49
TIPPAH	191	174	17	201	182	19	182	165	17
TISHOMINGO	220	218	2	222	219	3	170	169	1
TUNICA	47	22	25	45	20	25	42	18	24
UNION	233	206	27	229	202	27	228	197	31
WALTHALL	124	80	44	126	82	44	116	75	41
WARREN	475	345	130	470	351	119	427	306	121
WASHINGTON	462	255	207	469	264	205	422	229	193
WAYNE	142	107	35	157	121	36	144	108	36
WEBSTER	99	90	9	103	96	7	101	92	9
WILKINSON	95	49	46	100	52	48	68	29	39
WINSTON	174	113	61	188	120	68	172	111	61
YALOBUSHA	112	75	37	124	81	43	116	80	36
YAZOO	174	95	79	185	108	77	180	104	76
OUT OF STATE	*	*	*	*	*	*	1,721	1,357	364

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*, MISSISSIPPI, 1989

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
STATE	12,945	9,823	2,755	367					
ADAMS	177	120	56	1	LINCOLN	133	100	33	0
ALCORN	222	209	9	4	LOWNDES	315	239	76	0
AMITE	66	46	20	0	MADISON	139	97	42	0
ATTALA	92	67	24	1	MARION	118	104	13	1
BENTON	46	39	7	0	MARSHALL	148	103	45	0
BOLIVAR	161	97	64	0	MONROE	216	175	35	6
CALHOUN	87	77	10	0	MONTGOMERY	68	53	15	0
CARROLL	3	2	1	0	NESHOBA	123	107	16	0
CHICKASAW	88	68	19	1	NEWTON	17	15	2	0
CHOCTAW	36	34	2	0	NOXUBEE	24	6	16	2
CLAIBORNE	30	11	19	0	OKTIBBEHA	152	100	44	8
CLARKE	74	58	16	0	PANOLA	143	105	38	0
CLAY	94	45	44	5	PEARL RIVER	197	173	19	5
COAHOMA	117	76	41	0	PERRY	56	47	9	0
COPIAH	128	72	54	2	PIKE	140	97	42	1
COVINGTON	65	49	16	0	PONTOTOC	155	142	13	0
DESOTO	465	424	38	3	PRENTISS	137	121	6	10
FORREST	466	340	81	45	QUITMAN	32	20	10	2
FRANKLIN	22	16	6	0	RANKIN	587	538	45	4
GEORGE	103	94	9	0	SCOTT	152	124	27	1
GREENE	52	43	6	3	SHARKEY	28	13	15	0
GRENADA	125	84	41	0	SIMPSON	89	70	19	0
HANCOCK	180	173	7	0	SMITH	56	48	5	3
HARRISON	996	849	140	7	STONE	68	53	13	2
HINDS	1,351	824	509	18	SUNFLOWER	33	16	17	0
HOLMES	66	28	38	0	TALLAHATCHIE	40	28	12	0
HUMPHREYS	30	13	15	2	TATE	100	82	18	0
ISSAQUENA	6	6	0	0	TIPPAH	95	84	11	0
ITAWAMBA	141	130	7	4	TISHOMINGO	39	33	0	6
JACKSON	785	677	104	4	TUNICA	28	11	17	0
JASPER	48	30	18	0	UNION	146	128	17	1
JEFFERSON	26	5	21	0	WALTHALL	59	47	12	0
JEFF DAVIS	38	19	19	0	WARREN	18	13	5	0
JONES	346	297	49	0	WASHINGTON	310	162	136	12
KEMPER	39	23	16	0	WAYNE	114	88	26	0
LAFAYETTE	110	88	22	0	WEBSTER	57	50	7	0
LAMAR	159	130	10	19	WILKINSON	50	25	25	0
LAUDERDALE	481	346	97	38	WINSTON	94	65	29	0
LAWRENCE	77	62	14	1	YALOBUSHA	63	42	21	0
LEAKE	73	48	25	0	YAZOO	81	66	15	0
LEE	464	287	32	145					
LEFLORE	190	127	63	0					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1989

COUNTY	TOTAL	WHITE	NON-WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON-WHITE	UNK. RACE
STATE	4,561	2,213	2,335	13					
ADAMS	56	29	27	0	LINCOLN	53	27	26	0
ALCORN	15	14	1	0	LOWNDES	99	59	40	0
AMITE	8	4	4	0	MADISON	178	95	83	0
ATTALA	24	12	12	0	MARION	34	17	17	0
BENTON	0	0	0	0	MARSHALL	14	6	8	0
BOLIVAR	70	29	41	0	MONROE	35	15	20	0
CALHOUN	3	3	0	0	MONTGOMERY	24	10	13	1
CARROLL	20	7	13	0	NESHOBA	31	18	13	0
CHICKASAW	19	10	9	0	NEWTON	38	23	14	1
CHOCTAW	7	3	4	0	NOXUBEE	17	0	17	0
CLAIBORNE	36	2	34	0	OKTIBBEHA	142	94	48	0
CLARKE	25	9	16	0	PANOLA	22	8	14	0
CLAY	30	12	18	0	PEARL RIVER	8	7	1	0
COAHOMA	17	7	10	0	PERRY	7	6	1	0
COPIAH	54	23	31	0	PIKE	58	24	34	0
COVINGTON	19	12	6	1	PONTOTOC	8	6	2	0
DESOTO	61	49	12	0	PRENTISS	17	16	1	0
FORREST	156	104	52	0	QUITMAN	5	2	3	0
FRANKLIN	6	1	5	0	RANKIN	224	181	43	0
GEORGE	2	2	0	0	SCOTT	40	22	18	0
GREENE	1	1	0	0	SHARKEY	8	5	3	0
GRENADA	35	19	16	0	SIMPSON	53	27	26	0
HANCOCK	5	5	0	0	SMITH	14	8	6	0
HARRISON	185	109	76	0	STONE	11	10	1	0
HINDS	1,230	408	818	4	SUNFLOWER	59	18	41	0
HOLMES	67	11	55	1	TALLAHATCHIE	6	4	2	0
HUMPHREYS	25	10	15	0	TATE	28	15	13	0
ISSAQUENA	1	1	0	0	TIPPAH	5	4	1	0
ITAWAMBA	9	7	2	0	TISHOMINGO	4	4	0	0
JACKSON	12	10	2	0	TUNICA	5	0	5	0
JASPER	25	9	16	0	UNION	3	3	0	0
JEFFERSON	24	0	24	0	WALTHALL	6	4	2	0
JEFF DAVIS	12	8	4	0	WARREN	149	63	85	1
JONES	80	52	28	0	WASHINGTON	135	55	79	1
KEMPER	18	9	9	0	WAYNE	16	12	4	0
LAFAYETTE	61	41	20	0	WEBSTER	11	7	4	0
LAMAR	26	22	3	1	WILKINSON	3	2	1	0
LAUDERDALE	176	108	67	1	WINSTON	39	17	22	0
LAWRENCE	13	4	9	0	YALOBUSHA	14	7	7	0
LEAKE	36	18	18	0	YAZOO	65	23	42	0
LEE	98	69	28	1					
LEFLORE	106	36	70	0					

NOTE:

Table 18 extends from page 111 through 131 with identical data for each county as well as for the state.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	66	35	31	168.0	180.8	155.5	84	78	6	220.9	229.9	146.0
DIABETES MELLITUS (250)	10	4	6	25.4	20.7	30.1	5	2	3	13.1	5.9	73.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	162	77	85	412.4	397.8	426.4	106	94	12	278.7	277.0	292.1
HYPERTENSION (401, 403)	7	1	6	17.8	5.2	30.1	3	2	1	7.9	5.9	24.3
CEREBROVASCULAR DISEASES (430-438)	43	18	25	109.5	93.0	125.4	32	28	4	84.1	82.5	97.4
ATHEROSCLEROSIS (440)	7	3	4	17.8	15.5	20.1	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	5	5	25.4	25.8	25.1	12	11	1	31.6	32.4	24.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	5	6	28.0	25.8	30.1	11	10	1	28.9	29.5	24.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	2.5	5.2	-	5	4	1	13.1	11.8	24.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	7.6	10.3	5.0	6	4	2	15.8	11.8	48.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.5	-	5.0	2	2	0	5.2	5.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	5.3	4.2	6.1	1	0	1	2.3	-	12.8
ACCIDENTS (800-949)	14	7	7	35.6	36.2	35.1	24	20	4	63.1	58.9	97.4
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	15.3	25.8	5.0	15	11	4	39.4	32.4	97.4
SUICIDE (950-959)	4	3	1	10.2	15.5	5.0	5	4	1	13.1	11.8	24.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	0	5	12.7	-	25.1	1	0	1	2.6	-	24.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	5	4	1	13.1	11.8	24.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	36	18	18	274.8	252.8	300.9	55	41	14	273.2	335.5	176.8
DIABETES MELLITUS (250)	9	3	6	68.7	42.1	100.3	1	0	1	5.0	-	12.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	53	33	20	404.6	463.5	334.3	81	55	26	402.3	450.0	328.4
HYPERTENSION (401, 403)	1	0	1	7.6	-	16.7	2	1	1	9.9	8.2	12.6
CEREBROVASCULAR DISEASES (430-438)	11	6	5	84.0	84.3	83.6	12	9	3	59.6	73.6	37.9
ATHEROSCLEROSIS (440)	1	1	0	7.6	14.0	-	2	1	1	9.9	8.2	12.6
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	22.9	42.1	-	9	6	3	44.7	49.1	37.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	30.5	28.1	33.4	8	6	2	39.7	49.1	25.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	1	2	22.9	14.0	33.4	1	0	1	5.0	-	12.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	22.9	28.1	16.7	5	1	4	24.8	8.2	50.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	1	2	14.9	8.2	25.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	3.1	-	5.4
ACCIDENTS (800-949)	9	5	4	68.7	70.2	66.9	10	4	6	49.7	32.7	75.8
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	53.4	56.2	50.2	5	2	3	24.8	16.4	37.9
SUICIDE (950-959)	2	2	0	15.3	28.1	-	4	3	1	19.9	24.5	12.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	3	1	30.5	42.1	16.7	3	0	3	14.9	-	37.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	7.6	-	16.7	4	1	3	19.9	8.2	37.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	19	12	7	211.3	209.4	214.2	90	42	48	208.2	271.3	172.9
DIABETES MELLITUS (250)	0	0	0	-	-	-	15	2	13	34.7	12.9	46.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	23	17	6	255.8	296.7	183.6	180	69	111	416.3	445.7	399.9
HYPERTENSION (401, 403)	1	1	0	11.1	17.4	-	3	0	3	6.9	-	10.8
CEREBROVASCULAR DISEASES (430-438)	4	4	0	44.5	69.8	-	35	11	24	81.0	71.0	86.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	7	3	4	16.2	19.4	14.4
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	22.2	34.9	-	21	14	7	48.6	90.4	25.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	22.2	34.9	-	11	7	4	25.4	45.2	14.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	1	2	6.9	6.5	7.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	11.1	17.4	-	3	1	2	6.9	6.5	7.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	2.3	-	3.6
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	0	3	6.9	-	10.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	1	3	4.6	5.4	4.4
ACCIDENTS (800-949)	6	3	3	66.7	52.4	91.8	27	14	13	62.4	90.4	46.8
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	66.7	52.4	91.8	13	6	7	30.1	38.8	25.2
SUICIDE (950-959)	2	2	0	22.2	34.9	-	5	4	1	11.6	25.8	3.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	8	1	7	18.5	6.5	25.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	6	0	6	13.9	-	21.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	25	20	5	148.4	158.6	118.1	18	13	5	177.2	225.8	113.5
DIABETES MELLITUS (250)	3	3	0	17.8	23.8	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	71	57	14	421.5	451.9	330.6	47	28	19	462.7	486.4	431.4
HYPERTENSION (401, 403)	1	1	0	5.9	7.9	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	20	16	4	118.7	126.8	94.5	6	6	0	59.1	104.2	-
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	6	4	2	35.6	31.7	47.2	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	17.8	23.8	-	6	3	3	59.1	52.1	68.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.9	7.9	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	2	2	0	19.7	34.7	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	11.9	7.9	23.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	4.5	-	10.2	1	0	1	8.5	-	15.6
ACCIDENTS (800-949)	13	7	6	77.2	55.5	141.7	6	3	3	59.1	52.1	68.1
MOTOR VEHICLE ACCIDENTS# (810-825)	8	5	3	47.5	39.6	70.8	2	1	1	19.7	17.4	22.7
SUICIDE (950-959)	1	0	1	5.9	-	23.6	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	0	5	29.7	-	118.1	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	36	23	13	193.2	195.5	189.3	23	17	6	237.8	247.6	213.4
DIABETES MELLITUS (250)	1	0	1	5.4	-	14.6	3	1	2	31.0	14.6	71.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	87	68	19	467.0	578.0	276.6	39	29	10	403.2	422.4	355.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	7	2	5	37.6	17.0	72.8	7	6	1	72.4	87.4	35.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	7	2	48.3	59.5	29.1	2	2	0	20.7	29.1	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	6	2	42.9	51.0	29.1	3	1	2	31.0	14.6	71.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	5.4	-	14.6	3	2	1	31.0	29.1	35.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	16.1	8.5	29.1	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6.0	6.3	5.7	0	0	0	-	-	-
ACCIDENTS (800-949)	6	3	3	32.2	25.5	43.7	5	2	3	51.7	29.1	106.7
MOTOR VEHICLE ACCIDENTS# (810-825)	3	3	0	16.1	25.5	-	5	2	3	51.7	29.1	106.7
SUICIDE (950-959)	1	1	0	5.4	8.5	-	1	1	0	10.3	14.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	16.1	17.0	14.6	2	2	0	20.7	29.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	2	2	21.5	17.0	29.1	3	1	2	31.0	14.6	71.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	25	10	15	182.9	303.7	144.6	32	27	5	171.3	222.0	76.6
DIABETES MELLITUS (250)	2	0	2	14.6	-	19.3	4	1	3	21.4	8.2	45.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	49	12	37	358.5	364.4	356.6	92	66	26	492.4	542.8	398.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	1	9	73.2	30.4	86.7	9	8	1	48.2	65.8	15.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	1	0	1	7.3	-	9.6	6	4	2	32.1	32.9	30.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	1	4	36.6	30.4	38.6	6	6	0	32.1	49.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	5.4	8.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	7.3	-	9.6	1	1	0	5.4	8.2	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	5.4	8.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	11.6	-	13.1	2	2	0	7.0	12.9	-
ACCIDENTS (800-949)	7	1	6	51.2	30.4	57.8	15	11	4	80.3	90.5	61.3
MOTOR VEHICLE ACCIDENTS# (810-825)	2	0	2	14.6	-	19.3	6	4	2	32.1	32.9	30.6
SUICIDE (950-959)	1	1	0	7.3	30.4	-	3	3	0	16.0	24.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	6	43.9	-	57.8	2	1	1	10.7	8.2	15.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	5.4	-	15.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	3	0	3	8.8	-	13.7
MALIGNANT NEOPLASMS (140-208)	42	24	18	177.0	211.2	145.4	71	25	46	208.8	205.8	210.5
DIABETES MELLITUS (250)	7	2	5	29.5	17.6	40.4	8	1	7	23.5	8.2	32.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	77	55	22	324.4	484.1	177.8	160	55	105	470.6	452.8	480.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	6	1	5	17.6	8.2	22.9
CEREBROVASCULAR DISEASES (430-438)	19	5	14	80.0	44.0	113.1	34	9	25	100.0	74.1	114.4
ATHEROSCLEROSIS (440)	1	0	1	4.2	-	8.1	3	1	2	8.8	8.2	9.2
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	21.1	35.2	8.1	6	1	5	17.6	8.2	22.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	25.3	44.0	8.1	10	6	4	29.4	49.4	18.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.2	8.8	-	1	0	1	2.9	-	4.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	21.1	26.4	16.2	11	7	4	32.4	57.6	18.3
INFECTIONS OF KIDNEY (590)	1	0	1	4.2	-	8.1	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	4.2	-	8.1	4	0	4	11.8	-	18.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	10.2		15.0	6	0	6	8.7	-	10.9
ACCIDENTS (800-949)	11	5	6	46.3	44.0	48.5	20	8	12	58.8	65.9	54.9
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	16.8	17.6	16.2	6	4	2	17.6	32.9	9.2
SUICIDE (950-959)	1	1	0	4.2	8.8	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	4.2	-	8.1	7	1	6	20.6	8.2	27.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	12.6	8.8	16.2	1	0	1	2.9	-	4.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	55	32	23	191.6	211.5	169.6	32	26	6	187.4	225.3	108.4
DIABETES MELLITUS (250)	11	8	3	38.3	52.9	22.1	4	3	1	23.4	26.0	18.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	112	57	55	390.2	376.7	405.5	71	50	21	415.8	433.2	379.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	5.8	8.7	-
CEREBROVASCULAR DISEASES (430-438)	21	12	9	73.2	79.3	66.4	15	11	4	87.8	95.3	72.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	2	7	31.4	13.2	51.6	4	1	3	23.4	8.7	54.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	3	2	17.4	19.8	14.7	2	2	0	11.7	17.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.5	6.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	3	2	1	17.6	17.3	18.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.8	8.7	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	4	1	17.4	26.4	7.4	1	1	0	5.8	8.7	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	6.6	12.9	3.3	1	0	1	3.3	-	7.1
ACCIDENTS (800-949)	22	12	10	76.6	79.3	73.7	7	3	4	41.0	26.0	72.3
MOTOR VEHICLE ACCIDENTS# (810-825)	10	7	3	34.8	46.3	22.1	3	1	2	17.6	8.7	36.1
SUICIDE (950-959)	4	4	0	13.9	26.4	-	3	2	1	17.6	17.3	18.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	13.9	6.6	22.1	1	0	1	5.8	-	18.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	3.5	6.6	-	1	0	1	5.8	-	18.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	1.5	1.8	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	112	90	22	167.3	158.0	220.0	153	110	43	204.7	212.5	187.0
DIABETES MELLITUS (250)	3	2	1	4.5	3.5	10.0	12	8	4	16.0	15.4	17.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	125	101	24	186.7	177.3	240.0	237	167	70	317.0	322.6	304.4
HYPERTENSION (401, 403)	1	0	1	1.5	-	10.0	5	3	2	6.7	5.8	8.7
CEREBROVASCULAR DISEASES (430-438)	28	24	4	41.8	42.1	40.0	44	34	10	58.8	65.7	43.5
ATHEROSCLEROSIS (440)	2	2	0	3.0	3.5	-	15	12	3	20.1	23.2	13.0
PNEUMONIA AND INFLUENZA (480-487)	13	12	1	19.4	21.1	10.0	21	15	6	28.1	29.0	26.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	14	3	25.4	24.6	30.0	21	17	4	28.1	32.8	17.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	3.0	3.5	-	8	6	2	10.7	11.6	8.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	4.5	3.5	10.0	11	6	5	14.7	11.6	21.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	1.3	1.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	3.0	3.5	-	5	3	2	6.7	5.8	8.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	2.7	3.3	-	5	2	3	4.6	3.4	6.0
ACCIDENTS (800-949)	39	32	7	58.2	56.2	70.0	40	23	17	53.5	44.4	73.9
MOTOR VEHICLE ACCIDENTS# (810-825)	22	19	3	32.9	33.4	30.0	19	11	8	25.4	21.2	34.8
SUICIDE (950-959)	6	5	1	9.0	8.8	10.0	10	9	1	13.4	17.4	4.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	3.0	3.5	-	3	2	1	4.0	3.9	4.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	4.5	5.3	-	6	3	3	8.0	5.8	13.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	19	9	10	221.3	165.5	317.4	32	28	4	194.3	186.2	279.3
DIABETES MELLITUS (250)	8	2	6	93.2	36.8	190.4	4	3	1	24.3	19.9	69.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	29	18	547.4	533.4	571.2	68	61	7	412.9	405.6	488.8
HYPERTENSION (401, 403)	3	2	1	34.9	36.8	31.7	1	1	0	6.1	6.6	-
CEREBROVASCULAR DISEASES (430-438)	6	4	2	69.9	73.6	63.5	11	11	0	66.8	73.1	-
ATHEROSCLEROSIS (440)	1	0	1	11.6	-	31.7	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	1	0	1	11.6	-	31.7	4	4	0	24.3	26.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	58.2	73.6	31.7	6	6	0	36.4	39.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	11.6	18.4	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	5	0	58.2	92.0	-	2	2	0	12.1	13.3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	6.1	6.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	10	6	4	116.5	110.4	126.9	11	11	0	66.8	73.1	-
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	46.6	55.2	31.7	7	7	0	42.5	46.5	-
SUICIDE (950-959)	1	1	0	11.6	18.4	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	0	1	6.1	-	69.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

\# NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	20	15	5	181.6	166.9	246.8	42	29	13	185.1	217.4	138.8
DIABETES MELLITUS (250)	2	2	0	18.2	22.2	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	37	29	8	336.0	322.6	394.9	98	60	38	431.8	449.9	405.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	5	3	2	45.4	33.4	98.7	35	13	22	154.2	97.5	235.0
ATHEROSCLEROSIS (440)	7	7	0	63.6	77.9	-	1	1	0	4.4	7.5	-
PNEUMONIA AND INFLUENZA (480-487)	7	2	5	63.6	22.2	246.8	10	7	3	44.1	52.5	32.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	18.2	22.2	-	5	5	0	22.0	37.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	8.8	15.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	7	3	4	30.8	22.5	42.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	9.1	11.1	-	1	1	0	4.4	7.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	7.8	-	13.4
ACCIDENTS (800-949)	11	10	1	99.9	111.2	49.4	18	10	8	79.3	75.0	85.4
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	54.5	55.6	49.4	10	8	2	44.1	60.0	21.4
SUICIDE (950-959)	1	1	0	9.1	11.1	-	2	2	0	8.8	15.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	18.2	22.2	-	1	0	1	4.4	-	10.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	9.1	-	49.4	3	0	3	13.2	-	32.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	3	2	1	1.7	1.5	2.3
MALIGNANT NEOPLASMS (140-208)	86	77	9	287.9	286.1	303.4	327	261	66	186.4	196.7	154.5
DIABETES MELLITUS (250)	2	2	0	6.7	7.4	-	12	9	3	6.8	6.8	7.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	109	100	9	364.8	371.5	303.4	504	437	67	287.3	329.3	156.8
HYPERTENSION (401, 403)	2	2	0	6.7	7.4	-	4	3	1	2.3	2.3	2.3
CEREBROVASCULAR DISEASES (430-438)	10	7	3	33.5	26.0	101.1	55	47	8	31.4	35.4	18.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	5	4	1	2.8	3.0	2.3
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	23.4	22.3	33.7	38	34	4	21.7	25.6	9.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	10.0	11.1	-	57	50	7	32.5	37.7	16.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	10.0	11.1	-	22	18	4	12.5	13.6	9.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	6.7	3.7	33.7	13	8	5	7.4	6.0	11.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	36.3	-	121.5
CONGENITAL ANOMALIES (740-759)	2	2	0	6.7	7.4	-	14	10	4	8.0	7.5	9.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	6.3	7.2	-	11	5	6	4.0	2.6	7.3
ACCIDENTS (800-949)	21	20	1	70.3	74.3	33.7	103	79	24	58.7	59.5	56.2
MOTOR VEHICLE ACCIDENTS# (810-825)	13	12	1	43.5	44.6	33.7	40	36	4	22.8	27.1	9.4
SUICIDE (950-959)	5	5	0	16.7	18.6	-	28	25	3	16.0	18.8	7.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	3	3	20.1	11.1	101.1	16	9	7	9.1	6.8	16.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	6.7	7.4	-	5	2	3	2.8	1.5	7.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	0.4	0.7	-	1	0	1	4.4	-	5.8
MALIGNANT NEOPLASMS (140-208)	512	283	229	180.6	199.9	161.3	52	18	34	226.4	306.8	198.8
DIABETES MELLITUS (250)	37	19	18	13.0	13.4	12.7	7	2	5	30.5	34.1	29.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	833	489	344	293.8	345.4	242.3	73	26	47	317.8	443.2	274.8
HYPERTENSION (401, 403)	8	0	8	2.8	-	5.6	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	162	92	70	57.1	65.0	49.3	18	5	13	78.4	85.2	76.0
ATHEROSCLEROSIS (440)	9	6	3	3.2	4.2	2.1	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	75	48	27	26.4	33.9	19.0	5	3	2	21.8	51.1	11.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	54	39	15	19.0	27.5	10.6	5	3	2	21.8	51.1	11.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	24	15	9	8.5	10.6	6.3	2	2	0	8.7	34.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	26	14	12	9.2	9.9	8.4	5	1	4	21.8	17.0	23.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	22.4	-	35.0	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	17	9	8	6.0	6.4	5.6	1	0	1	4.4	-	5.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	21	8	13	4.7	5.0	4.5	6	0	6	13.2	-	15.0
ACCIDENTS (800-949)	103	39	64	36.3	27.5	45.1	17	5	12	74.0	85.2	70.2
MOTOR VEHICLE ACCIDENTS# (810-825)	62	18	44	21.9	12.7	31.0	8	2	6	34.8	34.1	35.1
SUICIDE (950-959)	29	21	8	10.2	14.8	5.6	5	3	2	21.8	51.1	11.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	50	11	39	17.6	7.8	27.5	6	0	6	26.1	-	35.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	12	4	8	4.2	2.8	5.6	52	5	47	226.4	85.2	274.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	23	13	10	172.4	300.7	110.9	4	2	2	163.6	168.1	158.0
DIABETES MELLITUS (250)	4	1	3	30.0	23.1	33.3	1	0	1	40.9	-	79.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	66	21	45	494.8	485.8	499.0	3	2	1	122.7	168.1	79.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	0	8	60.0	-	88.7	1	0	1	40.9	-	79.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	6	1	5	45.0	23.1	55.4	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	1	1	0	40.9	84.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	22.5	46.3	11.1	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	15.0	46.3	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	4.1	-	4.8	0	0	0	-	-	-
ACCIDENTS (800-949)	12	3	9	90.0	69.4	99.8	0	0	0	-	-	-
MOTOR VEHICLE ACCIDENTS# (810-825)	5	1	4	37.5	23.1	44.4	0	0	0	-	-	-
SUICIDE (950-959)	1	1	0	7.5	23.1	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	7.5	-	11.1	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	7.5	-	11.1	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.2	4.5	-	1	1	0	0.7	0.9	-
MALIGNANT NEOPLASMS (140-208)	43	39	4	180.0	174.2	264.6	219	182	37	155.9	165.8	120.7
DIABETES MELLITUS (250)	3	3	0	12.6	13.4	-	6	3	3	4.3	2.7	9.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	70	68	2	293.0	303.8	132.3	299	246	53	212.9	224.1	172.9
HYPERTENSION (401, 403)	2	2	0	8.4	8.9	-	3	2	1	2.1	1.8	3.3
CEREBROVASCULAR DISEASES (430-438)	32	31	1	133.9	138.5	66.1	51	40	11	36.3	36.4	35.9
ATHEROSCLEROSIS (440)	1	1	0	4.2	4.5	-	3	3	0	2.1	2.7	-
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	16.7	17.9	-	26	25	1	18.5	22.8	3.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	29.3	31.3	-	40	36	4	28.5	32.8	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	4.2	-	66.1	12	10	2	8.5	9.1	6.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	16.7	13.4	66.1	5	5	0	3.6	4.6	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	6	5	1	4.3	4.6	3.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	10.7	7.7	47.6	6	1	5	3.1	0.8	8.7
ACCIDENTS (800-949)	16	13	3	67.0	58.1	198.4	51	45	6	36.3	41.0	19.6
MOTOR VEHICLE ACCIDENTS# (810-825)	9	8	1	37.7	35.7	66.1	25	23	2	17.8	20.9	6.5
SUICIDE (950-959)	2	2	0	8.4	8.9	-	8	6	2	5.7	5.5	6.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	4.2	4.5	-	7	4	3	5.0	3.6	9.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	8.4	8.9	-	3	2	1	2.1	1.8	3.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	32	16	16	174.4	181.2	168.1	10	5	5	114.2	340.6	68.6
DIABETES MELLITUS (250)	9	3	6	49.0	34.0	63.0	3	0	3	34.3	-	41.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	53	31	22	288.8	351.1	231.2	41	12	29	468.2	817.4	397.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	7	3	54.5	79.3	31.5	6	3	3	68.5	204.4	41.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	0	1	11.4	-	13.7
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	5.4	11.3	-	2	0	2	22.8	-	27.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	21.8	34.0	10.5	2	1	1	22.8	68.1	13.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	10.9	22.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	10.9	11.3	10.5	4	0	4	45.7	-	54.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	6.3	-	7.0
ACCIDENTS (800-949)	17	7	10	92.6	79.3	105.1	3	0	3	34.3	-	41.1
MOTOR VEHICLE ACCIDENTS# (810-825)	9	3	6	49.0	34.0	63.0	0	0	0	-	-	-
SUICIDE (950-959)	1	1	0	5.4	11.3	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	16.4	-	31.5	1	0	1	11.4	-	13.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	5.4	-	10.5	8	1	7	91.4	68.1	96.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	28	16	12	189.4	257.1	140.2	131	100	31	191.3	189.7	196.7
DIABETES MELLITUS (250)	1	0	1	6.8	-	11.7	13	7	6	19.0	13.3	38.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	48	26	22	324.8	417.8	257.1	280	234	46	409.0	443.9	291.9
HYPERTENSION (401, 403)	1	0	1	6.8	-	11.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	7	4	3	47.4	64.3	35.0	60	45	15	87.6	85.4	95.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	5	5	0	7.3	9.5	-
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	20.3	48.2	-	32	25	7	46.7	47.4	44.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	2	3	33.8	32.1	35.0	27	21	6	39.4	39.8	38.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	13.5	16.1	11.7	5	5	0	7.3	9.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	5	2	3	7.3	3.8	19.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	1	2	4.4	1.9	12.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	4.4	13.7	-	7	5	2	7.8	9.7	5.3
ACCIDENTS (800-949)	11	7	4	74.4	112.5	46.7	38	27	11	55.5	51.2	69.8
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	33.8	64.3	11.7	20	16	4	29.2	30.4	25.4
SUICIDE (950-959)	1	1	0	6.8	16.1	-	3	3	0	4.4	5.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	20.3	-	35.0	6	3	3	8.8	5.7	19.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	13.5	-	23.4	5	2	3	7.3	3.8	19.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	9.9	-	18.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	18	13	5	177.8	277.5	91.8	57	38	19	158.2	148.2	182.8
DIABETES MELLITUS (250)	2	1	1	19.8	21.3	18.4	6	3	3	16.6	11.7	28.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	39	24	15	385.1	512.3	275.3	76	55	21	210.9	214.5	202.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	6	2	79.0	128.1	36.7	19	14	5	52.7	54.6	48.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	2.8	3.9	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	4	3	1	11.1	11.7	9.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	2	5	69.1	42.7	91.8	10	9	1	27.8	35.1	9.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	9.9	21.3	-	2	2	0	5.6	7.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	9.9	-	18.4	3	1	2	8.3	3.9	19.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	265.2	-	578.0
CONGENITAL ANOMALIES (740-759)	1	0	1	9.9	-	18.4	4	4	0	11.1	15.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	6.6	-	9.2	1	0	1	2.6	-	5.8
ACCIDENTS (800-949)	5	1	4	49.4	21.3	73.4	13	5	8	36.1	19.5	77.0
MOTOR VEHICLE ACCIDENTS# (810-825)	4	1	3	39.5	21.3	55.1	5	2	3	13.9	7.8	28.9
SUICIDE (950-959)	2	2	0	19.8	42.7	-	5	4	1	13.9	15.6	9.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	19.8	-	36.7	2	0	2	5.6	-	19.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	2.8	3.9	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	1.2	1.8	-
MALIGNANT NEOPLASMS (140-208)	48	42	6	160.7	157.8	185.0	179	129	50	213.6	237.3	169.8
DIABETES MELLITUS (250)	3	2	1	10.0	7.5	30.8	10	4	6	11.9	7.4	20.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	81	76	5	271.2	285.5	154.2	306	201	105	365.2	369.8	356.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	2.4	1.8	3.4
CEREBROVASCULAR DISEASES (430-438)	18	16	2	60.3	60.1	61.7	59	36	23	70.4	66.2	78.1
ATHEROSCLEROSIS (440)	1	1	0	3.3	3.8	-	5	2	3	6.0	3.7	10.2
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	23.4	26.3	-	35	25	10	41.8	46.0	34.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	16.7	18.8	-	31	23	8	37.0	42.3	27.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	6	4	2	7.2	7.4	6.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	6.7	3.8	30.8	9	6	3	10.7	11.0	10.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	1	0	78.4	150.2	-
CONGENITAL ANOMALIES (740-759)	2	2	0	6.7	7.5	-	4	3	1	4.8	5.5	3.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	6.3	7.6	-	3	2	1	2.4	3.0	1.6
ACCIDENTS (800-949)	6	6	0	20.1	22.5	-	40	24	16	47.7	44.2	54.4
MOTOR VEHICLE ACCIDENTS# (810-825)	4	4	0	13.4	15.0	-	16	9	7	19.1	16.6	23.8
SUICIDE (950-959)	7	7	0	23.4	26.3	-	10	10	0	11.9	18.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	3.3	3.8	-	11	3	8	13.1	5.5	27.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	1.2	-	3.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	7.2	10.2	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	27	20	7	193.8	203.7	170.0	40	21	19	197.2	171.2	237.1
DIABETES MELLITUS (250)	2	1	1	14.4	10.2	24.3	9	5	4	44.4	40.8	49.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	59	45	14	423.4	458.4	340.0	119	79	40	586.7	644.0	499.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	8	5	93.3	81.5	121.4	14	6	8	69.0	48.9	99.8
ATHEROSCLEROSIS (440)	1	0	1	7.2	-	24.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	28.7	20.4	48.6	9	5	4	44.4	40.8	49.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	7	2	64.6	71.3	48.6	5	2	3	24.6	16.3	37.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	14.4	10.2	24.3	5	4	1	24.6	32.6	12.5
INFECTIONS OF KIDNEY (590)	1	1	0	7.2	10.2	-	1	1	0	4.9	8.2	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	7.2	-	24.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	10.1	-	22.2	3	2	1	10.9	15.0	7.0
ACCIDENTS (800-949)	16	9	7	114.8	91.7	170.0	16	10	6	78.9	81.5	74.9
MOTOR VEHICLE ACCIDENTS# (810-825)	8	6	2	57.4	61.1	48.6	11	9	2	54.2	73.4	25.0
SUICIDE (950-959)	1	1	0	7.2	10.2	-	1	1	0	4.9	8.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	7.2	-	24.3	1	1	0	4.9	8.2	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	7.2	-	24.3	3	0	3	14.8	-	37.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.4	-	3.9
MALIGNANT NEOPLASMS (140-208)	125	98	27	191.3	189.6	197.9	79	44	35	191.3	284.8	135.5
DIABETES MELLITUS (250)	9	6	3	13.8	11.6	22.0	11	2	9	26.6	12.9	34.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	241	188	53	368.8	363.7	388.4	195	103	92	472.3	666.6	356.1
HYPERTENSION (401, 403)	2	1	1	3.1	1.9	7.3	3	1	2	7.3	6.5	7.7
CEREBROVASCULAR DISEASES (430-438)	41	30	11	62.7	58.0	80.6	28	12	16	67.8	77.7	61.9
ATHEROSCLEROSIS (440)	9	8	1	13.8	15.5	7.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	25	22	3	38.3	42.6	22.0	15	4	11	36.3	25.9	42.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	28	24	4	42.8	46.4	29.3	11	6	5	26.6	38.8	19.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	4	2	9.2	7.7	14.6	3	2	1	7.3	12.9	3.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-599)	7	4	3	10.7	7.7	22.0	3	0	3	7.3	-	11.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	2	1	4.6	3.9	7.3	2	1	1	4.8	6.5	3.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	0.9	1.3	-	4	2	2	5.5	10.6	3.7
ACCIDENTS (800-949)	46	31	15	70.4	60.0	109.9	14	2	12	33.9	12.9	46.4
MOTOR VEHICLE ACCIDENTS# (810-825)	30	19	11	45.9	36.8	80.6	7	1	6	17.0	6.5	23.2
SUICIDE (950-959)	11	9	2	16.8	17.4	14.6	5	3	2	12.1	19.4	7.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	6	1	10.7	11.6	7.3	8	0	8	19.4	-	31.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	7	0	10.7	13.5	-	5	2	3	12.1	12.9	11.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	69	51	18	200.3	211.9	173.4	91	63	28	137.0	155.4	108.1
DIABETES MELLITUS (250)	10	6	4	29.0	24.9	38.5	5	2	3	7.5	4.9	11.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	154	109	45	447.1	453.0	433.4	178	109	69	268.0	268.9	266.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	4	4	0	6.0	9.9	-
CEREBROVASCULAR DISEASES (430-438)	18	10	8	52.3	41.6	77.0	23	14	9	34.6	34.5	34.8
ATHEROSCLEROSIS (440)	1	1	0	2.9	4.2	-	1	0	1	1.5	-	3.9
PNEUMONIA AND INFLUENZA (480-487)	13	11	2	37.7	45.7	19.3	4	2	2	6.0	4.9	7.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	6	2	23.2	24.9	19.3	13	11	2	19.6	27.1	7.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	2.9	4.2	-	3	2	1	4.5	4.9	3.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	8.7	8.3	9.6	9	4	5	13.5	9.9	19.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	2.9	4.2	-	2	1	1	3.0	2.5	3.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	4.8	8.1	-	5	2	3	4.7	3.6	5.8
ACCIDENTS (800-949)	10	7	3	29.0	29.1	28.9	26	19	7	39.1	46.9	27.0
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	20.3	24.9	9.6	20	17	3	30.1	41.9	11.6
SUICIDE (950-959)	4	3	1	11.6	12.5	9.6	4	3	1	6.0	7.4	3.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	11.6	4.2	28.9	5	2	3	7.5	4.9	11.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	6	3	3	9.0	7.4	11.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	88	42	46	166.5	160.6	172.2	48	31	17	167.3	153.5	199.8
DIABETES MELLITUS (250)	10	6	4	18.9	23.0	15.0	5	4	1	17.4	19.8	11.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	133	64	69	251.6	244.8	258.3	81	65	16	282.3	321.8	188.1
HYPERTENSION (401, 403)	8	1	7	15.1	3.8	26.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	36	16	20	68.1	61.2	74.9	31	19	12	108.0	94.1	141.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	4	2	2	13.9	9.9	23.5
PNEUMONIA AND INFLUENZA (480-487)	10	3	7	18.9	11.5	26.2	14	8	6	48.8	39.6	70.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	10	3	24.6	38.2	11.2	4	4	0	13.9	19.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	3.8	3.8	3.7	4	2	2	13.9	9.9	23.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	3	5	15.1	11.5	18.7	7	4	3	24.4	19.8	35.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	4	1	9.4	15.3	3.7	3	2	1	10.4	9.9	11.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	4	2	5.7	8.0	3.7	4	2	2	9.9	7.8	13.7
ACCIDENTS (800-949)	31	14	17	58.6	53.6	63.6	26	22	4	90.6	108.9	47.0
MOTOR VEHICLE ACCIDENTS# (810-825)	18	12	6	34.0	45.9	22.4	12	9	3	41.8	44.6	35.3
SUICIDE (950-959)	6	4	2	11.4	15.3	7.5	3	2	1	10.4	9.9	11.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	2	4	11.4	7.6	15.0	5	3	2	17.4	14.8	23.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	1.9	-	3.7	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	70	38	32	204.0	219.3	188.3	89	67	22	229.7	246.2	190.7
DIABETES MELLITUS (250)	4	2	2	11.6	11.5	11.8	2	1	1	5.2	3.7	8.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	108	56	52	314.7	323.1	306.0	165	120	45	425.9	440.9	390.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	2.6	-	8.7
CEREBROVASCULAR DISEASES (430-438)	19	8	11	55.4	46.2	64.7	40	27	13	103.2	99.2	112.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	17	9	8	49.5	51.9	47.1	9	6	3	23.2	22.0	26.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	17.5	23.1	11.8	12	12	0	31.0	44.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	2.9	-	5.9	8	6	2	20.6	22.0	17.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	8	2	6	20.6	7.3	52.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	2.6	3.7	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	5.2	3.7	8.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	15	5	10	25.9	21.1	29.2	3	0	3	5.2	-	14.4
ACCIDENTS (800-949)	25	16	9	72.8	92.3	53.0	17	10	7	43.9	36.7	60.7
MOTOR VEHICLE ACCIDENTS# (810-825)	13	8	5	37.9	46.2	29.4	12	8	4	31.0	29.4	34.7
SUICIDE (950-959)	1	1	0	2.9	5.8	-	3	2	1	7.7	7.3	8.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	11.6	5.8	17.6	2	0	2	5.2	-	17.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	4	2	17.5	23.1	11.8	3	1	2	7.7	3.7	17.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY, NESHOBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOBA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	29	19	10	209.5	217.9	195.0	58	45	13	218.9	241.1	165.8
DIABETES MELLITUS (250)	2	2	0	14.4	22.9	-	4	3	1	15.1	16.1	12.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	85	58	27	613.9	665.1	526.4	109	81	28	411.4	434.0	357.2
HYPERTENSION (401, 403)	1	0	1	7.2	-	19.5	2	2	0	7.5	10.7	-
CEREBROVASCULAR DISEASES (430-438)	18	12	6	130.0	137.6	117.0	24	19	5	90.6	101.8	63.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	1	2	11.3	5.4	25.5
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	36.1	45.9	19.5	8	8	0	30.2	42.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	14.4	11.5	19.5	6	6	0	22.6	32.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	1	2	21.7	11.5	39.0	5	4	1	18.9	21.4	12.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	14.4	22.9	-	3	2	1	11.3	10.7	12.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	7.2	-	19.5	1	0	1	3.8	-	12.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	5.0	11.6	-	0	0	0	-	-	-
ACCIDENTS (800-949)	13	7	6	93.9	80.3	117.0	19	10	9	71.7	53.6	114.8
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	36.1	45.9	19.5	8	3	5	30.2	16.1	63.8
SUICIDE (950-959)	2	1	1	14.4	11.5	19.5	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	4	1	3	15.1	5.4	38.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	8	3	5	30.2	16.1	63.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	8.2	-	12.8
MALIGNANT NEOPLASMS (140-208)	61	44	17	293.0	302.6	270.6	27	10	17	222.9	234.0	217.0
DIABETES MELLITUS (250)	7	2	5	33.6	13.8	79.6	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	82	61	21	393.8	419.6	334.3	53	19	34	437.6	444.6	434.0
HYPERTENSION (401, 403)	2	1	1	9.6	6.9	15.9	1	0	1	8.2	-	12.8
CEREBROVASCULAR DISEASES (430-438)	16	13	3	76.8	89.4	47.8	13	5	8	107.3	117.0	102.1
ATHEROSCLEROSIS (440)	7	5	2	33.6	34.4	31.8	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	2	3	24.0	13.8	47.8	5	3	2	41.3	70.2	25.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	33.6	41.3	15.9	2	1	1	16.5	23.4	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	0	5	24.0	-	79.6	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	4.8	-	15.9	2	1	1	16.5	23.4	12.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	9.6	13.8	-	1	0	1	8.2	-	12.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.5	-	7.3	1	0	1	4.0	-	5.0
ACCIDENTS (800-949)	10	7	3	48.0	48.1	47.8	7	2	5	57.8	46.8	63.8
MOTOR VEHICLE ACCIDENTS# (810-825)	4	4	0	19.2	27.5	-	3	0	3	24.8	-	38.3
SUICIDE (950-959)	3	2	1	14.4	13.8	15.9	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	4.8	-	15.9	2	1	1	16.5	23.4	12.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	8.2	-	12.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	2.2	3.6	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	65	33	32	145.8	118.2	192.0	78	49	29	266.9	316.4	211.1
DIABETES MELLITUS (250)	7	1	6	15.7	3.6	36.0	9	2	7	30.8	12.9	50.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	77	39	38	172.7	139.7	228.0	111	65	46	379.9	419.8	334.8
HYPERTENSION (401, 403)	6	2	4	13.4	7.2	24.0	3	2	1	10.3	12.9	7.3
CEREBROVASCULAR DISEASES (430-438)	17	11	6	38.1	39.4	36.0	31	16	15	106.1	103.3	109.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.4	6.4	-
PNEUMONIA AND INFLUENZA (480-487)	4	1	3	9.0	3.6	18.0	8	5	3	27.4	32.3	21.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	3	3	13.4	10.7	18.0	13	8	5	44.5	51.7	36.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	2.2	-	6.0	1	1	0	3.4	6.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	4.5	3.6	6.0	9	4	5	30.8	25.8	36.4
INFECTIONS OF KIDNEY (590)	1	1	0	2.2	3.6	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.2	-	6.0	1	0	1	3.4	-	7.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.6	-	6.3	3	1	2	5.5	4.8	5.9
ACCIDENTS (800-949)	12	7	5	26.9	25.1	30.0	29	19	10	99.2	122.7	72.8
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	13.4	17.9	6.0	12	10	2	41.1	64.6	14.6
SUICIDE (950-959)	1	0	1	2.2	-	6.0	3	2	1	10.3	12.9	7.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	4.5	7.2	-	6	1	5	20.5	6.4	36.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	4	2	2	13.7	12.9	14.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	78	67	11	189.0	186.9	202.5	16	14	2	151.4	161.1	106.8
DIABETES MELLITUS (250)	6	4	2	14.5	11.2	36.8	3	3	0	28.4	34.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	133	111	22	322.2	309.6	405.1	34	22	12	321.8	253.2	640.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	12	4	38.8	33.5	73.6	4	3	1	37.9	34.5	53.4
ATHEROSCLEROSIS (440)	1	1	0	2.4	2.8	-	2	1	1	18.9	11.5	53.4
PNEUMONIA AND INFLUENZA (480-487)	15	11	4	36.3	30.7	73.6	2	2	0	18.9	23.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	7	2	21.8	19.5	36.8	5	3	2	47.3	34.5	106.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	4.8	5.6	-	1	1	0	9.5	11.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	7.3	5.6	18.4	2	2	0	18.9	23.0	-
INFECTIONS OF KIDNEY (590)	4	4	0	9.7	11.2	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	4.8	5.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.7	-	8.5	1	0	1	5.6	-	18.5
ACCIDENTS (800-949)	28	20	8	67.8	55.8	147.3	7	6	1	66.3	69.0	53.4
MOTOR VEHICLE ACCIDENTS# (810-825)	15	12	3	36.3	33.5	55.2	6	6	0	56.8	69.0	-
SUICIDE (950-959)	4	4	0	9.7	11.2	-	1	1	0	9.5	11.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	7.3	2.8	36.8	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	4.8	5.6	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	2.5	-	5.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	81	58	23	206.1	270.3	128.9	44	40	4	177.4	189.9	106.8
DIABETES MELLITUS (250)	16	6	10	40.7	28.0	56.0	9	9	0	36.3	42.7	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	176	121	55	447.9	564.0	308.2	71	63	8	286.2	299.1	213.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	4.0	-	26.7
CEREBROVASCULAR DISEASES (430-438)	40	26	14	101.8	121.2	78.5	21	20	1	84.7	94.9	26.7
ATHEROSCLEROSIS (440)	4	3	1	10.2	14.0	5.6	2	2	0	8.1	9.5	-
PNEUMONIA AND INFLUENZA (480-487)	12	6	6	30.5	28.0	33.6	9	9	0	36.3	42.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	4	5	22.9	18.6	28.0	6	6	0	24.2	28.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	6	0	15.3	28.0	-	1	1	0	4.0	4.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	2	6	20.4	9.3	33.6	1	1	0	4.0	4.7	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	4.0	4.7	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.5	-	5.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.6	-	5.9	6	6	0	17.6	20.6	-
ACCIDENTS (800-949)	27	15	12	68.7	69.9	67.2	9	8	1	36.3	38.0	26.7
MOTOR VEHICLE ACCIDENTS# (810-825)	13	9	4	33.1	42.0	22.4	5	5	0	20.2	23.7	-
SUICIDE (950-959)	3	2	1	7.6	9.3	5.6	6	6	0	24.2	28.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	3	2	12.7	14.0	11.2	2	2	0	8.1	9.5	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	7.6	4.7	11.2	1	1	0	4.0	4.7	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	48	48	0	168.7	189.5	-	24	15	9	224.4	301.8	157.2
DIABETES MELLITUS (250)	2	2	0	7.0	7.9	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	84	74	10	295.3	292.2	320.1	40	21	19	374.0	422.4	331.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	17	14	3	59.8	55.3	96.0	14	7	7	130.9	140.8	122.3
ATHEROSCLEROSIS (440)	1	1	0	3.5	3.9	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	8	1	31.6	31.6	32.0	4	3	1	37.4	60.4	17.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	24.6	23.7	32.0	2	0	2	18.7	-	34.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	10.5	11.8	-	1	0	1	9.3	-	17.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	7.0	7.9	-	1	1	0	9.3	20.1	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	9.3	-	17.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	4.6	-	6.3
ACCIDENTS (800-949)	17	13	4	59.8	51.3	128.0	15	5	10	140.2	100.6	174.7
MOTOR VEHICLE ACCIDENTS# (810-825)	12	9	3	42.2	35.5	96.0	8	4	4	74.8	80.5	69.9
SUICIDE (950-959)	9	8	1	31.6	31.6	32.0	3	1	2	28.0	20.1	34.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	1	0	9.3	20.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	23	19	4	80.8	75.0	128.0	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	1.2	1.5	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	116	103	13	141.7	151.6	93.6	44	29	15	165.6	176.9	147.2
DIABETES MELLITUS (250)	15	10	5	18.3	14.7	36.0	5	2	3	18.8	12.2	29.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	201	169	32	245.6	248.7	230.4	120	80	40	451.7	488.1	392.6
HYPERTENSION (401, 403)	4	1	3	4.9	1.5	21.6	1	1	0	3.8	6.1	-
CEREBROVASCULAR DISEASES (430-438)	39	34	5	47.6	50.0	36.0	17	12	5	64.0	73.2	49.1
ATHEROSCLEROSIS (440)	3	3	0	3.7	4.4	-	1	0	1	3.8	-	9.8
PNEUMONIA AND INFLUENZA (480-487)	13	12	1	15.9	17.7	7.2	10	5	5	37.6	30.5	49.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	24	21	3	29.3	30.9	21.6	6	6	0	22.6	36.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	12	11	1	14.7	16.2	7.2	3	1	2	11.3	6.1	19.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	10	7	3	12.2	10.3	21.6	5	3	2	18.8	18.3	19.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	204.9	-	427.4
CONGENITAL ANOMALIES (740-759)	4	4	0	4.9	5.9	-	1	0	1	3.8	-	9.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	2	3	3.9	2.0	10.8	3	0	3	6.1	-	12.8
ACCIDENTS (800-949)	48	37	11	58.6	54.4	79.2	20	14	6	75.3	85.4	58.9
MOTOR VEHICLE ACCIDENTS# (810-825)	30	23	7	36.6	33.8	50.4	11	9	2	41.4	54.9	19.6
SUICIDE (950-959)	17	14	3	20.8	20.6	21.6	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	1.2	1.5	-	2	0	2	7.5	-	19.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	11	6	5	13.4	8.8	36.0	4	2	2	15.0	12.2	19.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.6	-	12.0
MALIGNANT NEOPLASMS (140-208)	12	6	6	159.2	229.0	121.9	60	47	13	219.0	246.3	156.2
DIABETES MELLITUS (250)	4	2	2	53.0	76.3	40.6	5	3	2	18.2	15.7	24.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	30	13	17	397.9	496.2	345.4	107	80	27	390.5	419.2	324.5
HYPERTENSION (401, 403)	1	0	1	13.3	-	20.3	2	0	2	7.3	-	24.0
CEREBROVASCULAR DISEASES (430-438)	7	1	6	92.8	38.2	121.9	27	20	7	98.5	104.8	84.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	10.9	10.5	12.0
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	53.0	76.3	40.6	5	5	0	18.2	26.2	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	1	3	53.0	38.2	61.0	11	9	2	40.1	47.2	24.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	5	5	0	18.2	26.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	39.8	76.3	20.3	7	4	3	25.5	21.0	36.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	6.4	-	7.3	5	1	4	12.5	4.9	20.3
ACCIDENTS (800-949)	8	0	8	106.1	-	162.5	22	13	9	80.3	68.1	108.2
MOTOR VEHICLE ACCIDENTS# (810-825)	6	0	6	79.6	-	121.9	12	7	5	43.8	36.7	60.1
SUICIDE (950-959)	1	1	0	13.3	38.2	-	3	2	1	10.9	10.5	12.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	13.3	38.2	-	2	1	1	7.3	5.2	12.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	2	0	7.3	10.5	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	31	24	7	188.7	183.0	211.1	21	18	3	181.4	204.5	108.0
DIABETES MELLITUS (250)	5	4	1	30.4	30.5	30.2	1	1	0	8.6	11.4	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	55	45	10	334.7	343.1	301.6	61	47	14	526.8	533.9	504.0
HYPERTENSION (401, 403)	2	1	1	12.2	7.6	30.2	1	0	1	8.6	-	36.0
CEREBROVASCULAR DISEASES (430-438)	15	11	4	91.3	83.9	120.6	7	6	1	60.4	68.2	36.0
ATHEROSCLEROSIS (440)	5	5	0	30.4	38.1	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	6	4	2	36.5	30.5	60.3	2	2	0	17.3	22.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	18.2	15.2	30.2	6	5	1	51.8	56.8	36.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	18.2	15.2	30.2	3	3	0	25.9	34.1	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	476.2	-	1282.0	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	3	0	18.2	22.9	-	1	1	0	8.6	11.4	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	6.2	-	23.8
ACCIDENTS (800-949)	9	7	2	54.8	53.4	60.3	11	9	2	95.0	102.2	72.0
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	42.6	45.7	30.2	5	5	0	43.2	56.8	-
SUICIDE (950-959)	0	0	0	-	-	-	1	1	0	8.6	11.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	6.1	7.6	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	68	26	42	199.0	201.8	197.3	36	12	24	239.1	175.1	292.7
DIABETES MELLITUS (250)	7	3	4	20.5	23.3	18.8	4	2	2	26.6	29.2	24.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	157	69	88	459.5	535.5	413.4	52	22	30	345.4	321.0	365.8
HYPERTENSION (401, 403)	2	1	1	5.8	7.8	4.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	33	14	19	96.6	108.6	89.3	8	4	4	53.1	58.4	48.8
ATHEROSCLEROSIS (440)	1	1	0	2.9	7.8	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	6	3	3	17.6	23.3	14.1	5	3	2	33.2	43.8	24.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	2	3	14.6	15.5	14.1	4	2	2	26.6	29.2	24.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	2.9	-	4.7	2	0	2	13.3	-	24.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	2	4	17.6	15.5	18.8	2	1	1	13.3	14.6	12.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	5.8	7.8	4.7	2	0	2	13.3	-	24.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	9	2	7	13.2	14.9	12.8	2	0	2	6.3	-	8.7
ACCIDENTS (800-949)	23	13	10	67.3	100.9	47.0	9	6	3	59.8	87.6	36.6
MOTOR VEHICLE ACCIDENTS# (810-825)	11	7	4	32.2	54.3	18.8	3	3	0	19.9	43.8	-
SUICIDE (950-959)	1	1	0	2.9	7.8	-	1	0	1	6.6	-	12.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	10	0	10	29.3	-	47.0	5	1	4	33.2	14.6	48.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	0	4	11.7	-	18.8	3	1	2	19.9	14.6	24.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	4.5	-	11.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	38	27	11	172.0	206.6	121.9	37	34	3	175.2	192.0	88.0
DIABETES MELLITUS (250)	4	3	1	18.1	23.0	11.1	3	3	0	14.2	16.9	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	74	50	24	335.0	382.6	266.0	89	75	14	421.5	423.5	410.6
HYPERTENSION (401, 403)	1	1	0	4.5	7.6	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	22	12	10	99.6	91.8	110.8	25	23	2	118.4	129.9	58.6
ATHEROSCLEROSIS (440)	1	1	0	4.5	7.6	-	2	2	0	9.5	11.3	-
PNEUMONIA AND INFLUENZA (480-487)	8	6	2	36.2	45.9	22.2	6	5	1	28.4	28.2	29.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	18.1	23.0	11.1	5	5	0	23.7	28.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.5	7.6	-	1	1	0	4.7	5.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	22.6	15.3	33.2	1	1	0	4.7	5.6	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	4.7	5.6	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	0	3	13.6	-	33.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.7	5.2	-	4	4	0	12.9	16.3	-
ACCIDENTS (800-949)	10	5	5	45.3	38.2	55.4	15	15	0	71.0	84.7	-
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	18.1	15.3	22.2	10	10	0	47.4	56.5	-
SUICIDE (950-959)	3	3	0	13.6	23.0	-	8	7	1	37.9	39.5	29.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	4.5	-	11.1	1	1	0	4.7	5.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.5	7.6	-	1	1	0	4.7	5.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	45	44	1	218.6	222.9	118.2	15	7	8	176.2	295.1	130.2
DIABETES MELLITUS (250)	5	4	1	24.3	20.3	118.2	2	1	1	23.5	42.2	16.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	84	77	7	408.1	390.0	827.4	38	11	27	446.3	463.7	439.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	10	0	48.6	50.6	-	4	0	4	47.0	-	65.1
ATHEROSCLEROSIS (440)	1	1	0	4.8	5.1	-	1	0	1	11.7	-	16.3
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	38.9	40.5	-	6	2	4	70.5	84.3	65.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	34.0	35.4	-	2	0	2	23.5	-	32.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	14.6	15.2	-	1	0	1	11.7	-	16.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	6	0	29.2	30.4	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	13	13	0	63.2	65.8	-	5	0	5	58.7	-	81.4
MOTOR VEHICLE ACCIDENTS# (810-825)	7	7	0	34.0	35.4	-	2	0	2	23.5	-	32.6
SUICIDE (950-959)	3	3	0	14.6	15.2	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	4.8	5.1	-	1	0	1	11.7	-	16.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.8	5.1	-	4	2	2	47.0	84.3	32.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	49	43	6	201.7	202.6	195.2	30	19	11	199.2	216.3	174.9
DIABETES MELLITUS (250)	1	1	0	4.1	4.7	-	6	4	2	39.8	45.5	31.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	101	92	9	415.8	433.6	292.8	57	37	20	378.5	421.3	318.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	22	18	4	90.6	84.8	130.1	9	8	1	59.8	91.1	15.9
ATHEROSCLEROSIS (440)	1	1	0	4.1	4.7	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	28.8	33.0	-	2	2	0	13.3	22.8	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	7	1	32.9	33.0	32.5	3	1	2	19.9	11.4	31.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.1	4.7	-	3	3	0	19.9	34.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	6	0	24.7	28.3	-	3	0	3	19.9	-	47.7
INFECTIONS OF KIDNEY (590)	1	1	0	4.1	4.7	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	8.2	9.4	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	5.9	3.6	15.4	1	0	1	4.2	-	6.5
ACCIDENTS (800-949)	13	11	2	53.5	51.8	65.1	7	5	2	46.5	56.9	31.8
MOTOR VEHICLE ACCIDENTS# (810-825)	8	8	0	32.9	37.7	-	3	3	0	19.9	34.2	-
SUICIDE (950-959)	4	4	0	16.5	18.8	-	3	2	1	19.9	22.8	15.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	12.4	4.7	65.1	1	0	1	6.6	-	15.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.1	4.7	-	1	1	0	6.6	11.4	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	0	2	2.7	-	4.7
MALIGNANT NEOPLASMS (140-208)	98	55	43	172.1	161.4	187.9	126	52	74	173.0	170.6	174.7
DIABETES MELLITUS (250)	6	5	1	10.5	14.7	4.4	6	0	6	8.2	-	14.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	215	114	101	377.5	334.6	441.3	323	136	187	443.4	446.2	441.4
HYPERTENSION (401, 403)	2	0	2	3.5	-	8.7	3	0	3	4.1	-	7.1
CEREBROVASCULAR DISEASES (430-438)	52	19	33	91.3	55.8	144.2	50	22	28	68.6	72.2	66.1
ATHEROSCLEROSIS (440)	2	2	0	3.5	5.9	-	2	1	1	2.7	3.3	2.4
PNEUMONIA AND INFLUENZA (480-487)	13	8	5	22.8	23.5	21.8	31	12	19	42.6	39.4	44.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	11	1	21.1	32.3	4.4	11	10	1	15.1	32.8	2.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	4	2	10.5	11.7	8.7	3	1	2	4.1	3.3	4.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	7.0	2.9	13.1	8	2	6	11.0	6.6	14.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	1.4	-	2.4
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	2.7	-	4.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.2	-	2.4	6	3	3	4.8	8.0	3.4
ACCIDENTS (800-949)	14	10	4	24.6	29.4	17.5	33	13	20	45.3	42.6	47.2
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	10.5	14.7	4.4	15	5	10	20.6	16.4	23.6
SUICIDE (950-959)	5	4	1	8.8	11.7	4.4	13	10	3	17.8	32.8	7.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	10	4	6	17.6	11.7	26.2	18	5	13	24.7	16.4	30.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	3.5	2.9	4.4	8	4	4	11.0	13.1	9.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	9.7	-	57.4
MALIGNANT NEOPLASMS (140-208)	33	22	11	156.5	164.4	142.6	28	25	3	271.8	291.9	172.3
DIABETES MELLITUS (250)	0	0	0	-	-	-	1	1	0	9.7	11.7	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	73	48	25	346.1	358.8	324.1	42	37	5	407.6	432.0	287.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	9	5	4	42.7	37.4	51.8	12	9	3	116.5	105.1	172.3
ATHEROSCLEROSIS (440)	4	3	1	19.0	22.4	13.0	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	19.0	14.9	25.9	4	3	1	38.8	35.0	57.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	19.0	29.9	-	5	4	1	48.5	46.7	57.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	9.5	14.9	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	14.2	22.4	-	1	1	0	9.7	11.7	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	19.4	11.7	57.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	5.5	-	10.5	3	1	2	21.0	10.8	40.0
ACCIDENTS (800-949)	17	8	9	80.6	59.8	116.7	4	4	0	38.8	46.7	-
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	28.4	22.4	38.9	2	2	0	19.4	23.4	-
SUICIDE (950-959)	1	1	0	4.7	7.5	-	1	1	0	9.7	11.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	9.5	-	25.9	1	0	1	9.7	-	57.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	1	1	19.4	11.7	57.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	4.9	8.2	-
MALIGNANT NEOPLASMS (140-208)	19	6	13	204.7	205.1	204.5	51	33	18	249.5	272.5	215.7
DIABETES MELLITUS (250)	3	0	3	32.3	-	47.2	10	4	6	48.9	33.0	71.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	46	14	32	495.7	478.6	503.3	70	46	24	342.4	379.9	287.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	9	7	172.4	307.7	110.1	20	14	6	97.8	115.6	71.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	2	0	9.8	16.5	-
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	43.1	136.8	-	8	6	2	39.1	49.6	24.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	3	2	53.9	102.6	31.4	9	7	2	44.0	57.8	24.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	3	1	19.6	24.8	12.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	21.6	-	31.4	4	2	2	19.6	16.5	24.0
INFECTIONS OF KIDNEY (590)	1	0	1	10.8	-	15.7	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	12.5	-	16.1	2	0	2	6.5	-	12.2
ACCIDENTS (800-949)	4	1	3	43.1	34.2	47.2	16	5	11	78.3	41.3	131.8
MOTOR VEHICLE ACCIDENTS# (810-825)	4	1	3	43.1	34.2	47.2	8	2	6	39.1	16.5	71.9
SUICIDE (950-959)	1	1	0	10.8	34.2	-	3	3	0	14.7	24.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	10.8	-	15.7	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1989

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.6	-	7.1
MALIGNANT NEOPLASMS (140-208)	41	31	10	294.5	374.8	177.0	63	31	32	229.0	229.9	228.2
DIABETES MELLITUS (250)	1	1	0	7.2	12.1	-	2	0	2	7.3	-	14.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	67	40	27	481.2	483.6	478.0	140	72	68	509.0	534.0	485.0
HYPERTENSION (401, 403)	1	1	0	7.2	12.1	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	15	8	7	107.7	96.7	123.9	32	13	19	116.3	96.4	135.5
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	1	1	7.3	7.4	7.1
PNEUMONIA AND INFLUENZA (480-487)	6	3	3	43.1	36.3	53.1	5	4	1	18.2	29.7	7.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	8	1	64.6	96.7	17.7	9	7	2	32.7	51.9	14.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	7.2	-	17.7	1	1	0	3.6	7.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	7.2	12.1	-	4	2	2	14.5	14.8	14.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	5.0	10.8	-	1	0	1	2.2	-	3.2
ACCIDENTS (800-949)	11	8	3	79.0	96.7	53.1	14	5	9	50.9	37.1	64.2
MOTOR VEHICLE ACCIDENTS# (810-825)	4	4	0	28.7	48.4	-	4	1	3	14.5	7.4	21.4
SUICIDE (950-959)	2	1	1	14.4	12.1	17.7	7	2	5	25.4	14.8	35.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	7.2	12.1	-	4	0	4	14.5	-	28.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	21.5	12.1	35.4	6	2	4	21.8	14.8	28.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	26	11	15	0.9	0.6	1.5
MALIGNANT NEOPLASMS (140-208)	5,252	3,569	1,683	189.0	200.6	168.1
DIABETES MELLITUS (250)	459	229	230	16.5	12.9	23.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,593	6,364	3,229	345.1	357.8	322.6
HYPERTENSION (401, 403)	111	44	67	4.0	2.5	6.7
CEREBROVASCULAR DISEASES (430-438)	1,883	1,174	709	67.7	66.0	70.8
ATHEROSCLEROSIS (440)	146	105	41	5.2	5.9	4.1
PNEUMONIA AND INFLUENZA (480-487)	775	533	242	27.9	30.0	24.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	754	583	171	27.1	32.8	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	224	161	63	8.0	9.0	6.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	334	185	149	12.0	10.4	14.9
INFECTIONS OF KIDNEY (590)	18	14	4	0.6	0.8	0.4
MATERNAL CAUSES (630-676)	6	1	5	13.9	4.5	23.8
CONGENITAL ANOMALIES (740-759)	141	84	57	5.1	4.7	5.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	226	86	140	5.2	3.9	6.7
ACCIDENTS (800-949)	1,533	942	591	55.2	53.0	59.0
MOTOR VEHICLE ACCIDENTS# (810-825)	797	531	266	28.7	29.8	26.6
SUICIDE (950-959)	316	257	59	11.4	14.4	5.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	312	98	214	11.2	5.5	21.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	267	109	158	9.6	6.1	15.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 19
LIVE BIRTHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1989, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1989)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1036	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

TABLE 19 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1989

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9

* Births per 1,000 population.

** Figures shown are by race of mother; figures for years prior to 1989 are by race of child.

TABLE 20
DEATHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1989, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1989)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

TABLE 20 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1989

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9

* Deaths per 1,000 population.

TABLE 21
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1989, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1989)

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

TABLE 21 - PAGE 2
MATERNAL DEATHS - MISSISSIPPI - 1913-1989

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 22
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1917-1989, (OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1989)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

TABLE 22 - PAGE 2
INFANT DEATHS - MISSISSIPPI - 1917-1989

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7

* Deaths of children under 1 year of age.

** Deaths per 1,000 live births.

Not available.

TABLE 23
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1989, (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1989)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

TABLE 23 - PAGE 2
NEONATAL DEATHS - MISSISSIPPI - 1924-1989

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 24
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1989, (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1989)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

TABLE 24 - PAGE 2
POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1989

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 25
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA, MISSISSIPPI, 1926-1989

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

TABLE 25 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1989

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.

TABLE 26
REPORTED INDUCED TERMINATIONS OF PREGNANCY AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1989

Year	Number				Ratio*		
	Total	White	Non-white	Unk. Race	Total	White	Non-white
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.